

Write your name here	
Surname	Other names
Pearson Edexcel Certificate	
Pearson Edexcel International GCSE	Centre Number
Candidate Number 	
Chemistry Unit: KCH0/4CH0 Science (Double Award) KSC0/4SC0 Paper: 1C	
Tuesday 13 May 2014 – Morning Time: 2 hours	Paper Reference KCH0/1C 4CH0/1C KSC0/1C 4SC0/1C
You must have: Calculator, ruler	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 120.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P42865A

©2014 Pearson Education Ltd.

1/1/1/



PEARSON

THE PERIODIC TABLE

Period

1 2 3 4 5 6 7 0

Group





1	2	3	4	5	6	7	0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1	7 Li Lithium 3	8 Be Beryllium 4	9 B Boron 5	10 C Carbon 6	11 N Nitrogen 7	12 O Oxygen 8	13 F Fluorine 9	14 Ne Neon 10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
2	19 K Potassium 19	20 Ca Calcium 20	21 Sc Scandium 21	22 Ti Titanium 22	23 V Vanadium 23	24 Cr Chromium 24	25 Mn Manganese 25	26 Fe Iron 26	27 Co Cobalt 27	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
3	39 Y Yttrium 39	40 Zr Zirconium 40	41 Nb Niobium 41	42 Mo Molybdenum 42	43 Tc Technetium 43	44 Ru Ruthenium 44	45 Rh Rhodium 45	46 Pd Palladium 46	47 Ag Silver 47	48 Cd Cadmium 48	49 In Indium 49	50 Sn Tin 50	51 Sb Antimony 51	52 Te Tellurium 52	53 I Iodine 53	54 Xe Xenon 54	55 Ba Barium 56	56 La Lanthanum 57	57 Ce Cerium 58	58 Pr Praseodymium 59	59 Nd Neodymium 60	60 Pm Promethium 61	61 Sm Samarium 62	62 Eu Europium 63	63 Gd Gadolinium 64	64 Tb Terbium 65	65 Dy Dysprosium 66	66 Ho Holmium 67	67 Er Erbium 68	68 Tm Thulium 69	69 Yb Ytterbium 70	70 Lu Lutetium 71	71 Hf Hafnium 72	72 Ta Tantalum 73	73 W Tungsten 74	74 Re Rhenium 75	75 Os Osmium 76	76 Ir Iridium 77	77 Pt Platinum 78	78 Au Gold 79	79 Hg Mercury 80	80 Tl Thallium 81	81 Pb Lead 82	82 Bi Bismuth 83	83 Po Polonium 84	84 At Astatine 85	85 Rn Radon 86																																																																																																																																																																																																																																																																																																																																																																																																																																											
4	87 Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89	90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	94 Pu Plutonium 94	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99	100 Fm Fermium 100	101 Md Mendelevium 101	102 No Nobelium 102	103 Lr Lawrencium 103	104 Rf Rutherfordium 104	105 Db Dubnium 105	106 Sg Seaborgium 106	107 Bh Bohrium 107	108 Hs Hassium 108	109 Mt Meitnerium 109	110 Ds Darmstadtium 110	111 Rg Roentgenium 111	112 Uut Ununtrium 112	113 Uuq Ununquadium 113	114 Uub Ununbium 114	115 Uuh Ununhexium 115	116 Uus Ununseptium 116	117 Uuo Ununoctium 117	118 Uue Ununennium 118	119 Ubu Unbinilium 119	120 Ubn Unbihassium 120	121 Ubs Unbinilium 121	122 Ubt Untrihassium 122	123 Ubu Unbinilium 123	124 Ubn Unbihassium 124	125 Ubs Unbinilium 125	126 Ubt Untrihassium 126	127 Ubu Unbinilium 127	128 Ubn Unbihassium 128	129 Ubs Unbinilium 129	130 Ubt Untrihassium 130	131 Ubu Unbinilium 131	132 Ubn Unbihassium 132	133 Ubs Unbinilium 133	134 Ubt Untrihassium 134	135 Ubu Unbinilium 135	136 Ubn Unbihassium 136	137 Ubs Unbinilium 137	138 Ubt Untrihassium 138	139 Ubu Unbinilium 139	140 Ubn Unbihassium 140	141 Ubs Unbinilium 141	142 Ubt Untrihassium 142	143 Ubu Unbinilium 143	144 Ubn Unbihassium 144	145 Ubs Unbinilium 145	146 Ubt Untrihassium 146	147 Ubu Unbinilium 147	148 Ubn Unbihassium 148	149 Ubs Unbinilium 149	150 Ubt Untrihassium 150	151 Ubu Unbinilium 151	152 Ubn Unbihassium 152	153 Ubs Unbinilium 153	154 Ubt Untrihassium 154	155 Ubu Unbinilium 155	156 Ubn Unbihassium 156	157 Ubs Unbinilium 157	158 Ubt Untrihassium 158	159 Ubu Unbinilium 159	160 Ubn Unbihassium 160	161 Ubs Unbinilium 161	162 Ubt Untrihassium 162	163 Ubu Unbinilium 163	164 Ubn Unbihassium 164	165 Ubs Unbinilium 165	166 Ubt Untrihassium 166	167 Ubu Unbinilium 167	168 Ubn Unbihassium 168	169 Ubs Unbinilium 169	170 Ubt Untrihassium 170	171 Ubu Unbinilium 171	172 Ubn Unbihassium 172	173 Ubs Unbinilium 173	174 Ubt Untrihassium 174	175 Ubu Unbinilium 175	176 Ubn Unbihassium 176	177 Ubs Unbinilium 177	178 Ubt Untrihassium 178	179 Ubu Unbinilium 179	180 Ubn Unbihassium 180	181 Ubs Unbinilium 181	182 Ubt Untrihassium 182	183 Ubu Unbinilium 183	184 Ubn Unbihassium 184	185 Ubs Unbinilium 185	186 Ubt Untrihassium 186	187 Ubu Unbinilium 187	188 Ubn Unbihassium 188	189 Ubs Unbinilium 189	190 Ubt Untrihassium 190	191 Ubu Unbinilium 191	192 Ubn Unbihassium 192	193 Ubs Unbinilium 193	194 Ubt Untrihassium 194	195 Ubu Unbinilium 195	196 Ubn Unbihassium 196	197 Ubs Unbinilium 197	198 Ubt Untrihassium 198	199 Ubu Unbinilium 199	200 Ubn Unbihassium 200	201 Ubs Unbinilium 201	202 Ubt Untrihassium 202	203 Ubu Unbinilium 203	204 Ubn Unbihassium 204	205 Ubs Unbinilium 205	206 Ubt Untrihassium 206	207 Ubu Unbinilium 207	208 Ubn Unbihassium 208	209 Ubs Unbinilium 209	210 Ubt Untrihassium 210	211 Ubu Unbinilium 211	212 Ubn Unbihassium 212	213 Ubs Unbinilium 213	214 Ubt Untrihassium 214	215 Ubu Unbinilium 215	216 Ubn Unbihassium 216	217 Ubs Unbinilium 217	218 Ubt Untrihassium 218	219 Ubu Unbinilium 219	220 Ubn Unbihassium 220	221 Ubs Unbinilium 221	222 Ubt Untrihassium 222	223 Ubu Unbinilium 223	224 Ubn Unbihassium 224	225 Ubs Unbinilium 225	226 Ubt Untrihassium 226	227 Ubu Unbinilium 227	228 Ubn Unbihassium 228	229 Ubs Unbinilium 229	230 Ubt Untrihassium 230	231 Ubu Unbinilium 231	232 Ubn Unbihassium 232	233 Ubs Unbinilium 233	234 Ubt Untrihassium 234	235 Ubu Unbinilium 235	236 Ubn Unbihassium 236	237 Ubs Unbinilium 237	238 Ubt Untrihassium 238	239 Ubu Unbinilium 239	240 Ubn Unbihassium 240	241 Ubs Unbinilium 241	242 Ubt Untrihassium 242	243 Ubu Unbinilium 243	244 Ubn Unbihassium 244	245 Ubs Unbinilium 245	246 Ubt Untrihassium 246	247 Ubu Unbinilium 247	248 Ubn Unbihassium 248	249 Ubs Unbinilium 249	250 Ubt Untrihassium 250	251 Ubu Unbinilium 251	252 Ubn Unbihassium 252	253 Ubs Unbinilium 253	254 Ubt Untrihassium 254	255 Ubu Unbinilium 255	256 Ubn Unbihassium 256	257 Ubs Unbinilium 257	258 Ubt Untrihassium 258	259 Ubu Unbinilium 259	260 Ubn Unbihassium 260	261 Ubs Unbinilium 261	262 Ubt Untrihassium 262	263 Ubu Unbinilium 263	264 Ubn Unbihassium 264	265 Ubs Unbinilium 265	266 Ubt Untrihassium 266	267 Ubu Unbinilium 267	268 Ubn Unbihassium 268	269 Ubs Unbinilium 269	270 Ubt Untrihassium 270	271 Ubu Unbinilium 271	272 Ubn Unbihassium 272	273 Ubs Unbinilium 273	274 Ubt Untrihassium 274	275 Ubu Unbinilium 275	276 Ubn Unbihassium 276	277 Ubs Unbinilium 277	278 Ubt Untrihassium 278	279 Ubu Unbinilium 279	280 Ubn Unbihassium 280	281 Ubs Unbinilium 281	282 Ubt Untrihassium 282	283 Ubu Unbinilium 283	284 Ubn Unbihassium 284	285 Ubs Unbinilium 285	286 Ubt Untrihassium 286	287 Ubu Unbinilium 287	288 Ubn Unbihassium 288	289 Ubs Unbinilium 289	290 Ubt Untrihassium 290	291 Ubu Unbinilium 291	292 Ubn Unbihassium 292	293 Ubs Unbinilium 293	294 Ubt Untrihassium 294	295 Ubu Unbinilium 295	296 Ubn Unbihassium 296	297 Ubs Unbinilium 297	298 Ubt Untrihassium 298	299 Ubu Unbinilium 299	300 Ubn Unbihassium 300	301 Ubs Unbinilium 301	302 Ubt Untrihassium 302	303 Ubu Unbinilium 303	304 Ubn Unbihassium 304	305 Ubs Unbinilium 305	306 Ubt Untrihassium 306	307 Ubu Unbinilium 307	308 Ubn Unbihassium 308	309 Ubs Unbinilium 309	310 Ubt Untrihassium 310	311 Ubu Unbinilium 311	312 Ubn Unbihassium 312	313 Ubs Unbinilium 313	314 Ubt Untrihassium 314	315 Ubu Unbinilium 315	316 Ubn Unbihassium 316	317 Ubs Unbinilium 317	318 Ubt Untrihassium 318	319 Ubu Unbinilium 319	320 Ubn Unbihassium 320	321 Ubs Unbinilium 321	322 Ubt Untrihassium 322	323 Ubu Unbinilium 323	324 Ubn Unbihassium 324	325 Ubs Unbinilium 325	326 Ubt Untrihassium 326	327 Ubu Unbinilium 327	328 Ubn Unbihassium 328	329 Ubs Unbinilium 329	330 Ubt Untrihassium 330	331 Ubu Unbinilium 331	332 Ubn Unbihassium 332	333 Ubs Unbinilium 333	334 Ubt Untrihassium 334	335 Ubu Unbinilium 335	336 Ubn Unbihassium 336	337 Ubs Unbinilium 337	338 Ubt Untrihassium 338	339 Ubu Unbinilium 339	340 Ubn Unbihassium 340	341 Ubs Unbinilium 341	342 Ubt Untrihassium 342	343 Ubu Unbinilium 343	344 Ubn Unbihassium 344	345 Ubs Unbinilium 345	346 Ubt Untrihassium 346	347 Ubu Unbinilium 347	348 Ubn Unbihassium 348	349 Ubs Unbinilium 349	350 Ubt Untrihassium 350	351 Ubu Unbinilium 351	352 Ubn Unbihassium 352	353 Ubs Unbinilium 353	354 Ubt Untrihassium 354	355 Ubu Unbinilium 355	356 Ubn Unbihassium 356	357 Ubs Unbinilium 357	358 Ubt Untrihassium 358	359 Ubu Unbinilium 359	360 Ubn Unbihassium 360	361 Ubs Unbinilium 361	362 Ubt Untrihassium 362	363 Ubu Unbinilium 363	364 Ubn Unbihassium 364	365 Ubs Unbinilium 365	366 Ubt Untrihassium 366	367 Ubu Unbinilium 367	368 Ubn Unbihassium 368	369 Ubs Unbinilium 369	370 Ubt Untrihassium 370	371 Ubu Unbinilium 371	372 Ubn Unbihassium 372	373 Ubs Unbinilium 373	374 Ubt Untrihassium 374	375 Ubu Unbinilium 375	376 Ubn Unbihassium 376	377 Ubs Unbinilium 377	378 Ubt Untrihassium 378	379 Ubu Unbinilium 379	380 Ubn Unbihassium 380	381 Ubs Unbinilium 381	382 Ubt Untrihassium 382	383 Ubu Unbinilium 383	384 Ubn Unbihassium 384	385 Ubs Unbinilium 385	386 Ubt Untrihassium 386	387 Ubu Unbinilium 387	388 Ubn Unbihassium 388	389 Ubs Unbinilium 389	390 Ubt Untrihassium 390	391 Ubu Unbinilium 391	392 Ubn Unbihassium 392	393 Ubs Unbinilium 393	394 Ubt Untrihassium 394	395 Ubu Unbinilium 395	396 Ubn Unbihassium 396	397 Ubs Unbinilium 397	398 Ubt Untrihassium 398	399 Ubu Unbinilium 399	400 Ubn Unbihassium 400	401 Ubs Unbinilium 401	402 Ubt Untrihassium 402	403 Ubu Unbinilium 403	404 Ubn Unbihassium 404	405 Ubs Unbinilium 405	406 Ubt Untrihassium 406	407 Ubu Unbinilium 407	408 Ubn Unbihassium 408	409 Ubs Unbinilium 409	410 Ubt Untrihassium 410	411 Ubu Unbinilium 411	412 Ubn Unbihassium 412	413 Ubs Unbinilium 413	414 Ubt Untrihassium 414	415 Ubu Unbinilium 415	416 Ubn Unbihassium 416	417 Ubs Unbinilium 417	418 Ubt Untrihassium 418	419 Ubu Unbinilium 419	420 Ubn Unbihassium 420	421 Ubs Unbinilium 421	422 Ubt Untrihassium 422	423 Ubu Unbinilium 423	424 Ubn Unbihassium 424	425 Ubs Unbinilium 425	426 Ubt Untrihassium 426	427 Ubu Unbinilium 427	428 Ubn Unbihassium 428	429 Ubs Unbinilium 429	430 Ubt Untrihassium 430	431 Ubu Unbinilium 431	432 Ubn Unbihassium 432	433 Ubs Unbinilium 433	434 Ubt Untrihassium 434	435 Ubu Unbinilium 435	436 Ubn Unbihassium 436	437 Ubs Unbinilium 437	438 Ubt Untrihassium 438	439 Ubu Unbinilium 439	440 Ubn Unbihassium 440	441 Ubs Unbinilium 441	442 Ubt Untrihassium 442	443 Ubu Unbinilium 443	444 Ubn Unbihassium 444	445 Ubs Unbinilium 445	446 Ubt Untrihassium 446	447 Ubu Unbinilium 447	448 Ubn Unbihassium 448	449 Ubs Unbinilium 449	450 Ubt Untrihassium 450	451 Ubu Unbinilium 451	452 Ubn Unbihassium 452	453 Ubs Unbinilium 453	454 Ubt Untrihassium 454	455 Ubu Unbinilium 455	456 Ubn Unbihassium 456	457 Ubs Unbinilium 457	458 Ubt Untrihassium 458	459 Ubu Unbinilium 459	460 Ubn Unbihassium 460	461 Ubs Unbinilium 461	462 Ubt Untrihassium 462	463 Ubu Unbinilium 463	464 Ubn Unbihassium 464	465 Ubs Unbinilium 465	466 Ubt Untrihassium 466	467 Ubu Unbinilium 467	468 Ubn Unbihassium 468	469 Ubs Unbinilium 469	470 Ubt Untrihassium 470	471 Ubu Unbinilium 471	472 Ubn Unbihassium 472	473 Ubs Unbinilium 473	474 Ubt Untrihassium 474	475 Ubu Unbinilium 475	476 Ubn Unbihassium 476	477 Ubs Unbinilium 477	478 Ubt Untrihassium 478	479 Ubu Unbinilium 479	480 Ubn Unbihassium 480	481 Ubs Unbinilium 481	482 Ubt Untrihassium 482	483 Ubu Unbinilium 483	484 Ubn Unbihassium 484	485 Ubs Unbinilium 485	486 Ubt Untrihassium 486	487 Ubu Unbinilium 487	488 Ubn Unbihassium 488	489 Ubs Unbinilium 489	490 Ubt Untrihassium 490	491 Ubu Unbinilium 491	492 Ubn Unbihassium 492	493 Ubs Unbinilium 493	494 Ubt Untrihassium 494	495 Ubu Unbinilium 495	496 Ubn Unbihassium 496	497 Ubs Unbinilium 497	498 Ubt Untrihassium 498	499 Ubu Unbinilium 499	500 Ubn Unbihassium 500	501 Ubs Unbinilium 501	502 Ubt Untrihassium 502	503 Ubu Unbinilium 503	504 Ubn Unbihassium 504	505 Ubs Unbinilium 505	506 Ubt Untrihassium 506	507 Ubu Unbinilium 507	508 Ubn Unbihassium 508	509 Ubs Unbinilium 509	510 Ubt Untrihassium 510	511 Ubu Unbinilium 511	512 Ubn Unbihassium 512	513 Ubs Unbinilium 513	514 Ubt Untrihassium 514	515 Ubu Unbinilium 515	516 Ubn Unbihassium 516	517 Ubs Unbinilium 517	518 Ubt Untrihassium 518	519 Ubu Unbinilium 519	520 Ubn Unbihassium 520	521 Ubs Unbinilium 521	522 Ubt Untrihassium 522	523 Ubu Unbinilium 523	524 Ubn Unbihassium 524	525 Ubs Unbinilium 525	526 Ubt Untrihassium 526	527 Ubu Unbinilium 527	528 Ubn Unbihassium 528	529 Ubs Unbinilium 529	530 Ubt Untrihassium 530	531 Ubu Unbinilium 531	532 Ubn Unbihassium 532	533 Ubs Unbinilium 533	534 Ubt Untrihassium 534	535 Ubu Unbinilium 535	536 Ubn Unbihassium 536	537 Ubs Unbinilium 537	538 Ubt Untrihassium 538	539 Ubu Unbinilium 539	540 Ubn Unbihassium 540	541 Ubs Unbinilium 541	542 Ubt Untrihassium 542	543 Ubu Unbinilium 543	544 Ubn Unbihassium 544	545 Ubs Unbinilium 545	546 Ubt Untrihassium 546	547 Ubu Unbinilium 547	548 Ubn Unbihassium 548	549 Ubs Unbinilium 549	550 Ubt Untrihassium 550	551 Ubu Unbinilium 551	552 Ubn Unbihassium 552	553 Ubs Unbinilium 553	554 Ubt Untrihassium 554	555 Ubu Unbinilium 555	556 Ubn Unbihassium 556	557 Ubs Unbinilium 557	558 Ubt Untrihassium 558	559 Ubu Unbinilium 559	560

BLANK PAGE



Answer ALL questions.

- 1 The diagram shows some pieces of apparatus that you may find in a laboratory.

**A****B****C****D****E****F**

- (a) Complete the table by giving the name of each piece of apparatus.

(4)

Letter	Name
A	measuring cylinder
B	
C	conical flask
D	
E	
F	

- (b) Give the letters of the **two** pieces of apparatus that could each be used to measure an accurate volume of a liquid.

(2)

..... and

(Total for Question 1 = 6 marks)




2 Crude oil is a mixture of substances.

(a) Which word best describes the main substances in crude oil?

(1)

- ☐ **A** bases
- ☐ **B** carbohydrates
- ☐ **C** elements
- ☐ **D** hydrocarbons

(b) This apparatus can be used to separate the substances present in a sample of crude oil into several fractions.



These sentences describe the steps in the method for separating the substances into fractions, but the steps are in the wrong order.

- R** Connect a delivery tube to the boiling tube.
- S** Pour crude oil into a boiling tube.
- T** Collect each fraction in a different test tube.
- U** Fit a thermometer into the boiling tube.
- V** Heat the crude oil gently at first, then more strongly.


Put a letter in each box to show the correct order. One has been done for you.

(2)

	U			
--	----------	--	--	--

(Total for Question 2 = 3 marks)

3 The diagram shows the electronic configuration of an atom of element X.



(a) (i) How many protons does the nucleus of the atom contain?

(1)

(ii) Which group of the Periodic Table contains element X?

Give a reason for your choice.

(2)

(iii) Give the formula of the ion formed by element X in its compounds.

(1)



(b) Element X has three isotopes.

The table gives the mass number of each isotope and its percentage abundance in a sample of element X.

Mass number	Percentage abundance (%)
24	79.0
25	10.0
26	11.0

Calculate the relative atomic mass (A_r) of element X.

Give your answer to one decimal place.






(3)

relative atomic mass of X =

(Total for Question 3 = 7 marks)



- 4 The diagram shows how hydrated copper(II) sulfate crystals can be made by reacting copper(II) oxide with dilute sulfuric acid.



(a) Why is the sulfuric acid heated in stage 1?

(1)

(b) How would you know when the copper(II) oxide is in excess in stage 2?

(1)

(c) Why is the mixture filtered in stage 3?

(1)

(d) Why do crystals form when the hot saturated solution is cooled in stage 5?

(1)

(e) State the colour of the crystals formed in stage 5.

(1)

(f) The crystals are removed by filtration and then dried.

Suggest a suitable method of drying the crystals.

(1)

(Total for Question 4 = 6 marks)



5 The table shows some properties of four substances A, B, C and D.

Substance	Melting point in °C	Boiling point in °C	Conducts electricity when solid?	Conducts electricity when molten?
A	-101	-35	no	no
B	1063	2970	yes	yes
C	801	1413	no	yes
D	3550	4830	no	no

(a) Use the information in the table to identify the substance that

(i) is a metal

(1)

☐ A ☐ B ☐ C ☐ D

(ii) could be diamond

(1)

☐ A ☐ B ☐ C ☐ D

(iii) is a gas at 20°C

(1)

☐ A ☐ B ☐ C ☐ D

(iv) contains oppositely charged ions

(1)

☐ A ☐ B ☐ C ☐ D

(b) Some of the substances in the table are compounds.

What is meant by the term **compound**?

(2)

.....

.....

.....

.....

(c) (i) The electronic configurations of atoms of sodium and chlorine are

Na 2.8.1

Cl 2.8.7

Describe the changes in the electronic configurations of sodium and chlorine when these atoms form sodium chloride.

(3)

.....

.....

.....

.....

.....

.....

(ii) Calculate the relative formula mass of sodium chloride (NaCl).

Use the Periodic Table on page 2 to help you.

(2)


relative formula mass =

(Total for Question 5 = 11 marks)



- 6 A total volume of 50 cm^3 of hydrochloric acid is added gradually to 50 cm^3 of sodium hydroxide solution containing some universal indicator.

The graph shows how the pH of the solution changes as the acid is added.



(a) Use the graph to answer these questions.

- (i) What is the pH of the sodium hydroxide solution before any acid is added?

(1)

- (ii) What is the pH of the solution after 40 cm^3 of acid is added?

(1)

- (iii) What volume of acid is needed to completely neutralise the sodium hydroxide?

(1)



(b) The table shows the colour of universal indicator at different pH values.

pH	0–2	3–4	5–6	7	8–9	10–12	13–14
Colour	red	orange	yellow	green	blue	indigo	violet

Complete the table below to show the colour of the solution when the volume of hydrochloric acid added is 20 cm³ and when the volume added is 35 cm³.

(2)


Volume of hydrochloric acid added in cm ³	Colour of solution
20	
35	

(c) Write a chemical equation for the reaction between sodium hydroxide and hydrochloric acid.

(1)

(Total for Question 6 = 6 marks)

7 The diagram shows some of the reactions of magnesium.



(a) Complete the table to give the identity of substances F, G and H.

(3)

Substance	Identity
solution F	
gas G	
dilute acid H	

(b) Write a chemical equation for the reaction between magnesium and steam.

(1)

(Total for Question 7 = 4 marks)


BLANK PAGE



- 8 When lithium is burned in air, the two compounds lithium oxide (Li_2O) and lithium nitride (Li_3N) are formed.

Both compounds are ionic and their ions can be represented by dot and cross diagrams.


The dot and cross diagram for the ions in lithium oxide is



- (a) Draw a dot and cross diagram for the ions in lithium nitride.

(3)

- (b) The chemical equation for the reaction between lithium and oxygen is



Write a chemical equation for the reaction between lithium and nitrogen.

(2)

- (c) (i) Lithium nitride reacts violently with water to form a solution of lithium hydroxide and ammonia gas.

Complete the following equation by inserting the appropriate state symbols.

(1)



- (ii) Suggest a value for the pH of the solution formed.

Give a reason for your answer.

(2)

pH.....

reason.....

- (d) Solid lithium nitride conducts electricity and is used in batteries.






Why would you expect solid lithium nitride **not** to conduct electricity?

(1)

(Total for Question 8 = 9 marks)



9 The diagram shows the displayed formulae of five hydrocarbons A, B, C, D and E.

**A****B****C****D****E**

(a) Give the letter of a hydrocarbon to answer these questions.

You may use each letter once, more than once or not at all.

(i) Which hydrocarbon is the main component of natural gas?

(1)

(ii) Which other hydrocarbon is produced, together with D, when pentane (C_5H_{12}) is cracked?

(1)

(iii) Which hydrocarbon can undergo an addition reaction with hydrogen to form B?

(1)

(b) Give the molecular formula and the empirical formula of E.

(2)

molecular formula.....

empirical formula.....



(c) Hydrocarbons A, B, D and E all belong to the same homologous series.

(i) Give the name and the general formula of this homologous series.

(2)

name.....

general formula.....

(ii) Draw the displayed formula of an isomer of E.

(1)

(d) Two reactions that can occur when hydrocarbon A is burned in air are represented by these equations.



Explain why a different product is formed in reaction 2 and why this product is dangerous.

(3)

.....

.....

.....

.....

.....

.....

.....

(Total for Question 9 = 11 marks)



10 Aluminium and iron have some similar properties.

Both metals

- are malleable
- are ductile (can be drawn into a wire)
- are good conductors of electricity
- are good conductors of heat
- have a high melting point

(a) (i) Choose two properties from the list that make iron a suitable metal for saucepans.

(2)

1

2

(ii) Choose two properties from the list that make aluminium a suitable metal for power cables.

(2)

1

2



(b) Steel is an alloy containing iron.

These are three differences between steel and aluminium.

- steel can rust but aluminium resists corrosion
- steel has a higher density than aluminium
- steel is much stronger than aluminium

(i) Use information from the list to suggest why steel is the better metal for making bridges.

(1)

.....

.....

.....

(ii) Use information from the list to suggest why aluminium is the better metal for making aircraft bodies.

(1)

.....


.....

.....



(c) The reaction between aluminium and iron(III) oxide is known as a thermite reaction.


The diagram shows how this thermite reaction can be carried out.



The magnesium ribbon is lit to ignite the reaction mixture.

The reaction is highly exothermic.

The equation for the reaction is



(i) What is meant by the term **exothermic**?

(1)

.....

.....

.....

(ii) What does the reaction suggest about the reactivity of aluminium compared to the reactivity of iron?

Explain your answer.

(2)

.....

.....

.....

.....

(iii) Which element is oxidised in this thermite reaction?

Give a reason for your answer.

(2)


.....

.....

.....

.....

(d) This thermite reaction can be used to join together two rails on a railway line.



The reaction mixture is ignited and molten iron pours into the mould. The mould is removed and the molten iron solidifies to create a join between the two rails.

Explain why the iron produced in the reaction is molten.

(1)

.....

.....


.....

.....

(Total for Question 10 = 12 marks)



11 This apparatus can be used to obtain ethene by cracking a liquid alkane.



(a) What is meant by the term **cracking**?

(1)

.....

.....

.....

(b) Give a chemical test to show that the gas collected is unsaturated.

(2)

.....

.....

.....

(c) Cracking is also carried out in industry.

Give the name of the catalyst and the temperature used in the catalytic cracking of hydrocarbons.

(2)

catalyst.....

temperature.....

(Total for Question 11 = 5 marks)

12 A sample of a chlorofluorocarbon (CFC) contains 0.24 g of carbon, 0.38 g of fluorine and 1.42 g of chlorine.


(a) (i) Show, by calculation, that the empirical formula of the CFC is CFCl_2 (3)

(ii) The relative formula mass of the CFC is 204.

Deduce the molecular formula of the CFC. (2)

molecular formula

(b) The displayed formula of another CFC is




Draw a dot and cross diagram of this CFC.

Show only the outer electrons. (2)


(Total for Question 12 = 7 marks)




13 The diagram shows three different forms of carbon.



diamond structure



graphite structure



fullerene molecule

(a) Name the type of bond that exists between the carbon atoms in all three structures.

(1)

(b) (i) Explain why diamond has a very high melting point.

(4)

(ii) Fullerene has a simple molecular structure.

Explain why it has a low melting point.

(2)

(c) There are two theories used to explain why graphite can act as a solid lubricant.

Theory A The forces of attraction between the layers are weak, allowing the layers to slide over one another.

Theory B Gas molecules are trapped between the layers allowing the layers to slide over one another.

The table shows the ability of graphite to act as a lubricant in different locations.

Location	Ability to act as a lubricant
Earth's surface	good
high altitude	average
outer space	very poor

Suggest which theory is supported by the evidence in the table.

Give a reason for your choice.

(1)

.....

.....

.....

(d) Graphite and diamond can be changed from one form to the other according to the equation



Would a low or a high temperature favour the conversion of graphite into diamond?

Give a reason for your choice.

(1)

.....

.....

.....

.....

(Total for Question 13 = 9 marks)



14 (a) The table shows information about two common addition polymers.

Complete the table for these two polymers.

(4)

Name of polymer	Structure of monomer	Structure of polymer	One use for the polymer
poly(ethene)	$ \begin{array}{c} \text{H} \quad \text{H} \\ \diagdown \quad \diagup \\ \text{C} = \text{C} \\ \diagup \quad \diagdown \\ \text{H} \quad \text{H} \end{array} $		
		$ \left[\begin{array}{cc} \text{CH}_3 & \text{H} \\ & \\ -\text{C} & -\text{C}- \\ & \\ \text{H} & \text{H} \end{array} \right]_n $	water pipes

(b) State two changes that occur in the formation of an addition polymer from its monomer.

(2)

1

.....

2

.....



(c) Addition polymers such as poly(ethene) are very difficult to dispose of because they do not biodegrade easily.

(i) State a reason why addition polymers do not biodegrade easily.

(1)

(ii) Burning and landfill (burying in the ground) are two methods used to dispose of addition polymers.

Suggest a problem with each method of disposal.

(2)

burning.....

.....

landfill.....

.....

(Total for Question 14 = 9 marks)



15 (a) A student made a solution of sodium hydroxide by dissolving 10.0 g of solid sodium hydroxide in distilled water to make 250 cm³ of solution.

(i) Calculate the amount, in moles, of NaOH in 10.0 g of sodium hydroxide.

(3)

amount = mol

(ii) Calculate the concentration, in mol/dm³, of this solution of sodium hydroxide.

(2)

concentration = mol/dm³




- (b) (i) The student uses the sodium hydroxide solution to find the concentration of a solution of hydrochloric acid.

He uses this method

- use a pipette to put 25.0 cm^3 of the sodium hydroxide solution into a conical flask
- add a few drops of methyl orange indicator to the solution
- gradually add the hydrochloric acid from a burette until the solution in the flask just changes colour

The diagram shows his burette readings.



Complete the table, giving all values to the nearest 0.05 cm^3 .

(3)

burette reading at end in cm^3	
burette reading at start in cm^3	
volume of acid added in cm^3	

- (ii) State the colour of the methyl orange at the start and at the end of the experiment.

(2)

colour at start

colour at end

- (iii) Why is a burette used instead of a pipette for adding the acid?

(1)


.....

QUESTION 15 CONTINUES ON NEXT PAGE



(c) Sodium hydroxide reacts with carbon dioxide.

The equation for this reaction is



A solution of sodium hydroxide of concentration 2.00 mol/dm^3 is used.

(i) Calculate the amount, in moles, of sodium hydroxide in 200 cm^3 of this solution.

(2)

amount of sodium hydroxide = mol

(ii) Deduce the maximum mass, in grams, of carbon dioxide that can react with this solution of sodium hydroxide.

(2)

mass of carbon dioxide = g

(Total for Question 15 = 15 marks)

TOTAL FOR PAPER = 120 MARKS

