

Please check the examination details below before entering your candidate information

Candidate surname					Other names			
Centre Number					Candidate Number			
Pearson Edexcel International GCSE (9–1)					<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>			
Thursday 9 January 2020								
Morning (Time: 2 hours)					Paper Reference 4CH1/1C 4SD0/1C			
Chemistry Unit: 4CH1 Science (Double Award) 4SD0 Paper: 1C								
You must have: Calculator, ruler							Total Marks <input type="text"/>	

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box . If you change your mind about an answer, put a line through the box and then mark your new answer with a cross .

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P59923A

©2020 Pearson Education Ltd.

1/1/1/1/1/




Pearson

The Periodic Table of the Elements

1	2	3	4	5	6	7	0										
7 Li lithium 3	9 Be beryllium 4	11 Na sodium 11	12 Mg magnesium 12	13 Al aluminium 13	14 N nitrogen 7	15 P phosphorus 15	16 S sulfur 16	17 Cl chlorine 17	18 Ar argon 18								
19 K potassium 19	20 Ca calcium 20	21 Sc scandium 21	22 Ti titanium 22	23 V vanadium 23	24 Cr chromium 24	25 Mn manganese 25	26 Fe iron 26	27 Co cobalt 27	28 Ni nickel 28	29 Cu copper 29	30 Zn zinc 30	31 Ga gallium 31	32 Ge germanium 32	33 As arsenic 33	34 Se selenium 34	35 Br bromine 35	36 Kr krypton 36
37 Rb rubidium 37	38 Sr strontium 38	39 Y yttrium 39	40 Zr zirconium 40	41 Nb niobium 41	42 Mo molybdenum 42	43 Tc technetium [98]	44 Ru ruthenium 44	45 Rh rhodium 45	46 Pd palladium 46	47 Ag silver 47	48 Cd cadmium 48	49 In indium 49	50 Sn tin 50	51 Sb antimony 51	52 Te tellurium 52	53 I iodine 53	54 Xe xenon 54
55 Cs caesium 55	56 Ba barium 56	57 La* lanthanum 57	72 Hf hafnium 72	73 Ta tantalum 73	74 W tungsten 74	75 Re rhenium 75	76 Os osmium 76	77 Ir iridium 77	78 Pt platinum 78	79 Au gold 79	80 Hg mercury 80	81 Tl thallium 81	82 Pb lead 82	83 Bi bismuth 83	84 Po polonium 84	85 At astatine 85	86 Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

1	H hydrogen 1
---	---------------------------

relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.
The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Answer ALL questions.

1 This question is about gases in the atmosphere.

(a) The box gives the names of some gases in the atmosphere.

argon carbon dioxide helium nitrogen oxygen

Choose gases from the box to answer these questions.

Each gas may be used once, more than once or not at all.

(i) Identify a noble gas.

Argon

(1)

(ii) Identify a gas that makes up about 78% of the atmosphere.

Nitrogen

(1)

(iii) Identify a greenhouse gas.

Carbon dioxide

(1)


(iv) Identify a gas produced by the thermal decomposition of calcium carbonate.

~~CO₂~~ Carbon dioxide

(1)

(b) Sulfur reacts with oxygen to produce sulfur dioxide gas.

(i) Write a chemical equation for this reaction.



(1)

(ii) State an environmental problem caused when sulfur dioxide gas dissolves in water in the atmosphere.


Acid rain

(1)

(Total for Question 1 = 6 marks)



2 The diagram shows the electronic configuration of an atom of an element.



(a) Complete the table by giving the missing information about this atom.

(5)

name of the part of this atom labelled Z	Nucleus ✓
number of protons in this atom	12 ✓
number of the group that contains this element	Group 2 ✓
number of the period that contains this element	Period 3 ✓
the charge on the ion formed from this atom	+2 ✓

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) This element has three isotopes.

The table shows the mass number and percentage abundance of each isotope in a sample of this element.

Mass number	Percentage abundance (%)
24	79.2
25	10.0
26	10.8

Calculate the relative atomic mass (A_r) of this element.

Give your answer to one decimal place.

(3)

relative atomic mass =

(Total for Question 2 = 8 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3 The diagram shows two samples of iron, A and B.



Sample B is coated with a thin layer of zinc.

(a) Name the process used to coat iron with zinc.

Galvanising ✓ (1)

(b) The two samples of iron are left outside for several weeks.

A brown solid containing hydrated iron(III) oxide forms on sample A.

(i) Give the common name for the brown solid.

Rust ✓ (1)

(ii) Give the names of the two substances that react with the iron to form the brown solid.

1 ~~Air~~ Oxygen ✓
2 Water ✓ (2)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Iron can be formed by reacting aluminium powder with iron(III) oxide.

The diagram shows how this reaction can be demonstrated.




When the magnesium fuse is lit, a very exothermic reaction occurs.

(i) State the meaning of the term **exothermic**.

Heat is released to the surrounding.

(ii) The equation for the reaction between aluminium and iron(III) oxide is



Explain what this reaction shows about the relative reactivities of aluminium and iron.

The reaction shows that aluminium is more reactive than iron as it displaced it.

(iii) Explain why the reaction between aluminium and iron(III) oxide is a redox reaction.

It is called a redox reaction as both the oxidation and reduction take place. Al is getting oxidised to Al_2O_3 and Fe_2O_3 is getting reduced to Fe.

(Total for Question 3 = 10 marks)



4 This question is about ionic compounds.

(a) The table shows the formulae of some positive and negative ions, and the formulae of some compounds containing these ions.

	Mg^{2+}	Al^{3+}	$(NH_4^+)_2S$
S^{2-}	MgS	Al_2S_3	$S(NH_4)_2$
NO_3^-	$Mg(NO_3)_2$	$Al(NO_3)_3$	NH_4NO_3
CO_3^{2-}	$MgCO_3$	$Al_2(CO_3)_3$	$(NH_4)_2CO_3$

(i) Complete the table by giving the three missing formulae.

(3)

(ii) Give the name of the compound with the formula NH_4NO_3 .

(1)

Ammonium Nitrate

(b) Sodium oxide, Na_2O , is an ionic compound.

The sodium and oxide ions are held together by ionic bonds.

(i) State the meaning of the term **ionic bond**.


(2)

A bond between two oppositely charged ions, usually a metal and a non-metal.




- (ii) The diagram shows the arrangement of the electrons in a sodium atom and in an oxygen atom.

sodium atom



oxygen atom




Draw diagrams in the boxes to show the arrangement of the electrons in the ions of sodium oxide.


Include the charges on the ions.

(3)


sodium ion



oxide ion




sodium ion



(Total for Question 4 = 9 marks)



5 The boxes show the displayed formulae of six organic compounds, P, Q, R, S, T and U.



(a) Use the letters P, Q, R, S, T and U to answer these questions.

Each letter may be used once, more than once or not at all.

(i) Give the letter of the compound that is **not** a hydrocarbon.

S

(1)

(ii) Give the letters of the two compounds that have the same empirical formula.

T, U

(1)

(iii) Give the letter of the compound that is used to manufacture poly(propene).

U

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Describe a test that can be used to distinguish between compounds Q and T. (3)

test Add bromine water ✓

result with compound Q No reaction occurs

result with compound T Bromine water turns from brown to colorless


(c) Compounds P, Q and R are members of the same homologous series.

Give two characteristics of a homologous series. (2)

1 _____

2 _____


(d) This is the displayed formula of an alkene, V.



(i) Give the name of alkene V. (1)

~~butene~~ but-1-ene ✓

(ii) Draw the displayed formula of another alkene that is an isomer of alkene V. (1)



(e) An organic compound has the percentage composition by mass

$$C = 36.36\% \quad H = 6.06\% \quad F = 57.58\%$$

(i) Show that the empirical formula of the compound is CH_2F

(2)

$$\begin{array}{r} 36.36 \\ \hline 12 \\ \hline 3.03 \\ \hline 1 \end{array} \quad \begin{array}{r} 6.06 \\ \hline 1 \\ \hline 6.06 \\ \hline 3.03 \\ \hline 2 \end{array} \quad \begin{array}{r} 57.68 \\ \hline 19 \\ \hline 3.03 \\ \hline 1 \end{array}$$

(ii) The relative molecular mass (M_r) of the compound is 66.

Determine the molecular formula of the compound.

$$C H_2 F = 12 + 2 + 19 = 33^{(2)}$$

$$(C H_2 F) \times 2 = C_2 H_4 F_2 = 24 + 4 + 38 = 66$$

molecular formula = $C_2 H_4 F_2$

(Total for Question 5 = 14 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA




6 A student uses this method to investigate the reaction of dilute hydrochloric acid with zinc.

- pour some dilute hydrochloric acid into a glass beaker
- record the initial temperature of the acid
- add a piece of zinc and stir the mixture
- record the temperature of the mixture after one minute

(a) Write a word equation for the reaction of dilute hydrochloric acid with zinc.



(b) The diagram shows the thermometer readings for this reaction.



Complete the table, giving all values to the nearest 0.1°C.

temperature in °C after adding zinc	22.4
temperature in °C before adding zinc	17.7
temperature change in °C	4.7

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Another student repeats the method using five different metals to compare their reactivity.

(i) This student uses a polystyrene cup instead of a glass beaker.

Explain why a polystyrene cup is better than a glass beaker in this investigation. -1

As less heat is released into the polystyrene cup as it does not absorb it, giving a ~~better~~ more accurate ~~of~~ value. (2)

(ii) Give three factors that the student should keep constant in this investigation. -1

- 1 The moles of metals (3)
- 2 The concentration of HCl
- 3 The volume of hydrochloric acid

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(d) The table shows some of the student's results.

Metal added	Observation	Temperature change in °C
copper	no bubbling	0.0
iron	slow bubbling	
magnesium	rapid bubbling	8.7
tin	very slow bubbling	1.4
zinc	moderate bubbling	5.1

(i) State why there is no temperature change for copper.

As it did not react (1)

(ii) Predict the temperature change for iron.

temperature change = 2.5 °C (1)

(iii) Deduce the order of reactivity of the five metals.

most reactive Magnesium
zinc
Iron
tin
least reactive Copper (1)

(Total for Question 6 = 12 marks)



7 This question is about some of the halogens and their compounds.

(a) (i) Which element is a liquid at room temperature?

- A astatine
- B bromine
- C chlorine
- D iodine

(ii) Which element has the palest colour?

- A astatine
- B bromine
- C chlorine
- D iodine

(iii) Which element is the least reactive?

- A astatine
- B bromine
- C chlorine
- D iodine

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) A teacher uses displacement reactions to demonstrate the reactivities of some halogens.

She adds solutions of chlorine, bromine and iodine separately to three different sodium halide solutions.

The table shows some of the teacher's results.

	sodium chloride	sodium bromide	sodium iodide
chlorine solution	not done	solution turns orange	Solution turns orange
bromine solution	solution stays orange	not done	solution turns brown
iodine solution	Solution stays orange	solution stays brown	not done

A change in colour of the solution indicates that a reaction has occurred.

(i) Complete the table by predicting the missing results.


(2)

(ii) State why the teacher does not add bromine solution to sodium bromide solution.


(1)

As not no reaction since they both contain the same element.

(iii) The word equation for the reaction of bromine with sodium iodide is



Write a chemical equation for this reaction.



(c) A technician sees an unlabelled bottle containing a liquid.

He knows that the liquid is a solution of one of these compounds.

- copper(II) chloride
- copper(II) bromide
- iron(II) chloride
- iron(II) bromide

Describe chemical tests that the technician could use to identify the compound in the solution.

The technician can add aq. $\text{NaOH}^{(6)}$ to the solution to test for Fe^{2+} and Cu^{2+} ions. If the solution contains Fe^{2+} ions a green ppt should form which is insoluble in excess. If it contains Cu^{2+} ions then a blue ppt will form which is also insoluble in excess.

To test for Cl^- and Br^- ions, first add dil. nitric acid followed by silver nitrate solution. The nitric acid removes any carbonate and sulphide ions. If the solution contains Cl^- ions, a white ppt is formed. If it contains Br^- then a cream ppt forms.

(Total for Question 7 = 13 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



P 5 9 9 2 3 A 0 1 9 2 8

8 (a) Carbon dioxide changes directly from a solid to a gas without becoming a liquid.

(i) Give the name of the change of state from solid to gas.

Sublimation

(1)

(ii) Describe the test for carbon dioxide gas.

Pass through lime water.⁽²⁾
It turns milky. After a while if CO_2 is still being passed it will turn colorless.

(b) Carbon dioxide is a simple molecular covalent substance.

Explain why carbon dioxide turns from a solid to a gas at a very low temperature.

Since it is a simple covalent⁽²⁾ structure. It has very weak intermolecular forces of attraction which require very little energy to break.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Diamond and graphite are both giant covalent substances made up of carbon atoms.

- diamonds are used in cutting tools
- graphite is used in pencils to make marks on paper

Explain, with reference to structure and bonding, why each substance is suitable for its particular use.

(6)

(Total for Question 8 = 11 marks)



P 5 9 9 2 3 A 0 2 1 2 8


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

- 9 A student uses this apparatus to investigate the heat energy released when a liquid fuel is burned.



This is the student's method.

- measure the mass of the spirit burner and fuel
- add 100 cm^3 of water to the copper can
- record the temperature of the water
- use the spirit burner to heat the water until the temperature rises by 30°C
- immediately measure the new mass of the spirit burner and fuel

- (a) Suggest why the student measures the mass of the spirit burner and fuel immediately after heating the water.

~~So that no more fuel~~ To get the most accurate recording as it could evaporate. (1)

- (b) When the fuel is burned, the student notices that a black solid forms on the bottom of the copper can.

- (i) Identify the black solid.

~~Carbon~~ ~~Gas~~ Copper Oxide (1)

- (ii) Explain why the black solid forms.

Copper reacts with oxygen in the air. (2)



- (c) (i) Show that the heat energy change, Q , to raise the temperature of 100 cm^3 of water by 30°C is approximately 13 kJ.

[mass of 1.0 cm^3 of water = 1.0 g]

[c for water = $4.2\text{ J/g/}^\circ\text{C}$]

(3)

- (ii) The student burns 0.96 g of methanol, CH_3OH

Calculate the molar enthalpy change, ΔH , in kJ/mol, for the combustion of methanol.

Include a sign in your answer.

[M_r of methanol = 32]

(3)

$\Delta H = \dots\dots\dots$ kJ/mol

- (d) The table shows data book values for the molar enthalpy change, ΔH , for the combustion of some alcohols with different numbers of carbon atoms per molecule.


Number of carbon atoms per molecule	1	2	3	4	5
Molar enthalpy change, ΔH, in kJ/mol	-730	-1370	-2020	-2680	-3320



(i) Plot the data values from the table on the grid.

Draw a straight line of best fit.

(2)



(ii) Deduce the value of ΔH for an alcohol with six carbon atoms per molecule.

Show on the graph how you obtained your answer.

(2)

$\Delta H = \dots\dots\dots$ kJ/mol

(iii) State the relationship between ΔH and the number of carbon atoms per molecule.

(1)

(Total for Question 9 = 15 marks)



10 Nitric acid (HNO_3) is used in the production of fertilisers.

Nitric acid is manufactured in three stages.


Stage 1 ammonia reacts with oxygen in the presence of a platinum catalyst to produce nitrogen monoxide gas, NO , and water.

Stage 2 nitrogen monoxide gas reacts with more oxygen to produce nitrogen dioxide gas, NO_2 .

Stage 3 nitrogen dioxide gas reacts with water to produce nitric acid and more nitrogen monoxide gas.

(a) (i) Complete the chemical equation for the reaction in stage 1.

(1)



(ii) Give the meaning of the symbol \rightleftharpoons

(1)

(iii) State the purpose of the platinum catalyst.

(1)

(b) Give a chemical equation for the reaction of nitrogen monoxide and oxygen in stage 2.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) (i) The equation for the reaction in stage 3 is



Calculate the maximum mass, in tonnes, of nitric acid that could be produced in this reaction from 11.5 tonnes of nitrogen dioxide.

[1 tonne = $1.0 \times 10^6\text{g}$]

(4)

mass of nitric acid = tonnes

- (ii) Suggest what use can be made of the nitrogen monoxide gas formed in stage 3.

(1)

.....

.....


.....

QUESTION 10 CONTINUES ON NEXT PAGE



(d) When copper(II) oxide reacts with dilute nitric acid, copper(II) nitrate is produced.

The equation for the reaction is



0.200 mol of nitric acid reacts with excess copper(II) oxide.

A mass of 15.3 g of copper(II) nitrate is produced.

Calculate the percentage yield of copper(II) nitrate.

[M_r of copper(II) nitrate = 187.5]

(3)

percentage yield = %

(Total for Question 10 = 12 marks)

TOTAL FOR PAPER = 110 MARKS

