

Please check the examination details below before entering your candidate information

Candidatesurname	Othernames
------------------	------------

Centre Number	Candidate Number
<input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/> <input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/> <input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/> <input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/>	<input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/> <input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/> <input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/> <input style="width: 25px; height: 25px; border: 1px solid black;" type="text"/>

Pearson Edexcel International GCSE (9–1)

Time 1 hour 15 minutes	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 5px;">Paper reference</td> <td style="font-size: 24px; font-weight: bold; padding: 2px 5px;">4CH1/2CR</td> </tr> </table>	Paper reference	4CH1/2CR
Paper reference	4CH1/2CR		

Chemistry

UNIT: 4CH1

PAPER: 2CR

You must have: Calculator, ruler	TotalMarks
--	------------

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P70948A

©2022 Pearson Education Ltd.

Q:1/1/1/



Pearson

The Periodic Table of the Elements

1	2	3	4	5	6	7	0								
7 Li lithium 3	9 Be beryllium 4	23 Na sodium 11	24 Mg magnesium 12	39 K potassium 19	40 Ca calcium 20	85 Rb rubidium 37	133 Cs caesium 55	4 He helium 2							
11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10	27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18				
59 Co cobalt 27	56 Fe iron 26	55 Mn manganese 25	52 Cr chromium 24	51 V vanadium 23	48 Ti titanium 22	45 Sc scandium 21	65 Zn zinc 30	63.5 Cu copper 29	59 Ni nickel 28	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
103 Rh rhodium 45	101 Ru ruthenium 44	[98] Tc technetium 43	96 Mo molybdenum 42	93 Nb niobium 41	91 Zr zirconium 40	89 Y yttrium 39	112 Cd cadmium 48	108 Ag silver 47	106 Pd palladium 46	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
192 Ir iridium 77	190 Os osmium 76	186 Re rhenium 75	184 W tungsten 74	181 Ta tantalum 73	178 Hf hafnium 72	139 La* lanthanum 57	201 Hg mercury 80	197 Au gold 79	195 Pt platinum 78	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[268] Mt meitnerium 109	[277] Hs hassium 108	[264] Bh bohrium 107	[266] Sg seaborgium 106	[262] Db dubnium 105	[261] Rf rutherfordium 104	[227] Ac* actinium 89	[272] Rg roentgenium 111	[271] Ds darmstadtium 110	[271] Ds darmstadtium 110	Elements with atomic numbers 112–116 have been reported but not fully authenticated					

1
H
hydrogen
1

Key
relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA



Answer ALL questions.

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

- 1** The diagram shows the sub-atomic particles in an atom of an element.



- (a) (i) Give the name of each of the sub-atomic particles labelled P, Q and R.

(3)

P

Q

R

- (ii) Give the name of the part of the atom labelled S.

(1)

.....

- (b) Give the name of this element.

(1)

.....

(Total for Question 1 = 5 marks)

.....


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



2 A potassium permanganate crystal is placed in a beaker of water.



After several days a coloured solution forms.

(a) Give the names of the two processes that cause the coloured solution to form.

(2)

1

2

(b) The formula of potassium permanganate is KMnO_4

(i) How many different types of atom are in KMnO_4 ?

(1)

A 3

B 4

C 6

D 7

(ii) Calculate the relative formula mass (M_r) of KMnO_4

(1)

$M_r =$

(c) Potassium permanganate can be used as an oxidising agent.

State what is meant by the term **oxidising agent**.

(1)

.....

.....

(Total for Question 2 = 5 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



3 This question is about alkanes.

(a) (i) Which of these is the **molecular** formula of an alkane?

(1)

- A C_2H_5
- B C_4H_{10}
- C CH_2CH_2
- D $CH_3CH_2CH_3$

(ii) Which of these has the same empirical formula and molecular formula?

(1)

- A CH_2
- B C_2H_6
- C C_3H_8
- D C_4H_{10}

(b) In the presence of ultraviolet radiation, methane reacts with bromine to form bromomethane and hydrogen bromide.

(i) State the name of this type of reaction.

(1)

(ii) Give a chemical equation for this reaction.

(1)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) One mole of an alkane burns completely in oxygen.

The equation represents the reaction.



The numbers x , y and z are used to balance the equation.

- (i) The complete combustion of one mole of the alkane produces 220 g of carbon dioxide and 108 g of water.

Calculate the values of y and z .

$$[M_r \text{ of } \text{CO}_2 = 44 \quad M_r \text{ of } \text{H}_2\text{O} = 18]$$

(2)

$$y = \dots\dots\dots$$

$$z = \dots\dots\dots$$

- (ii) Determine the molecular formula of the alkane and the value of x .

(2)

$$\text{molecular formula} = \dots\dots\dots$$

$$x = \dots\dots\dots$$

- (d) When an alkane burns in a limited supply of air, incomplete combustion occurs.

Explain why incomplete combustion of an alkane could be harmful to humans.

(2)

.....

.....

.....

.....

(Total for Question 3 = 10 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

4 (a) The diagram represents the structure of copper metal.



Explain three properties of copper that make it a suitable metal to use in electrical wiring.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....



- (b) The diagram shows the electrolysis of copper(II) sulfate solution, using graphite electrodes.



Copper forms at the negative electrode and oxygen forms at the positive electrode.

- (i) Give the formula of the copper ion and the formula of the sulfate ion in copper(II) sulfate.

(1)

copper ion

sulfate ion

- (ii) State what would be seen at the positive electrode.

(1)

- (iii) Give a test for oxygen.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(iv) Give an ionic half-equation for the formation of oxygen at the positive electrode.

(2)

(v) Suggest why the copper(II) sulfate solution contains some OH^- ions.

(1)

(Total for Question 4 = 11 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



5 This question is about alcohols, carboxylic acids and esters.

(a) Ethanol can be manufactured by the fermentation of a solution of glucose.

(i) Write a word equation for this reaction.

(1)

(ii) State the substance that needs to be added for the reaction to occur.

(1)

(iii) State two conditions needed for this reaction.

(2)

1

2

(b) In the presence of an acid catalyst, ethanoic acid is heated with butanol to form an ester.

(i) Which of these is the formula of the ester?

(1)

A $\text{CH}_3\text{COOC}_3\text{H}_7$

B $\text{CH}_3\text{COOC}_4\text{H}_9$

C $\text{C}_2\text{H}_5\text{COOC}_4\text{H}_9$

D $\text{C}_3\text{H}_7\text{COOC}_2\text{H}_5$

(ii) State how you would know that an ester has formed.

(1)

(iii) Give one use of an ester.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


(c) Aspirin is a compound used to reduce pain.

Aspirin contains a carboxylic acid functional group and an ester functional group.

(i) State what is meant by the term **functional group**.

(1)

(ii) This is the structural formula of aspirin.



Draw a circle around the carboxylic acid functional group.

(1)

(iii) Aspirin has this percentage composition by mass.

$$\text{C} = 60.00\% \quad \text{H} = 4.44\% \quad \text{O} = 35.56\%$$

Show by calculation that the empirical formula of aspirin is $\text{C}_9\text{H}_8\text{O}_4$

(3)

(Total for Question 5 = 12 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




(c) The student makes the improvements and repeats the titration.

The sulfuric acid has a concentration of 0.600 mol/dm^3 .

The sodium hydroxide solution has a concentration of 1.50 mol/dm^3 .

This is the equation for the reaction.



Calculate the volume, in cm^3 , of sulfuric acid that the student needs to completely react with 25.0 cm^3 of the sodium hydroxide solution.

(3)

volume of sulfuric acid = cm^3

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


BLANK PAGE



7 In the presence of an iron catalyst, nitrogen reacts with hydrogen to form ammonia.

The reaction conditions used are a temperature of 450 °C and a pressure of 200 atmospheres.

This is the equation for the reaction.



(a) (i) State what the symbol \rightleftharpoons represents.

(1)

(ii) Give the reason for using a catalyst.

(1)

(b) (i) The reaction mixture is kept at a pressure of 200 atmospheres, but the temperature is increased to 550 °C.

Explain the effect of this change on the yield of ammonia at equilibrium.

(2)

(ii) The reaction mixture is kept at a temperature of 450 °C, but the pressure is increased to 300 atmospheres.

Explain the effect of this change on the yield of ammonia at equilibrium.

(2)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) Draw an energy level diagram for the reaction between nitrogen and hydrogen.
Include the reactants, products and ΔH in your diagram.

(3)



QUESTION 7 CONTINUES ON NEXT PAGE




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- (d) At the start of the reaction, 48 dm³ of nitrogen is added to 120 dm³ of hydrogen at rtp.



[molar volume of any gas at rtp = 24 dm³]

- (i) Show by calculation that the nitrogen is in excess.

(3)

- (ii) The yield of ammonia at equilibrium is 20%.

Calculate the volume, in dm³, of ammonia formed from 120 dm³ of hydrogen.

(3)

volume of ammonia = dm³

(Total for Question 7 = 15 marks)

TOTAL FOR PAPER = 70 MARKS

