

Please check the examination details below before entering your candidate information

Candidates surname					Other names				
Centre Number					Candidate Number				
<input type="text"/>									

Pearson Edexcel International GCSE (9–1)

Time 1 hour 15 minutes

Paper reference **4CH1/2CR**

Chemistry

UNIT: 4CH1

PAPER: 2CR

You must have:
Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P70948A

©2022 Pearson Education Ltd.

Q:1/1/1/




Pearson


The Periodic Table of the Elements

1	2	3	4	5	6	7	0	
7 Li lithium 3	9 Be beryllium 4	23 Na sodium 11	24 Mg magnesium 12	39 K potassium 19	40 Ca calcium 20	85 Rb rubidium 37	133 Cs caesium 55	4 He helium 2
11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	27 Co cobalt 27	28 Ni nickel 28	59 Cu copper 29	63.5 Zn zinc 30	19 F fluorine 9
13 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	45 Rh rhodium 45	46 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	35.5 Cl chlorine 17
15 Al aluminium 13	27 Al aluminium 13	70 Ga gallium 31	73 Ge germanium 32	103 Rh rhodium 45	106 Pd palladium 46	197 Au gold 79	201 Hg mercury 80	80 Br bromine 35
17 Cl chlorine 17	35.5 Cl chlorine 17	75 As arsenic 33	79 Se selenium 34	109 Mt meitnerium 109	110 Ds darmstadtium 110	[272] Rg roentgenium 111	[222] Rn radon 86	127 I iodine 53
18 Ar argon 18	40 Ar argon 18	84 Kr krypton 36	86 Xe xenon 54	107 Bh bohrium 107	108 Hs hassium 108	[264] Bh bohrium 107	[210] At astatine 85	131 Xe xenon 54
19 K potassium 19	20 Ca calcium 20	37 Rb rubidium 37	38 Sr strontium 38	104 Rf rutherfordium 104	105 Db dubnium 105	[262] Db dubnium 105	[209] Po polonium 84	128 Te tellurium 52
20 Ca calcium 20	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	106 Sg seaborgium 106	107 Bh bohrium 107	[266] Sg seaborgium 106	[209] Po polonium 84	131 Xe xenon 54
21 Sc scandium 21	45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	108 Ag silver 47	109 Mt meitnerium 109	[268] Mt meitnerium 109	[209] Po polonium 84	131 Xe xenon 54
22 Ti titanium 22	48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
23 V vanadium 23	51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
24 Cr chromium 24	52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
25 Mn manganese 25	55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
26 Fe iron 26	56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
27 Co cobalt 27	59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
28 Ni nickel 28	59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
29 Cu copper 29	63.5 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
30 Zn zinc 30	65 Zn zinc 30	119 Sn tin 50	207 Pb lead 82	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
31 Ga gallium 31	70 Ga gallium 31	122 Sb antimony 51	209 Bi bismuth 83	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
32 Ge germanium 32	73 Ge germanium 32	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
33 As arsenic 33	75 As arsenic 33	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
34 Se selenium 34	79 Se selenium 34	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
35 Br bromine 35	80 Br bromine 35	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
36 Kr krypton 36	84 Kr krypton 36	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
37 Rb rubidium 37	85 Rb rubidium 37	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
38 Sr strontium 38	88 Sr strontium 38	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
39 K potassium 19	40 Ca calcium 20	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
40 Ca calcium 20	40 Ca calcium 20	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
41 Sc scandium 21	45 Sc scandium 21	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
42 Ti titanium 22	48 Ti titanium 22	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
43 V vanadium 23	51 V vanadium 23	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
44 Cr chromium 24	52 Cr chromium 24	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
45 Mn manganese 25	55 Mn manganese 25	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
46 Fe iron 26	56 Fe iron 26	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
47 Co cobalt 27	59 Co cobalt 27	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
48 Ni nickel 28	59 Ni nickel 28	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
49 Cu copper 29	63.5 Zn zinc 30	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
50 Zn zinc 30	65 Zn zinc 30	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
51 Ga gallium 31	70 Ga gallium 31	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
52 Ge germanium 32	73 Ge germanium 32	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
53 As arsenic 33	75 As arsenic 33	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
54 Se selenium 34	79 Se selenium 34	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
55 Br bromine 35	80 Br bromine 35	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
56 Kr krypton 36	84 Kr krypton 36	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
57 Rb rubidium 37	85 Rb rubidium 37	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
58 Sr strontium 38	88 Sr strontium 38	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
59 K potassium 19	40 Ca calcium 20	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
60 Ca calcium 20	40 Ca calcium 20	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
61 Sc scandium 21	45 Sc scandium 21	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
62 Ti titanium 22	48 Ti titanium 22	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 109	110 Ds darmstadtium 110	[271] Ds darmstadtium 110	[209] Po polonium 84	131 Xe xenon 54
63 V vanadium 23	51 V vanadium 23	127 I iodine 53	254 Lr* lawrencium 103	109 Mt meitnerium 10				

Answer ALL questions.

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

- 1 The diagram shows the sub-atomic particles in an atom of an element.



- (a) (i) Give the name of each of the sub-atomic particles labelled P, Q and R.

(3)

P

Q

R

- (ii) Give the name of the part of the atom labelled S.

(1)

.....

- (b) Give the name of this element.

(1)

.....

(Total for Question 1 = 5 marks)

.....

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 7 0 9 4 8 A 0 3 2 0

2 A potassium permanganate crystal is placed in a beaker of water.



After several days a coloured solution forms.

(a) Give the names of the two processes that cause the coloured solution to form.

(2)

1

2

(b) The formula of potassium permanganate is KMnO_4

(i) How many different types of atom are in KMnO_4 ?

(1)

A 3

B 4

C 6

D 7

(ii) Calculate the relative formula mass (M_r) of KMnO_4

(1)

$M_r =$

(c) Potassium permanganate can be used as an oxidising agent.

State what is meant by the term **oxidising agent**.

(1)

.....

.....

(Total for Question 2 = 5 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



3 This question is about alkanes.

(a) (i) Which of these is the **molecular** formula of an alkane?

(1)

- A C_2H_5
- B C_4H_{10}
- C CH_2CH_2
- D $CH_3CH_2CH_3$

(ii) Which of these has the same empirical formula and molecular formula?

(1)

- A CH_2
- B C_2H_6
- C C_3H_8
- D C_4H_{10}

(b) In the presence of ultraviolet radiation, methane reacts with bromine to form bromomethane and hydrogen bromide.

(i) State the name of this type of reaction.

(1)

(ii) Give a chemical equation for this reaction.

(1)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) One mole of an alkane burns completely in oxygen.

The equation represents the reaction.



The numbers x , y and z are used to balance the equation.

- (i) The complete combustion of one mole of the alkane produces 220 g of carbon dioxide and 108 g of water.

Calculate the values of y and z .

$$[M_r \text{ of } \text{CO}_2 = 44 \quad M_r \text{ of } \text{H}_2\text{O} = 18]$$

(2)

$$y = \dots\dots\dots$$

$$z = \dots\dots\dots$$

- (ii) Determine the molecular formula of the alkane and the value of x .

(2)

$$\text{molecular formula} = \dots\dots\dots$$

$$x = \dots\dots\dots$$

- (d) When an alkane burns in a limited supply of air, incomplete combustion occurs.

Explain why incomplete combustion of an alkane could be harmful to humans.

(2)

.....

.....

.....

.....

(Total for Question 3 = 10 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 7 0 9 4 8 A 0 7 2 0

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



- 4 (a) The diagram represents the structure of copper metal.



Explain three properties of copper that make it a suitable metal to use in electrical wiring.

(5)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (b) The diagram shows the electrolysis of copper(II) sulfate solution, using graphite electrodes.



Copper forms at the negative electrode and oxygen forms at the positive electrode.

- (i) Give the formula of the copper ion and the formula of the sulfate ion in copper(II) sulfate.

(1)

copper ion

sulfate ion

- (ii) State what would be seen at the positive electrode.

(1)

- (iii) Give a test for oxygen.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iv) Give an ionic half-equation for the formation of oxygen at the positive electrode.

(2)

(v) Suggest why the copper(II) sulfate solution contains some OH^- ions.

(1)

(Total for Question 4 = 11 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 7 0 9 4 8 A 0 1 1 2 0

5 This question is about alcohols, carboxylic acids and esters.

(a) Ethanol can be manufactured by the fermentation of a solution of glucose.

(i) Write a word equation for this reaction.

(1)

(ii) State the substance that needs to be added for the reaction to occur.

(1)

(iii) State two conditions needed for this reaction.

(2)

1

2

(b) In the presence of an acid catalyst, ethanoic acid is heated with butanol to form an ester.

(i) Which of these is the formula of the ester?

(1)

A $\text{CH}_3\text{COOC}_3\text{H}_7$

B $\text{CH}_3\text{COOC}_4\text{H}_9$

C $\text{C}_2\text{H}_5\text{COOC}_4\text{H}_9$

D $\text{C}_3\text{H}_7\text{COOC}_2\text{H}_5$

(ii) State how you would know that an ester has formed.

(1)

(iii) Give one use of an ester.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




(c) Aspirin is a compound used to reduce pain.

Aspirin contains a carboxylic acid functional group and an ester functional group.

(i) State what is meant by the term **functional group**.

(1)

(ii) This is the structural formula of aspirin.



Draw a circle around the carboxylic acid functional group.

(1)

(iii) Aspirin has this percentage composition by mass.

C = 60.00% H = 4.44% O = 35.56%

Show by calculation that the empirical formula of aspirin is $\text{C}_9\text{H}_8\text{O}_4$

(3)

(Total for Question 5 = 12 marks)



P 7 0 9 4 8 A 0 1 3 2 0

6 A student uses this method to do a titration.

- use a measuring cylinder to obtain 25 cm^3 of sodium hydroxide solution
- transfer the solution to a conical flask
- add a few drops of universal indicator to the flask
- fill a burette with dilute sulfuric acid and record the initial burette reading
- add the acid to the flask, swirling the flask continuously
- add the acid slowly near the end-point
- record the final burette reading at the end-point

The student repeats the titration until at least two concordant results are obtained.

(a) State what is meant by concordant results.

(1)

(b) Explain two improvements to the student's method so that more accurate results are obtained.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




(c) The student makes the improvements and repeats the titration.

The sulfuric acid has a concentration of 0.600 mol/dm^3 .

The sodium hydroxide solution has a concentration of 1.50 mol/dm^3 .

This is the equation for the reaction.



Calculate the volume, in cm^3 , of sulfuric acid that the student needs to completely react with 25.0 cm^3 of the sodium hydroxide solution.

(3)

volume of sulfuric acid = cm^3

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE




P 7 0 9 4 8 A 0 1 7 2 0

7 In the presence of an iron catalyst, nitrogen reacts with hydrogen to form ammonia.

The reaction conditions used are a temperature of 450 °C and a pressure of 200 atmospheres.

This is the equation for the reaction.



(a) (i) State what the symbol \rightleftharpoons represents.

(1)

(ii) Give the reason for using a catalyst.

(1)

(b) (i) The reaction mixture is kept at a pressure of 200 atmospheres, but the temperature is increased to 550 °C.

Explain the effect of this change on the yield of ammonia at equilibrium.

(2)

(ii) The reaction mixture is kept at a temperature of 450 °C, but the pressure is increased to 300 atmospheres.

Explain the effect of this change on the yield of ammonia at equilibrium.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Draw an energy level diagram for the reaction between nitrogen and hydrogen.

Include the reactants, products and ΔH in your diagram.

(3)

energy



QUESTION 7 CONTINUES ON NEXT PAGE




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- (d) At the start of the reaction, 48 dm³ of nitrogen is added to 120 dm³ of hydrogen at rtp.



[molar volume of any gas at rtp = 24 dm³]

- (i) Show by calculation that the nitrogen is in excess.

(3)

- (ii) The yield of ammonia at equilibrium is 20%.

Calculate the volume, in dm³, of ammonia formed from 120 dm³ of hydrogen.

(3)

volume of ammonia = dm³

(Total for Question 7 = 15 marks)

TOTAL FOR PAPER = 70 MARKS

