



Mark Scheme (Results)

Summer 2013

International GCSE Mathematics (4MA0) Paper 2FR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013

Publications Code UG036359

All the material in this publication is copyright

© Pearson Education Ltd 2013

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
- Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
 - o M marks: method marks
 - o A marks: accuracy marks
 - o B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
 - o awrt – answers which round to.....
 - o cao – correct answer only

- o ft – follow through
- o isw – ignore subsequent working
- o SC - special case
- o oe – or equivalent (and appropriate)
- o dep – dependent
- o indep – independent
- o eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from Question 22 (where the mark scheme states otherwise) the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Question Number	Working	Answer	Mark	Notes
1 (a)		9012	1	B1
(b)(i)	1209 1902 2091 2109 2901		5	B1
(ii)	two thousand and ninety one			B1 Accept 2 for 'two' and 1 for 'one'. Condone omission of 'and'.
(iii)		1902		B1
(iv)		2091 2109		B1 in either order
(v)		693		B1 Accept –693
				Total 6 marks

2 (a)		12	1	B1 cao
(b)		6	1	B1 cao
(c)		Egypt	1	B1 Condone spelling errors
(d)			1	B1 for 2 complete symbol + 1 incomplete symbol < ½
(e)	20 ÷ 5 (4) or 3 × 20 (60)		2	M1 for 20 ÷ 5 (4) or 3 × 20 (60)
		12		A1 cao
				Total 6 marks

3 (a)(i)		chord	2	B1
		segment		B1
(b)		clear attempt to draw a tangent	1	B1
				Total 3 marks

4 (a)		8.35	1	B1 cao
(b)		8.32	1	B1 cao
(c)(i)	clear indication between 8.36 & 8.37 nearer 8.37 than 8.36		3	B1

(ii)		hundredths		B1	Also accept $\frac{1}{100}$, 0.01, 6 hundredths, $\frac{6}{100}$, 0.06
(iii)		8		B1	
				Total 5 marks	

5	(a)		486	1	B1	cao
	(b)		eg multiply by 3	1	B1	
					Total 2 marks	

6	(a)		rhombus	1	B1	
	(b)(i)		48	2	B1	Accept 46-50 inc
	(ii)		acute		B1	
	(c)	5.3×4 oe		2	M1	Accept 5.1 – 5.5 instead of 5.3
			21.2		A1	Accept 20.4 – 22
					Total 5 marks	

7	(a)		78	1	B1	cao
	(b)	eg $\frac{22}{100} \times 41$, $\frac{22}{100} \times 41\,000\,000$		2	M1	
			9		A1	Also accept 9.0, 9.02, 9 000 000, 9 020 000
	(c)		0.06	1	B1	Accept .06
					Total 4 marks	

8	(a)		7	1	B1	cao
	(b)	$3y = 1 - 7$ or $3y = -6$		2	M1	
			-2		A1	cao
					Total 3 marks	

9	(a)		$\frac{1}{10}$	1	B1	
---	-----	--	----------------	---	----	--

(b)		1	1	B1	Accept $\frac{10}{10}$ or $\frac{1}{1}$	Penalise only first occurrence of incorrect notation.
(c)		$\frac{7}{10}$	2	M1	for fraction with a denominator of 10	
				A1	for $\frac{7}{10}$	
(d)		$\frac{6}{10} + \frac{3}{10}$ oe	2	M1		
		$\frac{9}{10}$		A1		
Total 6 marks						

10	(a)(i)		(4, 5)	2	B1	cao
	(ii)		(2, -1)		B1	cao
	(b)(i)		x at (7, 4)	2	M1	Allow ± 2 mm Condone omission of label
	(ii)		rectangle drawn		A1	dep on M1
	(c)		2	1	B1	
	(d)		(3, 2)	2	B2	B1 for 3 B1 for 2
Total 7 marks						

11	12×7			2	M1	
			84		A1	cao
Total 2 marks						

12	(a)		27	1	B1	cao
	(b)(i)		21.952	2	B1	
	(ii)		21.95		B1	ft from (i) if 3 or more dp
	(c)(i)	$\frac{83}{0.49}$		3	M1	for 0.49 seen
			169.3877551		A1	Accept 1 or more dp rounded or truncated

(ii)		170		B1	ft from (i) if 1 or more dp
				Total 6 marks	

13	opposite angle is 109°		3	M1	May be stated or marked on diagram	Alternatively M2 for $180 - 109$
	$\frac{360 - 2 \times 109}{2}$			M1		
		71		A1		
				Total 3 marks		

14	(a)	$6 \times 2 + 5 \times 3$ or $12 + 15$		2	M1	for correct substitution
			27		A1	cao
	(b)	$6 \times (-5 + 2)$ or 6×-3 or $-30 + 12$		2	M1	for correct substitution with $\times$ sign or for correct evaluation of brackets
			-18		A1	cao
				Total 4 marks		

15	(a)	$\frac{12}{20}$		2	M1	for $\frac{12}{20}$ or $\frac{6}{10}$
			$\frac{3}{5}$		A1	cao
	(b)	$12 : 8$ oe		2	M1	
			1.5 oe		A1	
				Total 4 marks		

16		Paper 2FR GradeMax		translation	2	B1	Also accept translated, translate etc	These marks are independent but award no marks if the answer is not a single transformation
			2 to the left and 1 up or $\begin{pmatrix} -2 \\ 1 \end{pmatrix}$				B1	
						Total 2 marks		

17	(a)	$\frac{50}{2}$ or 25 or $\frac{51}{2}$ or 25.5 or list of all scores		2	M1	
			6		A1	cao
	(b)(i)	$3 \times 2 + 4 \times 5 + 5 \times 14 + 6 \times 19 + 7 \times 10$ or $6 + 20 + 70 + 114 + 70$ or 280 "280" $\div 50$		3	M1	for sum of products condone 1 error
					M1	(dep) for division by 50
			5.6		A1	cao Also accept 6 if both method marks scored and 5 following 5.6
	(ii)		5	1	B1	ft from their (b)(i)
					Total 6 marks	

18	(a)(i)	$\frac{15}{100} \times 280$ or 42		6	M1	M2 for $\frac{85}{100} \times 280$
		280 – "42"			M1	dep
			238		A1	cao
	(ii)	$\frac{24}{0.15}$ or $24 \times \frac{100}{15}$			M2	for $\frac{24}{0.15}$ or $24 \times \frac{100}{15}$ M1 for $\frac{24}{15}$ or 1.6
			160		A1	cao
	(b)	2 + 3 or 5		3	M1	5 may be denominator of a fraction or coefficient in an equation such as $5x = 320$
		$\frac{320}{5}$ or 320	"5" or 64 or $\frac{7}{5}$ or 1.4		M1	dep
			448		A1	Also award for 128 : 192 : 448
					Total 9 marks	

19	(a)(i)	$\angle ABC = 68^\circ$ or $\angle BCD = 112^\circ$		4	M1	May be stated or marked on diagram
			68		A1	cao
	(ii)	$360 - (67 + 112 + "68" + 74)$			M1	
			39		A1	ft from their (a)(i) Award 2 marks if the answer to (ii) is 107 – answer to (i)
	(b)	$(5 - 2) \times 180$ or 3×180 or $(2 \times 5 - 4) \times 90$ or 6×90 or $360 + 180$ or $(180 - 67) + (180 - 112)$ $+ (180 - "68") + (180 - 74) +$ $(180 - "39")$ or $113 + 68 + 112 + 106 + 141$		2	M1	Condone 1 incorrect interior angle
			540		A1	Cao SC B1 for 108
					Total 6 marks	
20	(i)		$-1 \leq x < 3$	4	B2	B1 or either $-1 \leq x$ or for $x < 3$ as a final answer
	(ii)		$-1 \quad 0 \quad 1 \quad 2$		B2	B1 for 4 correct and 1 wrong or for 3 correct and 0 wrong
					Total 4 marks	
21	tan chosen			3	M1	for tan chosen
	$\frac{3.8}{5.2}$ or 0.7307...				A1	for $\frac{3.8}{5.2}$ or 0.7307... oe
			36.2		A1	for answer rounding to 36.2
					Total 3 marks	

22	$3x + 32 = 87 - 2x$		4	M1 for $3x + 32 = 87 - 2x$
	$5x = 55$ or $5x - 55 = 0$ or $5x = 87 - 32$ or $3x + 2x = 55$			M2 for correct rearrangement with x terms on one side and numbers on the other AND correct collection of terms on at least one side or for correct collection to 2 terms M1 for correct rearrangement with y terms on one side and numbers on the other e.g $3x + 2x = 87 - 32$ or correct collection and simplification of either numbers or x terms eg. $5x + 32 = 87$ or $5x$ = a or $bx = 55$
		11		A1 cao Award full marks if first method mark scored and answer is 11
				Total 4 marks
				TOTAL: 100 MARKS

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG036359 Summer 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

