



Cambridge  
International  
AS & A Level

**Cambridge Assessment International Education**  
Cambridge International Advanced Subsidiary and Advanced Level

---

**CHEMISTRY****9701/41**

Paper 4 A Level Structured Questions

**October/November 2018**

MARK SCHEME

Maximum Mark: 100

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **14** printed pages.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.


**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**


Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

9701/41

| Question | Answer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Marks                                                      |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------|-------------|----------|--------|------------------------------------------------------------|----------|----------|---------------------------------------------|----------|-----------------|-----------------------------|----------|
| 1(a)(i)  | <table border="1"> <thead> <tr> <th>peak</th><th>organic compound</th><th>explanation</th></tr> </thead> <tbody> <tr> <td><b>X</b></td><td>alkane</td><td>London forces <b>only</b><br/><b>OR</b> no hydrogen bonding</td></tr> <tr> <td><b>Y</b></td><td>aldehyde</td><td>(Permanent dipole-dipole and London forces)</td></tr> <tr> <td><b>Z</b></td><td>carboxylic acid</td><td>(contains) hydrogen bonding</td></tr> </tbody> </table> <p><b>M1</b> peak assignments [1]<br/><b>M2</b> explanation of <b>Z OR X</b> [1]</p> | peak                                                       | organic compound | explanation | <b>X</b> | alkane | London forces <b>only</b><br><b>OR</b> no hydrogen bonding | <b>Y</b> | aldehyde | (Permanent dipole-dipole and London forces) | <b>Z</b> | carboxylic acid | (contains) hydrogen bonding | <b>2</b> |
| peak     | organic compound                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | explanation                                                |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| <b>X</b> | alkane                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | London forces <b>only</b><br><b>OR</b> no hydrogen bonding |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| <b>Y</b> | aldehyde                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (Permanent dipole-dipole and London forces)                |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| <b>Z</b> | carboxylic acid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | (contains) hydrogen bonding                                |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| 1(a)(ii) | % of <b>Z</b> = $47/98 = 48\%$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>1</b>                                                   |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| 1(b)(i)  | $^{37}\text{Cl}$ and $^{81}\text{Br}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>1</b>                                                   |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| 1(b)(ii) | <p>M peak <math>\text{CH}_2^{35}\text{Cl}^{79}\text{Br}</math><br/> M+2 peak <math>\text{CH}_2^{37}\text{Cl}^{79}\text{Br}</math> <b>OR</b> <math>\text{CH}_2^{35}\text{Cl}^{81}\text{Br}</math><br/> M+4 peak <math>\text{CH}_2^{37}\text{Cl}^{81}\text{Br}</math><br/> two correct scores 1 mark<br/> all 3 correct scores 2 marks</p>                                                                                                                                                                                        | <b>2</b>                                                   |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |
| 1(c)(i)  |  <p><b>M1</b> correct dipole on HBr <b>AND</b> any correct curly arrow [1]<br/> <b>M2</b> two <b>other</b> correct curly arrows <b>AND</b> lone pair required on <math>\text{Br}^-</math> [1]<br/> <b>M3</b> intermediate [1]</p>                                                                                                                                                                                                           | <b>3</b>                                                   |                  |             |          |        |                                                            |          |          |                                             |          |                 |                             |          |



9701/41

| Question | Answer                                                                                                                                                                                 | Marks |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 1(c)(ii) | (major product is) formed via the most <b>stable tertiary carbocation / intermediate</b><br><b>OR tertiary</b> halogenoalkane formed via more <b>stable carbocation / intermediate</b> | 1     |
| 1(d)(i)  | <b>M1 ratio</b> of the concentrations of <b>solute</b> in two (immiscible) solvents [1]<br><b>M2</b> at equilibrium [1]                                                                | 2     |
| 1(d)(ii) | $K_{\text{partition}} = (x/10)/(1.25-x/50)$ [1]<br>$4.75(1.25-x) = 5x$<br>$x = 5.9375/9.75 = \mathbf{0.61\text{ g}}$ [1] correct answer scores [2]                                     | 2     |

| Question | Answer                                                                                                                                                                                                                                 | Marks |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 2(a)     | species that forms <b>dative bond(s)</b> to a (central) <b>metal atom / ion</b>                                                                                                                                                        | 1     |
| 2(b)     |  <p>any two structures [1] × 2</p>                                                                                                                   | 2     |
| 2(c)(i)  | $K_{\text{sp}} = [\text{Ca}^{2+}][\text{C}_2\text{O}_4^{2-}]$ [1]<br>units $\text{mol}^2 \text{dm}^{-6}$ [1]                                                                                                                           | 2     |
| 2(c)(ii) | $[\text{Ca}^{2+}] = [\text{C}_2\text{O}_4^{2-}] = 6.65 \times 10^{-3}/128.1 = 5.19 \times 10^{-5} \text{ mol dm}^{-3}$ [1]<br>$K_{\text{sp}} = (5.19 \times 10^{-5})^2 = \mathbf{2.7 \times 10^{-9} \text{ mol}^2 \text{dm}^{-6}}$ [1] | 2     |

9701/41


| Question  | Answer                                                                                                                                                                                                                                                                                                           | Marks   |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------|--|----|----|----|---|---|----|---|---|----|---|---|---|
| 3(a)      | <p>[1] for each column</p> <table border="1"> <tr> <th rowspan="2">element</th><th colspan="2">number of unpaired electrons in</th></tr> <tr> <th>3d</th><th>4s</th></tr> <tr> <td>Cr</td><td>5</td><td>1</td></tr> <tr> <td>Mn</td><td>5</td><td>0</td></tr> <tr> <td>Fe</td><td>4</td><td>0</td></tr> </table> | element | number of unpaired electrons in |  | 3d | 4s | Cr | 5 | 1 | Mn | 5 | 0 | Fe | 4 | 0 | 2 |
| element   | number of unpaired electrons in                                                                                                                                                                                                                                                                                  |         |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
|           | 3d                                                                                                                                                                                                                                                                                                               | 4s      |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| Cr        | 5                                                                                                                                                                                                                                                                                                                | 1       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| Mn        | 5                                                                                                                                                                                                                                                                                                                | 0       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| Fe        | 4                                                                                                                                                                                                                                                                                                                | 0       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| 3(b)      | $2\text{KMnO}_4 \rightarrow \text{K}_2\text{MnO}_4 + \text{O}_2 + \text{MnO}_2$<br>formulae of $\text{K}_2\text{MnO}_4$ and $\text{O}_2$ [1]<br>rest of the equation [1]                                                                                                                                         | 2       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| 3(c)      | <b>M1</b> d orbitals split into two levels / lower and upper orbitals [1]<br><b>M2</b> visible light is <b>absorbed</b> and the complementary colour observed [1]<br><b>M3</b> electron(s) promoted / excited [1]                                                                                                | 3       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| 3(d)(i)   | precipitate <b>A</b> $[\text{Cu}(\text{H}_2\text{O})_4(\text{OH})_2]$ <b>OR</b> $\text{Cu}(\text{OH})_2$ [1]<br>solution <b>B</b> $[\text{Cu}(\text{NH}_3)_4(\text{H}_2\text{O})_2]^{2+}$ [1]<br>solution <b>C</b> $\text{Cu}(\text{CH}_3\text{CO}_2)_2$ [1]                                                     | 3       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| 3(d)(ii)  | $\text{Na}_2\text{CO}_3$ <b>or</b> $\text{CO}_3^{2-}$                                                                                                                                                                                                                                                            | 1       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| 3(d)(iii) | $\text{CuCO}_3 + 2\text{CH}_3\text{CO}_2\text{H} \rightarrow \text{Cu}(\text{CH}_3\text{CO}_2)_2 + \text{CO}_2 + \text{H}_2\text{O}$                                                                                                                                                                             | 1       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |
| 3(d)(iv)  | any <b>two</b> for one mark <ul style="list-style-type: none"> <li>fizzing / bubbles / effervescence</li> <li>solid <b>disappears</b></li> <li>green / blue solution (formed)</li> </ul>                                                                                                                         | 1       |                                 |  |    |    |    |   |   |    |   |   |    |   |   |   |

| Question | Answer                                                                                                                                                                                                       | Marks |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 3(e)     | sum of the charges of the (four) ligands equals the oxidation number / charge of Pt<br><b>OR</b> a calculation Pt +2, NH <sub>3</sub> neutral / no charge, both Cl <sup>-</sup> 's -1 (so no overall charge) | 1     |
| 3(f)(i)  |  <p>square planar <b>and</b> 180° [1]</p>                                                                                   | 2     |
| 3(f)(ii) | <b>M1</b> this can <b>bond / bind</b> with <b>DNA</b> [1]<br><b>M2</b> which prevents replication of the DNA / strand <b>OR</b> prevents cell division [1]                                                   | 2     |
| 3(g)     |                                                                                                                             | 1     |


| Question | Answer                                                                                                                                                                                                                                                                                                                                                   | Marks |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 4(a)     | <b>M1</b> solubility decreases (down the Group) [1]<br><b>M2</b> because lattice energy and hydration energy <b>decreases</b><br><b>OR</b> lattice energy and hydration energy become <b>less exothermic / more endothermic</b> [1]<br><b>M3</b> because hydration energy decreases to a <b>greater extent</b> (than does $\Delta H_{\text{Latt}}$ ) [1] | 3     |
| 4(b)(i)  | $(K_w = ) [H^+][OH^-]$                                                                                                                                                                                                                                                                                                                                   | 1     |


| Question                                      | Answer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Marks |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------|---------------|---------------|----------|----|---|--|--|-----------------------------------------------|--|---|--|
| 4(b)(ii)                                      | [1] or each correct tick                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 2     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
|                                               | <table><tr><td>effect of increasing temperature</td><td>decreases</td><td>stay the same</td><td>increase</td></tr><tr><td>pH</td><td>✓</td><td></td><td></td></tr><tr><td>ratio of [H<sup>+</sup>]:[OH<sup>-</sup>]</td><td></td><td>✓</td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                   |       | effect of increasing temperature | decreases     | stay the same | increase | pH | ✓ |  |  | ratio of [H <sup>+</sup> ]:[OH <sup>-</sup> ] |  | ✓ |  |
|                                               | effect of increasing temperature                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       | decreases                        | stay the same | increase      |          |    |   |  |  |                                               |  |   |  |
|                                               | pH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       | ✓                                |               |               |          |    |   |  |  |                                               |  |   |  |
| ratio of [H <sup>+</sup> ]:[OH <sup>-</sup> ] |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ✓     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
| 4(c)                                          | [H <sup>+</sup> ] = 10 <sup>-13.25</sup> = 5.62 × 10 <sup>-14</sup> [1]<br>[OH <sup>-</sup> ] = K <sub>w</sub> /[H <sup>+</sup> ] = 1.0 × 10 <sup>-14</sup> /5.62 × 10 <sup>-14</sup><br>[OH <sup>-</sup> ] = <b>0.18</b> (0.178) (mol dm <sup>-3</sup> ) [1] ecf correct answer scores [2]                                                                                                                                                                                                                                                                                                                                         | 2     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
| 4(d)                                          | HCO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> → H <sub>2</sub> CO <sub>3</sub> <b>OR</b> HCO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> → CO <sub>2</sub> + H <sub>2</sub> O [1]<br>H <sub>2</sub> CO <sub>3</sub> + OH <sup>-</sup> → HCO <sub>3</sub> <sup>-</sup> + H <sub>2</sub> O [1]                                                                                                                                                                                                                                                                                                                                        | 2     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
| 4(e)(i)                                       | <b>CH<sub>3</sub>COOH</b> + H <sub>2</sub> O ⇌ CH <sub>3</sub> COO <sup>-</sup> + H <sub>3</sub> O <sup>+</sup> [1]<br>acid + base ⇌ base + acid [1]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
| 4(e)(ii)                                      | <b>M1</b> moles NaOH = 0.15 × 20/1000 = <b>0.0030</b> <b>AND</b> initial moles CH <sub>3</sub> COOH = 0.25 × 30/1000 <b>OR 0.0075</b> [1]<br><b>M2</b> equilibrium moles CH <sub>3</sub> COOH = <b>0.0045</b> <b>AND</b> equilibrium moles CH <sub>3</sub> COONa = <b>0.0030</b> [1]<br><b>M3</b> [CH <sub>3</sub> COOH] = 0.0045/0.05 = <b>0.090</b> <b>AND</b> [CH <sub>3</sub> COONa] = 0.003/0.05 = <b>0.060</b><br>[H <sup>+</sup> ] = K <sub>a</sub> × [CH <sub>3</sub> COOH]/[CH <sub>3</sub> COONa] = <b>2.625 × 10<sup>-5</sup></b> [1]<br><b>M4</b> pH = -log[H <sup>+</sup> ] = <b>4.6</b> [1] correct answer scores [4] | 4     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
| 4(f)(i)                                       | end point = 28 cm <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |
| 4(f)(ii)                                      | <b>M1</b> reaction <b>M</b> bromothymol (blue) / bromocresol (green) <b>AND</b> reaction <b>N</b> bromothymol (blue) / thymolphthalein [1]<br><b>M2</b> (both indicators have) a pH range / colour change <b>within / in</b> end-point / vertical region / sharp fall of the graph [1]                                                                                                                                                                                                                                                                                                                                              | 2     |                                  |               |               |          |    |   |  |  |                                               |  |   |  |

9701/41


| Question     | Answer                                                                                                                                                                                                                                                                                                                         | Marks             |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------|-------------------|----------------------------------|--------------|---|---|--|--------------|---|--|--|---|
| 5(a)(i)      | <p>[1] for each correct answer</p> <table><tr><td></td><td>number of peaks</td></tr><tr><td><b>F</b></td><td>3</td></tr><tr><td><b>G</b></td><td>6</td></tr></table>                                                                                                                                                           |                   | number of peaks                  | <b>F</b>          | 3                                | <b>G</b>     | 6 | 2 |  |              |   |  |  |   |
|              | number of peaks                                                                                                                                                                                                                                                                                                                |                   |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |
| <b>F</b>     | 3                                                                                                                                                                                                                                                                                                                              |                   |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |
| <b>G</b>     | 6                                                                                                                                                                                                                                                                                                                              |                   |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |
| 5(a)(ii)     | <div></div> <p>one amide bond displayed in full [1]</p> <p>rest of the structure – one repeat unit only [1]</p>                                                                                                                              | 2                 |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |
| 5(b)         | <p>[1] for each correct tick</p> <table><tr><td></td><td><math>\sigma</math>-bonds only</td><td><math>\pi</math>-bonds only</td><td>both <math>\sigma</math>- and <math>\pi</math>-bonds</td></tr><tr><td>bonds broken</td><td></td><td>✓</td><td></td></tr><tr><td>bonds formed</td><td>✓</td><td></td><td></td></tr></table> |                   | $\sigma$ -bonds only             | $\pi$ -bonds only | both $\sigma$ - and $\pi$ -bonds | bonds broken |   | ✓ |  | bonds formed | ✓ |  |  | 2 |
|              | $\sigma$ -bonds only                                                                                                                                                                                                                                                                                                           | $\pi$ -bonds only | both $\sigma$ - and $\pi$ -bonds |                   |                                  |              |   |   |  |              |   |  |  |   |
| bonds broken |                                                                                                                                                                                                                                                                                                                                | ✓                 |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |
| bonds formed | ✓                                                                                                                                                                                                                                                                                                                              |                   |                                  |                   |                                  |              |   |   |  |              |   |  |  |   |

9701/41

| Question | Answer                                                                                                                                                                         | Marks |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 5(c)     |  <p><b>M1</b> length of chain with both monomers [1]<br/><b>M2</b> continuation bonds [1]</p> | 2     |
| 5(d)(i)  | C-C bonds are non-polar / have no dipole so cannot be hydrolysed [1]                                                                                                           | 1     |
| 5(d)(ii) | <b>M1</b> <u>Hydrolysis</u> using acid / base / alkali / enzymes [1]<br><b>M2</b> action of UV light [1]                                                                       | 2     |





| Question | Answer                                                                                                                                                               | Marks |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 6(a)     |  <p><b>M1</b> amide bond displayed [1]<br/><b>M2</b> rest of the structure [1]</p> | 2     |


9701/41

| Question | Answer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Marks |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 6(b)     |  <p><b>M1</b> valine on the cross [1]<br/> <b>M2</b> Val-Lys and Lys on the right of the cross (in any order) [1]<br/> <b>M3</b> relative order of Val-Lys and Lys (on the same side of the cross) [1]</p> <p><b>Explanation</b></p> <ul style="list-style-type: none"> <li>Val does not move as it is a zwitterion / neutral (at pH6)<br/> <b>OR</b> Lys / Val-Lys move towards <b>negative</b> (pole) as they are <b>positively charged</b></li> <li>Lys moves the <b>furthest</b> as it has the <b>lowest <math>M_r</math></b> (with the same positive charge)<br/> <b>OR</b> Val-Lys moves the <b>least</b> as it has the <b>largest <math>M_r</math></b> (with the same positive charge)</li> </ul> <p>[1] × 2</p> | 5     |

| Question | Answer                                                                                                                                                                                                                                                                                                                                   | Marks |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 7(a)     | <p><b>M1</b> C-X / C-Cl / C-O bond is stronger (in chlorobenzene / phenol) [1]<br/> <b>M2</b> p-orbital / lone pair on Cl / O(H) / X (in chlorobenzene / phenol) [1]<br/> <b>M3</b> electrons of the (Cl / O / electronegative atom) <b>AND</b> overlap / delocalise with <math>\pi</math>-electron cloud / delocalise into ring [1]</p> | 3     |

9701/41

| Question  | Answer                                                                                                                                                                                                                                                                                                                                                                                                                        | Marks |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 7(b)      | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>2-bromophenol</p> </div> <div style="text-align: center;">  <p>4-bromophenol</p> </div> </div> <p>structure and name correct [1]</p> | 2     |
| 7(c)(i)   | <p>step 1 <b>conc.</b> <math>\text{HNO}_3</math> + <math>\text{H}_2\text{SO}_4</math> (and temperare 50–55 °C) [1]</p> <p>step 2 <math>\text{Sn}</math> + <math>\text{HCl}</math> <b>AND one</b> of <math>\text{conc.HCl}</math> + heat [1]</p> <p>step 4 <math>\text{H}_2\text{O}</math> warm / heat [1]</p>                                                                                                                 | 3     |
| 7(c)(ii)  | <div style="display: flex; align-items: center; justify-content: center;">  <div style="margin: 0 10px;"><b>OR</b></div>  </div>                                                                                                                         | 1     |
| 7(c)(iii) | step 1 electrophilic substitution                                                                                                                                                                                                                                                                                                                                                                                             | 1     |
| 7(c)(iv)  | $\text{C}_6\text{H}_5\text{NO}_2$ + 6[H] → $\text{C}_6\text{H}_5\text{NH}_2$ + 2 $\text{H}_2\text{O}$                                                                                                                                                                                                                                                                                                                         | 1     |

| Question                  | Answer                                                                                                                                                                                                                                                                                                                                                                        | Marks                       |                             |                             |                           |  |   |                        |  |   |   |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|---------------------------|--|---|------------------------|--|---|---|
| 8(a)                      |  <p><b>M1</b> continuous increase in <math>S</math> from 0–300 K (excluding m.p.) [1]<br/> <b>M2</b> steep vertical increase in <math>S</math> <b>ONLY</b> at the m.p. <b>AND</b> continuous increase in <math>S</math> after m.p. [1]</p>                                                  | 2                           |                             |                             |                           |  |   |                        |  |   |   |
| 8(b)                      | <p>[1] for each correct tick</p> <table border="1"> <thead> <tr> <th></th><th>negative <math>\Delta S^\ominus</math></th><th>positive <math>\Delta S^\ominus</math></th></tr> </thead> <tbody> <tr> <td>solid dissolving in water</td><td></td><td>✓</td></tr> <tr> <td>water boiling to steam</td><td></td><td>✓</td></tr> </tbody> </table>                                 |                             | negative $\Delta S^\ominus$ | positive $\Delta S^\ominus$ | solid dissolving in water |  | ✓ | water boiling to steam |  | ✓ | 1 |
|                           | negative $\Delta S^\ominus$                                                                                                                                                                                                                                                                                                                                                   | positive $\Delta S^\ominus$ |                             |                             |                           |  |   |                        |  |   |   |
| solid dissolving in water |                                                                                                                                                                                                                                                                                                                                                                               | ✓                           |                             |                             |                           |  |   |                        |  |   |   |
| water boiling to steam    |                                                                                                                                                                                                                                                                                                                                                                               | ✓                           |                             |                             |                           |  |   |                        |  |   |   |
| 8(c)                      | $\Delta H^\ominus = (2 \times \text{C=O}) + (3 \times \text{H-H}) - (3 \times \text{C-H}) - (\text{C-O}) - (3 \times \text{O-H})$<br>$\Delta H^\ominus = (2 \times 805) + (3 \times 436) - (3 \times 410) - (1 \times 360) - (3 \times 460)$ [1]<br>$\Delta H^\ominus = 1610 + 1308 - 1230 - 360 - 1380 = -52 \text{ (kJ mol}^{-1}\text{)}$ [1] ecf correct answer scores [2] | 2                           |                             |                             |                           |  |   |                        |  |   |   |
| 8(d)(i)                   | $\Delta S^\ominus = 127 + 70 - (214 + 3 \times 131)$ [1]<br>$= -410 \text{ (J K}^{-1} \text{ mol}^{-1}\text{)}$ [1] ecf correct answer scores [2]                                                                                                                                                                                                                             | 2                           |                             |                             |                           |  |   |                        |  |   |   |
| 8(d)(ii)                  | $\Delta G^\ominus = \Delta H^\ominus - T\Delta S^\ominus$ [1]<br>$\Delta G^\ominus = -131 - (298 \times -0.41) = -8.8(2) \text{ (kJ mol}^{-1}\text{)}$ [1] correct answer scores [2]                                                                                                                                                                                          | 2                           |                             |                             |                           |  |   |                        |  |   |   |

**PUBLISHED**

| Question  | Answer                                                                                                                                                                                                   | Marks    |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 8(d)(iii) | (as temperature increases) feasibility decreases                                                                                                                                                         | <b>1</b> |
| 8(e)(i)   | $2\text{CH}_3\text{OH} + 3\text{O}_2 \rightleftharpoons 2\text{CO}_2 + 4\text{H}_2\text{O}$ <b>OR</b> $2\text{CH}_3\text{OH} + 3\text{O}_2 \rightleftharpoons 2\text{CO}_2 + 4\text{H}^+ + 4\text{OH}^-$ | <b>1</b> |
| 8(e)(ii)  | $E^\ominus_{\text{cell}} = 1.23 - 0.02 = \mathbf{1.21\text{ V}}$                                                                                                                                         | <b>1</b> |