



Cambridge International AS & A Level

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

**FURTHER MATHEMATICS****9231/32**

Paper 3 Further Mechanics

May/June 2020**1 hour 30 minutes**

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 ms^{-2} .

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].


This document has **16** pages. Blank pages are indicated.

BLANK PAGE

[5]

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

2



A light inextensible string of length a is threaded through a fixed smooth ring R . One end of the string is attached to a particle A of mass $3m$. The other end of the string is attached to a particle B of mass m . The particle A hangs in equilibrium at a distance x vertically below the ring. The angle between AR and BR is θ (see diagram). The particle B moves in a horizontal circle with constant angular speed $2\sqrt{\frac{g}{a}}$.


Show that $\cos \theta = \frac{1}{3}$ and find x in terms of a . [5]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

-
- This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

[illegible]

4



A uniform square lamina $ABCD$ has sides of length 10 cm. The point E is on BC with $EC = 7.5$ cm, and the point F is on DC with $CF = x$ cm. The triangle EFC is removed from $ABCD$ (see diagram). The centre of mass of the resulting shape $ABEFD$ is a distance $\bar{x}$ cm from CB and a distance $\bar{y}$ cm from CD .

- (a) Show that $\bar{x} = \frac{400 - x^2}{80 - 3x}$ and find a corresponding expression for $\bar{y}$. [4]

[illegible]

- [illegible]

- 5 A particle P is moving along a straight line with acceleration $3ku - kv$ where v is its velocity at time t , u is its initial velocity and k is a constant. The velocity and acceleration of P are both in the direction of increasing displacement from the initial position.

(a) Find the time taken for P to achieve a velocity of $2u$. [3]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

[illegible]

[illegible]

[5]

[illegible]

The particle P loses contact with the surface of the cylinder when OP makes an angle θ with the upward vertical through O .

- (a) Show that $\theta = 60^\circ$. [5]

[illegible]

This image shows a full page of a worksheet designed for handwriting practice. It consists of approximately 20 horizontal dashed lines spaced evenly across the page, providing a guide for letter height and placement. The background is plain white, and there are no other markings or text present.

[illegible]

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.