

Cambridge
International
A Level

Cambridge International Examinations
Cambridge International Advanced Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

9709/73

Paper 7 Probability & Statistics 2 **(S2)**

May/June 2017

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: List of Formulae (MF9)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** the questions.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

The use of an electronic calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 50.

This document consists of **11** printed pages and **1** blank page.



The numbers of the first two members in the sample are 109 and 643. Find the numbers of the next three members in the sample. [3]

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

- [illegible]

-
-
-
-

This image shows a full page of a handwriting practice worksheet. It consists of multiple sets of three horizontal dashed lines, providing a guide for letter height and placement. The lines are evenly spaced across the entire page, leaving ample room for writing practice. There is no text or other markings on the page.

- 4 Last year the mean level of a certain pollutant in a river was found to be 0.034 grams per millilitre. This year the levels of pollutant, X grams per millilitre, were measured at a random sample of 200 locations in the river. The results are summarised below.

$$n = 200 \qquad \Sigma x = 6.7 \qquad \Sigma x^2 = 0.2312$$

- (i) Calculate unbiased estimates of the population mean and variance. [3]

.....

.....

.....

.....

.....

.....

.....

- (ii) Test, at the 10% significance level, whether the mean level of pollutant has changed. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

5 (i) A random variable X has the distribution $Po(42)$.

(a) Use an appropriate approximating distribution to find $P(X \geq 40)$. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Justify your use of the approximating distribution. [1]

.....

.....

.....

.....

.....

(ii) A random variable Y has the distribution $B(60, 0.02)$.

(a) Use an appropriate approximating distribution to find $P(Y > 2)$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Justify your use of the approximating distribution. [1]

.....

.....


.....

.....

.....

8

6



The diagram shows the graph of the probability density function, f , of a continuous random variable X , where f is defined by

$$f(x) = \begin{cases} k(x - x^2) & 0 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

- (i) Show that the value of the constant k is 6. [3]

.....

.....

.....

.....

.....

.....

- (ii) State the value of $E(X)$ and find $\text{Var}(X)$. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

[illegible]

- 7 In the past the number of accidents per month on a certain road was modelled by a random variable with distribution $Po(0.47)$. After the introduction of speed restrictions, the government wished to test, at the 5% significance level, whether the mean number of accidents had decreased. They noted the number of accidents during the next 12 months. It is assumed that accidents occur randomly and that a Poisson model is still appropriate.

(i) Given that the total number of accidents during the 12 months was 2, carry out the test. [6]

[illegible]

(ii) Explain what is meant by a Type II error in this context. [1]

.....

.....

.....

.....

It is given that the mean number of accidents per month is now in fact 0.05.

(iii) Using another random sample of 12 months the same test is carried out again, with the same significance level. Find the probability of a Type II error. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.