GradeMax

Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER | | | | | |

CANDIDATE NUMBER | | | | |

4965349912

MATHEMATICS **9709/43**

Paper 4 Mechanics **May/June 2023**

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use $10\,\text{m}\,\text{s}^{-2}$.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **12** pages.

© UCLES 2023

[Turn over

GradeMax

1 Two particles P and Q, of masses 0.1 kg and 0.4 kg respectively, are free to move on a smooth horizontal plane. Particle P is projected with speed $4\,\text{m}\,\text{s}^{-1}$ towards Q which is stationary. After P and Q collide, the speeds of P and Q are equal.

Find the two possible values of the speed of P after the collision. [3]

© UCLES 2023


GradeMax

2 A car of mass 1500 kg is towing a trailer of mass m kg along a straight horizontal road. The car and the trailer are connected by a tow-bar which is horizontal, light and rigid. There is a resistance force of F N on the car and a resistance force of 200 N on the trailer. The driving force of the car's engine is 3200 N, the acceleration of the car is $1.25\,\text{m}\,\text{s}^{-2}$ and the tension in the tow-bar is 300 N.

Find the value of m and the value of F. [4]

GradeMax

3



A smooth ring R of mass 0.2 kg is threaded on a light string ARB. The ends of the string are attached to fixed points A and B with A vertically above B. The string is taut and angle $ABR = 90°$. The angle between the part AR of the string and the vertical is 60°. The ring is held in equilibrium by a force of magnitude X N, acting on the ring in a direction perpendicular to AR (see diagram).

Calculate the tension in the string and the value of X. [5]

GradeMax

4 A lorry of mass 15 000 kg moves on a straight horizontal road in the direction from A to B. It passes A and B with speeds $20\,\text{m s}^{-1}$ and $25\,\text{m s}^{-1}$ respectively. The power of the lorry's engine is constant and there is a constant resistance to motion of magnitude 6000 N. The acceleration of the lorry at B is 0.5 times the acceleration of the lorry at A.

(a) Show that the power of the lorry's engine is 200 kW, and hence find the acceleration of the lorry when it is travelling at $20\,\text{m s}^{-1}$. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

The lorry begins to ascend a straight hill inclined at 1° to the horizontal. It is given that the power of the lorry's engine and the resistance force do not change.

(b) Find the steady speed up the hill that the lorry could maintain. [2]

.....

.....

.....

.....

.....

.....

© UCLES 2023

[Turn over

GradeMax

5 A particle starts from rest from a point O and moves in a straight line. The acceleration of the particle at time t s after leaving O is $a\,\text{m s}^{-2}$, where $a = kt^{\frac{1}{2}}$ for $0 \leqslant t \leqslant 9$ and where k is a constant. The velocity of the particle at $t = 9$ is $1.8\,\text{m s}^{-1}$.

(a) Show that $k = 0.1$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

For $t > 9$, the velocity $v\,\text{m s}^{-1}$ of the particle is given by $v = 0.2(t - 9)^2 + 1.8$.

(b) Show that the distance travelled in the first 9 seconds is one tenth of the distance travelled between $t = 9$ and $t = 18$. [4]

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

.....

.....

.....

.....

.....

.....

.....

(c) Find the greatest acceleration of the particle during the first 10 seconds of its motion. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

GradeMax

6 An elevator is pulled vertically upwards by a cable. The elevator accelerates at $0.4\,\text{m}\,\text{s}^{-2}$ for 5 s, then travels at constant speed for 25 s. The elevator then decelerates at $0.2\,\text{m}\,\text{s}^{-2}$ until it comes to rest.

(a) Find the greatest speed of the elevator and hence draw a velocity-time graph for the motion of the elevator. [3]

.....

.....

.....

(b) Find the total distance travelled by the elevator. [2]

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

GradeMax

The mass of the elevator is 1200 kg and there is a crate of mass m kg resting on the floor of the elevator.

(c) Given that the tension in the cable when the elevator is decelerating is 12 250 N, find the value of m. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(d) Find the greatest magnitude of the force exerted on the crate by the floor of the elevator, and state its direction. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

GradeMax

7



The diagram shows the vertical cross-section XYZ of a rough slide. The section YZ is a straight line of length 2 m inclined at an angle of α to the horizontal, where $\sin \alpha = 0.28$. The section YZ is tangential to the curved section XY at Y, and X is 1.8 m above the level of Y. A child of mass 25 kg slides down the slide, starting from rest at X. The work done by the child against the resistance force in moving from X to Y is 50 J.

(a) Find the speed of the child at Y. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

GradeMax

It is given that the child comes to rest at Z.

(b) Use an energy method to find the coefficient of friction between the child and YZ, giving your answer as a fraction in its simplest form. [6]

GradeMax

Additional Page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2023