GradeMax

* 0000800000001 *





Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER



MATHEMATICS **9709/31**

Paper 3 Pure Mathematics 3 **October/November 2024**

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **20** pages. Any blank pages are indicated.

DC (DE/SG) 336974/5
© UCLES 2024

[Turn over

GradeMax

BLANK PAGE

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

* 0000800000003 *

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

1 The polynomial $4x^3 + ax^2 + 5x + b$, where a and b are constants, is denoted by $\mathrm{p}(x)$. It is given that $(2x+1)$ is a factor of $\mathrm{p}(x)$. When $\mathrm{p}(x)$ is divided by $(x-4)$ the remainder is equal to 3 times the remainder when $\mathrm{p}(x)$ is divided by $(x-2)$.

Find the values of a and b. [5]

GradeMax

2 Find the exact value of $\int_1^3 x^2 \ln 3x \, dx$. Give your answer in the form $a \ln b + c$, where a and c are rational and b is an integer. [5]

DO NOT WRITE IN THIS MARGIN

GradeMax

3 The equation of a curve is $\ln(x+y) = 3x^2y$.

Find the gradient of the curve at the point $(1, 0)$. [4]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

4 **(a)** Show that $\sec^4\theta - \tan^4\theta \equiv 1 + 2\tan^2\theta$. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

(b) Hence or otherwise solve the equation $\sec^4 2\alpha - \tan^4 2\alpha = 2\tan^2 2\alpha \sec^2 2\alpha$ for $0° < \alpha < 180°$. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

5 **(a)** By sketching a suitable pair of graphs, show that the equation $2+e^{-0.2x} = \ln(1+x)$ has only one root. [2]

(b) Show by calculation that this root lies between 7 and 9. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

* 0000800000009 *

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(c) Use the iterative formula


$$x_{n+1} = \exp\left(2 + \mathrm{e}^{-0.2x_n}\right) - 1$$

to determine the root correct to 2 decimal places. Give the result of each iteration to 4 decimal places.

[$\exp(x)$ is an alternative notation for e^x.] [3]

GradeMax

6



The diagram shows the curve $y = \sin 2x(1 + \sin 2x)$, for $0 \leqslant x \leqslant \frac{3}{4}\pi$, and its minimum point M. The shaded region bounded by the curve that lies above the x-axis and the x-axis itself is denoted by R.

(a) Given that the x-coordinate of M lies in the interval $\frac{1}{2}\pi < x < \frac{3}{4}\pi$, find the exact coordinates of M. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

(b) Find the exact area of the region R. [4]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

7 Let $f(x) = \dfrac{5x^2 + 8x + 5}{(1 + 2x)(2 + x^2)}$.

(a) Express $f(x)$ in partial fractions. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

(b) Hence find the coefficient of x^3 in the expansion of f(x). [4]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

8 **(a)** Given that $z = 1 + y\mathrm{i}$ and that y is a real number, express $\frac{1}{z}$ in the form $a + b\mathrm{i}$, where a and b are functions of y. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Show that $\left(a - \frac{1}{2}\right)^2 + b^2 = \frac{1}{4}$, where a and b are the functions of y found in part **(a)**. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

.....

.....

.....

.....

.....

(c) On a single Argand diagram, sketch the loci given by the equations $\mathrm{Re}(z) = 1$ and $\left|z - \frac{1}{2}\right| = \frac{1}{2}$, where z is a complex number. [3]

(d) The complex number z is such that $\mathrm{Re}(z) = 1$. Use your answer to part **(b)** to give a geometrical description of the locus of $\frac{1}{z}$. [1]

.....

.....

.....

.....

.....

.....

.....

GradeMax

9 The position vector of point A relative to the origin O is $\overrightarrow{OA} = 8\mathbf{i} - 5\mathbf{j} + 6\mathbf{k}$.
The line l passes through A and is parallel to the vector $2\mathbf{i} + \mathbf{j} + 4\mathbf{k}$.

(a) State a vector equation for l. [2]

.....

.....

.....

.....

.....

.....

.....

.....

(b) The position vector of point B relative to the origin O is $\overrightarrow{OB} = -t\mathbf{i} + 4t\mathbf{j} + 3t\mathbf{k}$, where t is a constant.
The line l also passes through B.

Find the value of t. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN


GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(c) The line m has vector equation $\mathbf{r} = 5\mathbf{i} - \mathbf{j} + 2\mathbf{k} + \mu(a\mathbf{i} - \mathbf{j} + 3\mathbf{k})$. The acute angle between the directions of l and m is θ, where $\cos\theta = \frac{1}{\sqrt{6}}$.

Find the possible values of a. [5]

10



A large cylindrical tank is used to store water. The base of the tank is a circle of radius 4 metres. At time t minutes, the depth of the water in the tank is h metres. There is a tap at the bottom of the tank. When the tap is open, water flows out of the tank at a rate proportional to the square root of the volume of water in the tank.

(a) Show that $\frac{\mathrm{d}h}{\mathrm{d}t} = -\lambda\sqrt{h}$, where λ is a positive constant. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) At time $t = 0$ the tap is opened. It is given that $h = 4$ when $t = 0$ and that $h = 2.25$ when $t = 20$.

Solve the differential equation to obtain an expression for t in terms of h, and hence find the time taken to empty the tank. [6]

GradeMax

Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.