GradeMax

* 0000008000001 *





Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

4045182736

MATHEMATICS **9709/33**

Paper 3 Pure Mathematics 3 **October/November 2024**

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **20** pages.


DC (DE/SG) 336976/3
© UCLES 2024

GradeMax

1 The complex number z satisfies $|z| = 2$ and $0 \leqslant \arg z \leqslant \frac{1}{4}\pi$.

(a) On the Argand diagram below, sketch the locus of the points representing z. [2]

(b) On the **same diagram**, sketch the locus of the points representing z^2. [2]



DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

* 0000008000003 *

2 Let $f(x) = 2x^3 - 5x^2 + 4$.

(a) Show that if a sequence of values given by the iterative formula

$$x_{n+1} = \sqrt{\frac{4}{5 - 2x_n}}$$

converges, then it converges to a root of the equation $f(x) = 0$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) The equation has a root close to 1.2 .

Use the iterative formula from part **(a)** and an initial value of 1.2 to determine the root correct to 2 decimal places. Give the result of each iteration to 4 decimal places. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN


DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

3



The number of bacteria in a population, P, at time t hours is modelled by the equation $P = ae^{kt}$, where a and k are constants. The graph of $\ln P$ against t, shown in the diagram, has gradient $\frac{1}{20}$ and intersects the vertical axis at $(0, 3)$.

(a) State the value of k and find the value of a correct to 2 significant figures. [3]

.....

.....

.....

.....

.....

.....

.....

(b) Find the time taken for P to double. Give your answer correct to the nearest hour. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2024

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

* 0000008000005 *

4 Find the complex number z satisfying the equation

$$\frac{z-3\mathrm{i}}{z+3\mathrm{i}} = \frac{2-9\mathrm{i}}{5}.$$

Give your answer in the form $x+\mathrm{i}y$, where x and y are real. [5]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

GradeMax

5 **(a)** Show that $\cos^4\theta - \sin^4\theta - 4\sin^2\theta\cos^2\theta \equiv \cos^2 2\theta + \cos 2\theta - 1$. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) Solve the equation $\cos^4\alpha - \sin^4\alpha = 4\sin^2\alpha\cos^2\alpha$ for $0° \leqslant \alpha \leqslant 180°$. [3]

GradeMax

6 The lines l and m have vector equations

$$l: \quad \mathbf{r} = 2\mathbf{i} + \mathbf{j} - 3\mathbf{k} + \lambda(-\mathbf{i} + 2\mathbf{k}) \quad \text{and} \quad m: \quad \mathbf{r} = 2\mathbf{i} + \mathbf{j} - 3\mathbf{k} + \mu(2\mathbf{i} - \mathbf{j} + 5\mathbf{k}).$$

Lines l and m intersect at the point P.

(a) State the coordinates of P. [1]

.....

.....

.....

.....

.....

.....

.....

(b) Find the exact value of the cosine of the acute angle between l and m. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(c) The point A on line l has coordinates $(0,1,1)$. The point B on line m has coordinates $(0,2,-8)$.

Find the exact area of triangle APB. [3]

GradeMax

7 The parametric equations of a curve are

$$x = 3\sin 2t, \quad y = \tan t + \cot t,$$

for $0 < t < \frac{1}{2}\pi$.

(a) Show that $\dfrac{\mathrm{d}y}{\mathrm{d}x} = \dfrac{-2}{3\sin^2 2t}$. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) Find the equation of the normal to the curve at the point where $t = \frac{1}{4}\pi$. Give your answer in the form $py + qx + r = 0$, where p, q and r are integers. [3]

GradeMax

8 Let $f(x) = \dfrac{7a^2}{(a-2x)(3a+x)}$, where a is a positive constant.

(a) Express $f(x)$ in partial fractions. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) Hence obtain the expansion of $f(x)$ in ascending powers of x, up to and including the term in x^2. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) State the set of values of x for which the expansion in part **(b)** is valid. [1]

.....

.....

.....

.....

.....

.....

.....

.....

GradeMax

9 **(a)** Find the quotient and remainder when $x^4 + 16$ is divided by $x^2 + 4$. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

(b) Hence show that $\int_2^{2\sqrt{3}} \frac{x^4+16}{x^2+4}\,\mathrm{d}x = \frac{4}{3}(\pi+4)$. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

10 A water tank is in the shape of a cuboid with base area $40\,000\,\text{cm}^2$. At time t minutes the depth of water in the tank is h cm. Water is pumped into the tank at a rate of $50\,000\,\text{cm}^3$ per minute. Water is leaking out of the tank through a hole in the bottom at a rate of $600h\,\text{cm}^3$ per minute.

(a) Show that $200\dfrac{\mathrm{d}h}{\mathrm{d}t} = 250 - 3h$. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax


(b) It is given that when $t = 0$, $h = 50$.

Find the time taken for the depth of water in the tank to reach 80 cm. Give your answer correct to 2 significant figures. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

11



The diagram shows the curve $y = 2\sin x\sqrt{2+\cos x}$, for $0 \leqslant x \leqslant 2\pi$, and its minimum point M, where $x = a$.

(a) Find the value of a correct to 2 decimal places. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

(b) Use the substitution $u = 2 + \cos x$ to find the exact area of the shaded region R. [6]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.