GradeMax

* 0000800000001 * DFD

Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

* 8 9 5 8 2 8 0 0 3 8 *

ADDITIONAL MATHEMATICS **0606/21**

Paper 2 **October/November 2025**

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a scientific calculator where appropriate.
- You must show all necessary working clearly.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- For π, use either your calculator value or 3.142.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages.

DC (CJ/CT) 347115/2
© UCLES 2025

[Turn over

GradeMax

List of formulas

Equation of a circle with centre (a, b) and radius r. $(x - a)^2 + (y - b)^2 = r^2$

Curved surface area, A, of cone of radius r, sloping edge l. $A = \pi rl$

Surface area, A, of sphere of radius r. $A = 4\pi r^2$

Volume, V, of pyramid or cone, base area A, height h. $V = \frac{1}{3}Ah$

Volume, V, of sphere of radius r. $V = \frac{4}{3}\pi r^3$

Quadratic equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial theorem

$$(a + b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \ldots + \binom{n}{r}a^{n-r}b^r + \ldots + b^n,$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series

$$u_n = a + (n - 1)d$$
$$S_n = \frac{1}{2}n(a + l) = \frac{1}{2}n\{2a + (n - 1)d\}$$

Geometric series

$$u_n = ar^{n-1}$$
$$S_n = \frac{a(1 - r^n)}{1 - r} \quad (r \neq 1)$$
$$S_\infty = \frac{a}{1 - r} \quad (|r| < 1)$$

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulas for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$
$$a^2 = b^2 + c^2 - 2bc\cos A$$
$$\Delta = \frac{1}{2}ab\sin C$$

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

1 The polynomial p is such that $p(x) = x^3 + ax^2 + bx - 2$, where a and b are constants.


It is given that:

- $x + 2$ is a factor of $p(x)$
- when $p(x)$ is divided by $x - 3$ the remainder is 40.

Find the values of a and b. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

2



The diagram shows the graph of $y = |3x + 3|$.

Use a graphical method to solve the inequality $|3x + 3| \geqslant |x - 2|$. [3]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

3 **(a)** 3 men and 3 women are standing in a line.
The 3 men are standing next to each other.

Find how many different arrangements are possible. [2]

(b) In the 13-letter word MULTIBRANCHED, there are 4 vowels, U, I, A and E.

7 different letters are selected from these 13 letters.

Find how many different selections are possible if the selection includes at least 2 vowels. [3]

GradeMax

4 **(a)** Show that $\frac{1-\sin x}{\cos x}+\frac{\cos x}{1-\sin x}=2\sec x$. [3]

(b) Hence solve the equation $\frac{1-\sin\frac{\theta}{2}}{\cos\frac{\theta}{2}}+\frac{\cos\frac{\theta}{2}}{1-\sin\frac{\theta}{2}}=3$ for $0°\leqslant\theta\leqslant 720°$. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

5 Solutions to this question by accurate drawing will not be accepted.

A circle has centre (4, 2) and meets the x-axis at $(-2, 0)$.

(a) Find the equation of the circle. [2]

(b) Find, in exact form, the coordinates of the points where the circle meets the y-axis. [3]

GradeMax

6 Variables x and y are such that when $\ln y$ is plotted against x a straight-line graph is obtained. The line passes through the points $(1, \ln 15)$ and $(2, \ln 75)$.

Show that $y = Ab^x$ where A and b are integers to be found. [4]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

7 Show that the curve $y = x - \ln(x^2 + 2x)$ has exactly one stationary point.

Find the x-coordinate of this point. [6]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

8 In this question, the units are metres and seconds.

A particle P is travelling in a straight line through a fixed point O.
At time t its acceleration, a, is given by $a = (2t-3)^2$, where $t \geqslant 0$.

When $t = 3$, P has a velocity of 6.

(a) (i) Find an expression for the velocity, v, of P at time t. [3]

(ii) Find the time when P is at rest. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax


When $t = \frac{5}{2}$, the displacement of P from O is 4.

(iii) Find the displacement of P from O when $t = 3$. [4]

(b) Use calculus to find the approximate change in v when t increases from $\frac{5}{2}$ by the small amount 0.02. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN


9 **(a)**



The diagram shows an isosceles triangle.

Find the value of θ in radians. [2]

(b)



This diagram shows a shape made of two arcs.
Each arc is part of a circle with radius 5 cm.
The height of the shape is 8 cm.

Use your answer to **part (a)** to find

(i) the perimeter of the shape [2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

(ii) the area of the shape. [3]

10 In this question a, b and n are constants.

When $5(2+ax)^n$ is written in ascending powers of x, the first three terms are $640+b^2x+30\,240x^2$.

Find the value of a and the possible values of b. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

11 A cylinder has radius r cm and height h cm.
The total surface area, including the two ends, is $A\,\text{cm}^2$.
The volume of the cylinder is $330\,\text{cm}^3$.

(a) Show that $A = 2\pi r^2 + \frac{660}{r}$. [3]

(b) Given that r can vary, find the value of r that gives a stationary value for A and show that this value is a minimum. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

GradeMax

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

12 In this question, the x- and y-directions are east and north respectively. The units are metres and seconds.
Boat A starts from the origin O and moves with constant speed $5\sqrt{3}\,\text{ms}^{-1}$ on a bearing of 030°.

After 100 seconds boat B starts from point P, which has position vector $\begin{pmatrix} 0 \\ 1000 \end{pmatrix}$.

Boat B moves with constant speed $10\,\text{ms}^{-1}$ on a bearing of 060°.

(a) Find the velocity of each boat in vector form. [2]

(b) Show that the two boats will collide. [5]

Question 13 is printed on the next page.

GradeMax

13 Solve the equation $2\sin^3\theta = 3\sin\theta\cos\theta$ for $-\frac{\pi}{2} \leqslant \theta \leqslant \frac{\pi}{2}$. [6]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.