



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



CHEMISTRY

0620/42

Paper 4 Theory (Extended)

February/March 2016

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **14** printed pages and **2** blank pages.



2

- 1 (a) The table below gives information about particles.

Complete the table. The first line has been done for you.

particle	number of protons	number of electrons	electronic configuration	charge on particle
A	12	10	2,8	2+
B		18	2,8,8	1–
C	18		2,8,8	0
D	8	10		

[4]

- (b) Gallium is a Group III element.

Define the term *element*.

.....

.....

..... [1]

- (c) The following are gallium atoms.



Complete the following table.

atom	number of protons	number of neutrons	number of electrons
${}_{31}^{69}\text{Ga}$			
${}_{31}^{71}\text{Ga}$			

[3]

[Total: 8]

3

- 2 Rubidium, Rb, is a Group I element. It has similar physical and chemical properties to the other elements in Group I.

(a) Predict how many electrons there are in the outer shell of a rubidium atom.

..... [1]

(b) Predict **one** physical property of rubidium which is the same as that of a transition element such as iron.

..... [1]

(c) Predict **two** physical properties of rubidium which are different to those of a transition element such as iron.

.....

..... [2]

(d) When rubidium is added to cold water a reaction occurs.

(i) Suggest **two** observations that would be made when rubidium is added to cold water.

.....

..... [2]

(ii) What would be the colour of the solution if methyl orange was added to it after the reaction?

..... [1]

(iii) Write a chemical equation for the reaction between rubidium and water.

..... [2]

(iv) Put the Group I elements, caesium, lithium, potassium, rubidium and sodium in their order of reactivity with water. Put the most reactive element first.

most reactive $\longrightarrow$ least reactive

--	--	--	--	--

[1]

(v) Suggest **one** safety measure that should be used when rubidium is added to cold water.

..... [1]

(e) The phosphate ion has the formula PO_4^{3-} .

Deduce the formula of rubidium phosphate.

..... [1]

[Total: 12]

4

3 Carbon dioxide and silicon(IV) oxide are oxides of Group IV elements.

(a) Complete the following table.

	carbon dioxide	silicon(IV) oxide
formula		SiO_2
melting point/ $^{\circ}\text{C}$	-56	1610
physical state at 25°C	gas	
conduction of electricity	non-conductor	
structure		macromolecular

[4]

(b) (i) Name the type of bonds that exist between the atoms in silicon(IV) oxide.

..... [1]

(ii) Explain why silicon(IV) oxide has a very high melting point.

.....
 [1]

(iii) Explain, in terms of attractive forces between particles, why carbon dioxide has a very low melting point.

.....
 [1]

(iv) Explain, in terms of particles, why carbon dioxide is a non-conductor of electricity.

.....
 [1]

(c) Suggest a chemical equation for the reaction between sodium hydroxide solution and carbon dioxide.

..... [2]

5

(d) (i) Name the type of chemical reaction in which carbon dioxide is produced from fossil fuels.

..... [1]

(ii) Name the chemical process in which green plants convert carbon dioxide into carbohydrates.


..... [1]

(iii) Name the chemical process in which living things produce carbon dioxide.

..... [1]

[Total: 13]

- 4 Hydrogen peroxide, H_2O_2 , decomposes into water and oxygen in the presence of a catalyst, manganese(IV) oxide.




- (a) What is meant by the term *catalyst*?

.....
..... [2]

- (b) A student studies the rate of decomposition of hydrogen peroxide using the apparatus shown. The student uses 20 cm^3 of 0.1 mol/dm^3 hydrogen peroxide and 1.0 g of manganese(IV) oxide.

The student measures the volume of oxygen given off at regular time intervals until the reaction stops. A graph of the results is shown.



- (i) When is the rate of reaction highest?

..... [1]

- (ii) Suggest **one** method of increasing the rate of reaction using the same amounts of hydrogen peroxide and manganese(IV) oxide.

..... [1]

7

- (c) (i) Calculate the number of moles of hydrogen peroxide used in this experiment.

..... mol [1]

- (ii) Use your answer to (c)(i) and the equation to calculate the number of moles of oxygen produced in the reaction.



..... mol [1]

- (iii) Calculate the volume (at r.t.p.) of oxygen produced.

..... dm³ [1]

- (iv) What would be the effect on the volume of oxygen produced if the mass of catalyst was increased?

..... [1]

- (v) Deduce the volume of oxygen that would be produced if 20 cm³ of 0.2 mol/dm³ hydrogen peroxide was used instead of 20 cm³ of 0.1 mol/dm³ hydrogen peroxide.

..... dm³ [1]

8

- (d) The student carries out a second experiment to investigate whether another substance, copper(II) oxide, is a better catalyst than manganese(IV) oxide.

Describe how the second experiment is carried out. You should state clearly how you would make sure that the catalyst is the only variable.

.....

.....

.....

.....

.....

..... [3]

[Total: 12]

5 This question is about compounds of nitrogen.


- (a) (i) Describe the Haber Process giving reaction conditions and a chemical equation. Reference to rate and yield is not required.

.....
.....
.....
.....
..... [5]

- (ii) Give **one** use of ammonia.

..... [1]

- (b) The diagram shows the structure of a hydrazine molecule.



Draw the electron arrangement of a hydrazine molecule. Show the outer shell electrons only.

[2]

- (c) Hydrazine is a base.

- (i) Define the term *base*.

..... [1]

- (ii) Complete the chemical equation to show that hydrazine acts as a base when added to water.



10

(d) Nitrogen dioxide is an atmospheric pollutant.

(i) State **one** environmental problem caused by nitrogen dioxide.

..... [1]

(ii) Explain how oxides of nitrogen, such as nitrogen dioxide, are formed in car engines.

.....

..... [2]

[Total: 13]

- 6 Iron pyrite, FeS_2 , is known as Fool's Gold because it is a shiny yellow solid which is similar in appearance to gold. Iron pyrite is an ionic compound. Gold is a metallic element.

(a) Iron pyrite, FeS_2 , contains positive and negative ions. The positive ion is Fe^{2+} .

Deduce the formula of the negative ion.

..... [1]

(b) A student is provided with a sample of iron pyrite and a sample of gold.

Suggest how the student could distinguish between the two substances.

.....
..... [2]

(c) Sulfur dioxide is produced on a large scale by heating iron pyrite strongly in air. The iron pyrite reacts with oxygen in the air producing iron(III) oxide, Fe_2O_3 , and sulfur dioxide.

(i) Construct a chemical equation for the reaction between iron pyrite and oxygen.

..... [2]

(ii) Give **one** use of sulfur dioxide.

..... [1]

[Total: 6]

12

7 (a) Alkanes and alkenes are examples of hydrocarbons.

(i) What is meant by the term *hydrocarbon*?

.....
..... [1]

(ii) Give the general formula of straight-chain

alkanes,
alkenes. [2]

(b) A compound X contains carbon, hydrogen and oxygen only.

X contains 54.54% of carbon by mass, 9.09% of hydrogen by mass and 36.37% of oxygen by mass.

(i) Calculate the empirical formula of compound X.

[2]

(ii) Compound X has a relative molecular mass of 88.

Deduce the molecular formula of compound X.

[2]

13

(c) An ester has the molecular formula $C_3H_6O_2$.

Name and give the structural formulae of **two** esters with the molecular formula $C_3H_6O_2$.


name of ester		
structural formula		

[4]

(d) Name the ester produced from the reaction of propanoic acid and methanol.

..... [1]

(e) A polyester is represented by the structure shown.





(i) What type of polymerisation is used for the production of polyesters?

..... [1]

(ii) Which simple molecule is removed when the polyester is formed?

..... [1]

(iii) Complete the diagrams below to show the structures of the monomers used to produce the polyester. Show all atoms and bonds.



[2]

[Total: 16]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

Group																	
I	II											III	IV	V	VI	VII	VIII
1Hhydrogen1 Key atomic number atomic symbol name relative atomic mass																	
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids		72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103 actinoids		104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	114Fl flerovium —	116Lv livermorium —			

lanthanoids

actinoids

57La lanthanum 139	58Ce cerium 140	59Pr praseodymium 141	60Nd neodymium 144	61Pm promethium —	62Sm samarium 150	63Eu europium 152	64Gd gadolinium 157	65Tb terbium 159	66Dy dysprosium 163	67Ho holmium 165	68Er erbium 167	69Tm thulium 169	70Yb ytterbium 173	71Lu lutetium 175
89Ac actinium —	90Th thorium 232	91Pa protactinium 231	92U uranium 238	93Np neptunium —	94Pu plutonium —	95Am americium —	96Cm curium —	97Bk berkelium —	98Cf californium —	99Es einsteinium —	100Fm fermium —	101Md mendelevium —	102No nobelium —	103Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)