



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY

0620/42

Paper 4 Theory (Extended)

May/June 2018

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **11** printed pages and **1** blank page.



2

1 Give the name of the process that is used:

(a) to obtain water from aqueous sodium chloride

..... [1]

(b) to produce lead from molten lead(II) bromide

..... [1]

(c) to separate an insoluble solid from a liquid

..... [1]

(d) to separate the components of petroleum

..... [1]

(e) to separate a mixture of coloured dyes.

..... [1]

[Total: 5]

3

2 This question is about the elements in Period 3 of the Periodic Table.

Na	Mg	Al	Si	P	S	Cl	Ar
----	----	----	----	---	---	----	----

For each of the following, identify a Period 3 element which matches the description. Each element may be used once, more than once or not at all.

State which Period 3 element:

(a) forms an oxide with a macromolecular structure

..... [1]

(b) is extracted from the ore bauxite

..... [1]

(c) is soft, metallic and stored in oil

..... [1]

(d) is a green gas at room temperature and pressure

..... [1]

(e) provides an inert atmosphere in lamps

..... [1]

(f) forms **two** different oxides during the Contact process

..... [1]

(g) is non-metallic and an important component of fertilisers.

..... [1]

[Total: 7]

3 Complete the following table.

particle	number of protons	number of electrons	number of neutrons	number of nucleons
$^{23}_{11}\text{Na}$	11	11		23
$^{37}_{17}\text{Cl}^-$			20	
$^{56}_{26}\text{.....}$	26	24	30	56

[6]

[Total: 6]

4

4 Potassium reacts with bromine at room temperature to form potassium bromide.

(a) Write a chemical equation for this reaction. Include state symbols.

..... [3]

(b) Potassium bromide exists as an ionic lattice.

Potassium bromide does **not** conduct electricity when solid but does conduct electricity when molten.

(i) What is meant by the term *ionic lattice*?

.....
..... [2]

(ii) Explain why potassium bromide does **not** conduct electricity when solid but does conduct electricity when molten.

.....
.....
..... [2]

(c) Concentrated aqueous potassium bromide is an electrolyte.

(i) What is meant by the term *electrolyte*?

.....
..... [2]

(ii) Describe the electrolysis of concentrated aqueous potassium bromide.

Include:

- an ionic half-equation for the reaction at the cathode
- the name of the product at the anode
- the name of the potassium compound formed.

.....
.....
.....
..... [4]

(iii) When molten potassium bromide is electrolysed, the product at the cathode is different.

Name the product at the cathode when molten potassium bromide is electrolysed.

..... [1]

5

(d) Iodine reacts with chlorine to form iodine monochloride, ICl , as the only product.

(i) Write a chemical equation for this reaction.

..... [2]

(ii) Draw a dot-and-cross diagram to show the electron arrangement in a molecule of iodine monochloride. Show outer shell electrons only.


[2]

(e) Potassium bromide has a melting point of 734°C .
Iodine monochloride has a melting point of 27°C .

In terms of attractive forces, explain why there is a large difference between these melting points.

.....
.....
.....
.....
..... [3]

(f) When chlorine gas is passed through aqueous potassium bromide, a redox reaction occurs. The ionic equation is shown.



(i) Write an ionic half-equation showing what happens to the chlorine molecules, Cl_2 , in this reaction.

..... [1]


(ii) Explain why the bromide ions, Br^- , act as reducing agents in this reaction.

..... [1]

[Total: 23]


6

- 5 Hydrogen and iodine react together in a reversible reaction. Hydrogen iodide is formed.



The forward reaction is exothermic.

A gas syringe containing an equilibrium mixture of hydrogen, iodine and hydrogen iodide gases was sealed and heated to 250 °C. The equilibrium mixture was a pale purple colour.



- (a) What is meant by the term *equilibrium*?

.....

 [2]

- (b) The plunger of the gas syringe was pressed in while the end of the gas syringe was blocked. This increased the pressure. The position of the equilibrium did **not** change. The colour of the gaseous mixture turned darker purple.

- (i) Give a reason why the position of the equilibrium did **not** change.

..... [1]

- (ii) Suggest why the gaseous mixture turned darker purple, even though the position of the equilibrium did **not** change.

..... [1]

- (c) The temperature of the gas syringe was increased to 300 °C.

- (i) What happened to the **position** of the equilibrium when the temperature of the gas syringe was increased from 250 °C to 300 °C?

..... [1]

- (ii) What happened to the **rate** of the forward reaction and the **rate** of the backward reaction when the temperature of the gas syringe was increased from 250 °C to 300 °C?

rate of the forward reaction

rate of the backward reaction

[2]

[Total: 7]

7

- 6 (a)** All sodium salts are soluble in water. All nitrates are soluble in water. Barium carbonate is insoluble in water.

Describe how you would make a pure, dry sample of barium carbonate by precipitation.
Include:

- the names of the starting materials
- full practical details
- a chemical equation.

.....

.....

.....

.....

.....

..... [5]


- (b)** Nitrates decompose when heated.

- (i)** Write a chemical equation for the decomposition of sodium nitrate when it is heated.

..... [2]

- (ii)** The unbalanced chemical equation for the decomposition of hydrated copper(II) nitrate crystals is shown.

Balance the chemical equation for this reaction.



- (iii)** When the hydrated copper(II) nitrate crystals are heated, steam is produced. When the steam condenses on a cool surface, it turns into a colourless liquid.

Anhydrous cobalt(II) chloride is used to show that the colourless liquid contains water.

How does the colour of the anhydrous cobalt(II) chloride change?

from to [2]

- (iv)** How would the student test to determine if the water produced in **(b)(iii)** is pure?

..... [1]

[Total: 12]

8

- 7 Many organic compounds, such as alcohols, carboxylic acids and esters, contain the elements carbon, hydrogen and oxygen only.

(a) Compound **R** has the following composition by mass: C, 60.00%; H, 13.33%; O, 26.67%.

Calculate the empirical formula of compound **R**.

empirical formula = [2]

(b) Compound **S** has the empirical formula $\text{C}_2\text{H}_4\text{O}$ and a relative molecular mass of 88.

Calculate the molecular formula of compound **S**.

molecular formula = [2]

(c) Compounds **T** and **V** both have the molecular formula $C_3H_6O_2$.

- Compound **T** produces bubbles of carbon dioxide gas when it is added to aqueous sodium carbonate.
- Compound **V** is an ester.

(i) What is the name given to compounds with the same molecular formula but different structures?

..... [1]

(ii) Draw the structures of compounds **T** and **V**. Show all of the atoms and all of the bonds.

compound **T**

compound **V**

[2]

(iii) All compounds with the molecular formula $C_3H_6O_2$ can undergo complete combustion in an excess of oxygen.

Complete the chemical equation for this reaction.



[2]

(d) Compound **W** has the molecular formula C_2H_6O . Compound **W** reacts when heated with ethanoic acid and a catalyst to produce a sweet-smelling liquid.

(i) Give the name of the homologous series to which compound **W** belongs.

..... [1]

(ii) Draw the structure of compound **W**. Show all of the atoms and all of the bonds.

[1]

(e) Alkanes and alkenes are hydrocarbons.


(i) What is meant by the term *hydrocarbon*?

.....
..... [2]

(ii) State the general formula of:

alkanes
alkenes [2]

(f) Ethanol can be produced from long-chain alkanes as shown.



Describe the **two-stage** manufacture of ethanol from the long-chain alkane octane, C_8H_{18} .
Include:

- the names of the types of chemical reactions that occur
- reaction equations
- reaction conditions.

step 1
.....
.....
.....
step 2
.....
.....
..... [5]

[Total: 20]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

Group																																			
I	II											III	IV	V	VI	VII	VIII																		
		1 H hydrogen 1																																	
		2 He helium 4																																	
3	Li lithium 7	4	Be beryllium 9	atomic number atomic symbol name relative atomic mass										5	B boron 11	6	C carbon 12	7	N nitrogen 14	8	O oxygen 16	9	F fluorine 19	10	Ne neon 20										
11	Na sodium 23	12	Mg magnesium 24											13	Al aluminium 27	14	Si silicon 28	15	P phosphorus 31	16	S sulfur 32	17	Cl chlorine 35.5	18	Ar argon 40										
19	K potassium 39	20	Ca calcium 40	21	Sc scandium 45	22	Ti titanium 48	23	V vanadium 51	24	Cr chromium 52	25	Mn manganese 55	26	Fe iron 56	27	Co cobalt 59	28	Ni nickel 58.7	29	Cu copper 63.5	30	Zn zinc 65.4	31	Ga gallium 70	32	Ge germanium 72.6	33	As arsenic 74.9	34	Se selenium 78.9	35	Br bromine 79.9	36	Kr krypton 83.8
37	Rb rubidium 85	38	Sr strontium 88	39	Y yttrium 89	40	Zr zirconium 91	41	Nb niobium 93	42	Mo molybdenum 96	43	Tc technetium 98	44	Ru ruthenium 101	45	Rh rhodium 103	46	Pd palladium 106	47	Ag silver 108	48	Cd cadmium 112	49	In indium 115	50	Sn tin 119	51	Sb antimony 122	52	Te tellurium 128	53	I iodine 127	54	Xe xenon 131
55	Cs caesium 133	56	Ba barium 137	lanthanoids		71	Hf hafnium 178	72	Ta tantalum 181	73	W tungsten 184	74	Re rhenium 186	75	Os osmium 190	76	Ir iridium 192	77	Pt platinum 195	78	Au gold 197	79	Hg mercury 201	80	Tl thallium 204	81	Pb lead 207	82	Bi bismuth 209	83	Po polonium 209	84	At astatine 210	85	Rn radon 222
87	Fr francium 223	88	Ra radium 226	89–103	actinoids	104	Rf rutherfordium 261	105	Db dubnium 262	106	Sg seaborgium 266	107	Bh bohrium 264	108	Hs hassium 277	109	Mt meitnerium 268	110	Ds darmstadtium 271	111	Rg roentgenium 272	112	Cn copernicium 285	113	Nh nihonium 286	114	Fl flerovium 289	115	Lv livermorium 293	116	Ts tennessine 294	117	Uu unbinilium 295	118	Ug unoghexium 294

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).