



Cambridge IGCSE™

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

**COMBINED SCIENCE****0653/32**

Paper 3 Theory (Core)

May/June 2020**1 hour 15 minutes**

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **20** pages. Blank pages are indicated.

2

- 1 (a) Fig. 1.1 shows red blood cells.



Fig. 1.1

- (i) State the function of red blood cells.

.....
..... [1]

- (ii) A component of the blood is needed to clot the blood.

State the name of this component.

..... [1]

- (b) Fig. 1.2 shows a diagram of a different type of human blood cell.

The diameter **XY** in the diagram of the cell is 30 mm.




Fig. 1.2

The actual diameter **XY** of the cell is 0.015 mm.

Calculate the magnification of the cell shown in Fig. 1.2.

magnification = [2]

3

(c) Water is transported to the cells of the body by the blood.

Complete the sentence about movement of water into and out of cells.

Water diffuses through a permeable membrane by [2]

(d) Water is also transported through plants.

(i) Fig. 1.3 shows the pathway taken by water through the cells of a root.




Fig. 1.3

Identify structures **P**, **Q** and **R** shown in Fig. 1.3.

P

Q

R

[3]

(ii) Transport of water in plants involves transpiration.

State **two** factors that **increase** the rate of transpiration.

1.

2.

[2]

[Total: 11]

4

- 2 (a) A teacher puts a small piece of sodium onto water in a water trough, as shown in Fig. 2.1.




Fig. 2.1

The students observe the reaction between sodium and water.

The teacher repeats the experiment using potassium instead of sodium.

- (i) Describe **one** similarity in the reactions of potassium and of sodium with water.

..... [1]

- (ii) Describe **one** difference between the observations for the reactions of potassium and of sodium with water.

Explain the reason for this difference.

difference

explanation

[2]

- (b) Iron is in a collection of metals in the Periodic Table shown on page 20.

- (i) Name this collection of metals.

..... [1]

- (ii) State **one** physical property of iron that is also a physical property of sodium.

..... [1]

- (iii) State **one** property of iron that is **not** a property of sodium.

..... [1]

5

- (c) The metals aluminium, copper and iron can be recycled.

State **one** reason, other than cost, why these metals can be recycled.

.....

.....

[1]

- (d) An atom of aluminium is represented by the symbol shown.



- (i) Complete Fig. 2.2 to show the electronic structure of this atom.




Fig. 2.2

[2]

- (ii) Describe how this atom forms an aluminium ion, Al^{3+} .

.....

.....

[1]

[Total: 10]

6

3 Fig. 3.1 shows a square sheet of metal.

The dimensions of the largest face are $20\text{ cm} \times 20\text{ cm}$.




Fig. 3.1 (not to scale)

(a) (i) The thickness of the sheet is 1.1 cm .

Show that the volume of the sheet is 440 cm^3 .

[1]

(ii) The mass of the sheet is 1800 g .

Calculate the density of the metal.

density = g/cm^3 [2]

(iii) The sheet lying flat on the ground in Fig. 3.1 exerts pressure on the ground.

Fig. 3.2 shows the sheet standing on one edge on the ground.




Fig. 3.2 (not to scale)

7

Explain why the sheet in Fig. 3.2 exerts a much greater pressure on the ground than the sheet in Fig. 3.1.

.....

.....

..... [2]

(b) The weight of the metal plate is 18 N.

The metal plate is lifted from the ground with an upwards force of 20 N.

(i) Calculate the resultant force on the metal plate.

resultant force = N [1]

(ii) Fig. 3.3 shows a speed–time graph for the plate as it is lifted from the ground until it stops moving again.




Fig. 3.3

Describe the motion of the plate between the points shown on Fig. 3.3.

A and B

B and C

C and D

[2]

[Total: 8]

- 4 (a) Fig. 4.1 shows the human alimentary canal and associated organs.




Fig. 4.1

- (i) Identify parts **A** and **B** shown in Fig. 4.1.

A

B

[2]

- (ii) Use a label line and the letter **X** to show a possible position of a salivary gland in Fig. 4.1.

[1]

- (b) Large food molecules are made from smaller molecules.

Table 4.1 shows some large molecules and the smaller molecules they are made from.

Complete Table 4.1.

Table 4.1

large molecules	smaller molecules
glycogen	
.....	amino acids
oils	 and

[3]

9

(c) Fig. 4.2 shows a graph of the activity of two enzymes **A** and **B** from the alimentary canal.




Fig. 4.2

(i) Describe the effect of changes in pH on the activity of enzyme **B**.

Use data from Fig. 4.2 to support your answer.

.....

 [2]

(ii) The stomach produces hydrochloric acid to kill bacteria in food.

Identify which enzyme **A** or **B** works best in the stomach.

Explain your answer.

enzyme
 explanation
 [1]

[Total: 9]

5 (a) A liquid fuel contains atoms of carbon and hydrogen only.

(i) State the type of compound which contains atoms of carbon and hydrogen only.

..... [1]

(ii) Deduce the naturally occurring substance from which this liquid fuel is obtained.

..... [1]

(iii) Deduce the type of chemical bond that forms between atoms of carbon and atoms of hydrogen.

..... [1]

(b) Propene is a gas at room temperature and pressure.

Fig. 5.1 shows the structure of a molecule of propene.




Fig. 5.1


(i) Deduce the formula of propene.

..... [1]

(ii) Describe the effect, if any, of propene on aqueous bromine.

.....
 [1]

(iii) Complete the word equation for the complete combustion of propene.



[2]

(iv) Propene is transported as a liquid.

Describe the difference between gaseous propene and liquid propene in terms of the separation of the molecules and the motion of the molecules.

separation

.....

motion

.....

[2]

[Total: 9]

- 6 Fig. 6.1 shows a man holding a glass rod in one hand and a metal rod in the other hand. He holds both rods so that their ends are in a hot flame.




Fig. 6.1

- (a) After some time, the man suddenly drops the metal rod because it becomes too hot.

He can hold the glass rod for a much longer time.

- (i) State the method of thermal energy transfer along the metal rod to the man's hand.

..... [1]

- (ii) State the method of energy transfer which does not require a medium to travel through.

..... [1]

- (iii) Explain why the man can hold the glass rod for much longer than he can hold the metal rod.

.....
..... [1]

12

- (b) The man now uses tongs to hold the two rods.

The temperature of the hot flame is gradually increased to a maximum of 900°C .

At 500°C , the end of the glass rod softens and melts, but the end of the metal rod does not melt.

The end of the metal rod melts before the maximum flame temperature is reached.

Table 6.1 shows the melting points of some metals.

Table 6.1

metal	melting point/ $^{\circ}\text{C}$
aluminium	660
copper	1083
iron	1535
silver	962
zinc	420

Identify the metal from which the metal rod is made.

..... [1]

- (c) A metal bar is made of a strip of copper and a strip of iron fixed together. Fig. 6.2 shows the metal bar at room temperature.




Fig. 6.2

Fig. 6.3 shows what happens to the bar when it is heated in the flame.




Fig. 6.3

Suggest why the bar bends when it is heated.

.....

 [2]

13

- (d) (i) Fig. 6.4 shows a musical instrument called tubular bells. The instrument is made of different lengths of metal tubing.




Fig. 6.4

The instrument is played by hitting the tubes with a plastic hammer.

Shorter metal tubes produce musical notes at a higher pitch than longer tubes.

Complete the sentences using words from the list.

Each word may be used once, more than once or not at all.

larger**higher****longer****lower****shorter****smaller**

The frequency of the sound wave emitted by a longer tube is
than the frequency of the sound wave emitted by a shorter tube.

When the same longer tube is hit harder with the plastic hammer, the sound wave it
emits has the same frequency but a amplitude. [2]

- (ii) On days when the temperature is very hot, the note emitted by each tube can change.

Suggest how the note from a tube might change when the temperature rises.

Give a reason for your answer.

.....
..... [1]

[Total: 9]

14

- 7 (a) Fig. 7.1 shows the male reproductive organs.




Fig. 7.1

Identify the name and function of part Z shown in Fig. 7.1.

name

function

.....

[2]

- (b) Humans reproduce by sexual reproduction.

Some organisms reproduce by asexual reproduction.

State **two** ways in which sexual reproduction is different from asexual reproduction.

1.

.....

2.


.....

[2]


- (c) Chlamydia, gonorrhea and HIV are sexually transmitted infections (STIs).

Fig. 7.2 shows the percentage of new cases of chlamydia, gonorrhea and HIV for one country in one year.

chlamydia, by age in years



gonorrhea, by age in years



HIV, by age in years




Fig. 7.2

- (i) State the age group with the lowest percentage of HIV cases.

age group = years [1]

- (ii) The country made this statement about the data.

Young adults aged 20–24 years are at **greatest** risk of sexually transmitted infections.

Identify evidence from Fig. 7.2 that supports this statement.

.....
 [1]


- (iii) Describe **one** way in which the spread of sexually transmitted infections is controlled.

.....
 [1]

[Total: 7]

- 8 (a) Copper chloride is made in the reaction between excess solid copper carbonate and dilute hydrochloric acid.

The word equation for this reaction is shown.



- (i) Describe how unreacted copper carbonate is removed from the mixture when the reaction is complete.
- [1]
- (ii) Suggest how solid copper chloride is obtained from the aqueous copper chloride that forms.
- [1]
- (iii) State the test for carbon dioxide and the positive test result.
- test
- result [2]
- (b) Chlorine is produced when electricity is passed through concentrated aqueous sodium chloride, as shown in Fig. 8.1.




Fig. 8.1

- (i) Name this process.
- [1]
- (ii) Identify the solvent and the solute through which electricity is passed during this process.
- solvent.....
- solute [1]

17

- (iii) Identify **one** element in the same group of the Periodic Table as chlorine that has a higher melting point than chlorine.

..... [1]

[Total: 7]

18

- 9 Fig. 9.1 shows a simple circuit containing two identical lamps **A** and **B**.




Fig. 9.1

- (a) (i) The switch in Fig. 9.1 is open. Circle the correct configuration of the lamps.

lamp **A**: ON/OFFlamp **B**: ON/OFF

[1]

- (ii) The switch shown in Fig. 9.1 is now closed. Circle the correct configuration of the lamps.

lamp **A**: ON/OFFlamp **B**: ON/OFF

[1]

- (b) (i) Name the type of circuit arrangement of the two lamps in this circuit.

..... [1]

- (ii) Draw the circuit diagram for the circuit pictured in Fig. 9.1.

[3]

19

- (c) When both lamps are lit, ammeter **1** shows the total current in the circuit. The reading on ammeter **1** is 0.60A.

- (i) Suggest the reading on ammeter **2**.

Explain your answer.

reading =

explanation

[2]

- (ii) The combined resistance of lamps **A** and **B** when both are lit is 2.5Ω .

Calculate the potential difference (p.d.) across the cell.

potential difference = V [2]

[Total: 10]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

Group																	
I	II	1Hhydrogen1 Key atomic number atomic symbol name relative atomic mass										III	IV	V	VI	VII	VIII
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids	72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103 actinoids	104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —		114Fl flerovium —		116Lv livermorium —		
lanthanoids		57La lanthanum 139	58Ce cerium 140	59Pr praseodymium 141	60Nd neodymium 144	61Pm promethium —	62Sm samarium 150	63Eu europium 152	64Gd gadolinium 157	65Tb terbium 159	66Dy dysprosium 163	67Ho holmium 165	68Er erbium 167	69Tm thulium 169	70Yb ytterbium 173	71Lu lutetium 175	
actinoids		89Ac actinium —	90Th thorium 232	91Pa protactinium 231	92U uranium 238	93Np neptunium —	94Pu plutonium —	95Am americium —	96Cm curium —	97Bk berkelium —	98Cf californium —	99Es einsteinium —	100Fm fermium —	101Md mendelevium —	102No nobelium —	103Lr lawrencium —	

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).