



## Cambridge IGCSE™

CANDIDATE  
NAME
CENTRE  
NUMBER

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

CANDIDATE  
NUMBER

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

**COMBINED SCIENCE****0653/43**

Paper 4 Theory (Extended)

**October/November 2021****1 hour 15 minutes**

You must answer on the question paper.

No additional materials are needed.

**INSTRUCTIONS**

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.


**INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has **24** pages. Any blank pages are indicated.

**2**

- 1 (a)** Fig. 1.1 is a diagram of a fetus inside the uterus.



**Fig. 1.1**

- (i)** Identify the part labelled **Y** in Fig. 1.1.

..... [1]

- (ii)** State the function of the amniotic sac.

.....  
..... [1]

- (iii)** Describe how carbon dioxide is removed from the blood of the fetus.

.....  
.....  
.....  
..... [3]

3

(b) Describe how the human heart works to pump blood around the body.

.....

.....

..... [2]

(c) Table 1.1 shows information about human male and female gametes.

Complete Table 1.1.

Table 1.1

|                                 | male gametes    | female gametes |
|---------------------------------|-----------------|----------------|
| name                            | .....           | eggs           |
| where they are produced         | .....           | ovaries        |
| number released at any one time | over 40 million | .....          |
| adaptive feature                | .....           | jelly coating  |

[4]

[Total: 11]

4

2 Fig. 2.1 shows the energy level diagrams for four different compounds dissolving in water.




Fig. 2.1

(a) Dissolving in water is an endothermic reaction for **two** of these four compounds.

State the names of these two compounds.

Use the energy level diagrams to explain your answer.

compound 1 .....

compound 2 .....

explanation .....

.....

.....

[2]

## 5

- (b) A teacher dissolves some solid sodium hydroxide in water to make a solution.

The teacher records the initial temperature of the water before adding the sodium hydroxide.

The teacher records the temperature of the solution every 10 s after adding the sodium hydroxide.

Table 2.1 shows the results.

**Table 2.1**

| initial<br>temperature<br>of water<br>/ °C | temperature of solution / °C |      |      |      |      |      |
|--------------------------------------------|------------------------------|------|------|------|------|------|
|                                            | 10 s                         | 20 s | 30 s | 40 s | 50 s | 60 s |
| 22.0                                       | 28.0                         | 34.5 | 33.0 | 31.5 | 30.5 | 29.0 |

- (i) Name **two** pieces of equipment the teacher uses to collect the data in Table 2.1.

1 .....

2 .....

[2]

- (ii) Describe the changes in the temperature of the solution over the 60 s.

Explain why these changes occur.

changes in temperature .....

.....

explanation .....

.....

.....

[3]

- (iii) Calculate the maximum temperature change shown by the data in Table 2.1.

maximum temperature change = ..... °C [1]

[Total: 8]

6

3 A laser is a device that emits a beam of electromagnetic radiation.

Some lasers emit visible light. Some lasers emit infrared radiation.

(a) (i) Fig. 3.1 shows an incomplete electromagnetic spectrum.

On Fig. 3.1, write *visible light* and *infrared* in their correct places.




Fig. 3.1

[2]

(ii) The speed of visible light in a vacuum is  $3 \times 10^8$  m/s.

State the speed of infrared radiation in a vacuum.

Explain your answer.

speed of infrared radiation ..... m/s

explanation .....

.....

[1]

(b) A laser emits a beam of red visible light of wavelength  $635 \times 10^{-9}$  m.

Calculate the frequency of the red visible light emitted by the laser.

State the unit of your answer.

frequency = ..... unit ..... [3]

7

- (c) Lasers can be used in hospitals to treat some types of cancer.

The cancer cells absorb radiation from the laser beam and increase in temperature.

The cancer cells are destroyed by high temperature.

- (i) Absorption of radiation transfers energy to the cancer cells.

Identify the type of energy transferred to the cancer cells.

..... [1]

- (ii) Laser treatment is more effective when the cancer cells are covered with a dull black carbon coating.

Suggest why the dull black carbon coating makes the treatment more effective.

.....  
..... [1]

- (d) Metal solids are good thermal conductors.

Describe **two** ways that thermal energy is conducted by a metal solid.

1 .....  
.....  
2 .....  
.....  
[2]

[Total: 10]

4 (a) Fig. 4.1 shows part of a food web.




Fig. 4.1

(i) The food web is **not** complete.

Eagles also eat grasshoppers.

On Fig. 4.1, draw **one** arrow to show this relationship between eagles and grasshoppers. [1]

(ii) Identify **one** primary consumer in the food web shown in Fig. 4.1.

..... [1]

(iii) Explain why food chains usually have fewer than five trophic levels.

.....  
 .....  
 ..... [2]

**(b)** The roots of plants take in water.

Explain how water moves from the soil into the root hair cells of a plant.

Use ideas about water potential in your answer.

.....

.....

.....

..... [3]

[Total: 7]

- 5 Fig. 5.1 shows how molten iron is used to join railway tracks together.

The molten iron is poured into the gap between the tracks.





Fig. 5.1

The molten iron is produced in a reaction between aluminium and iron(III) oxide.

The reaction is exothermic and the temperature rises to about 2500 °C.

The equation for this reaction is shown.



- (a) Use the state symbols in the equation to suggest the melting point of iron and the melting point of aluminium oxide.

Explain your answers.

melting point of iron ..... °C

melting point of aluminium oxide ..... °C

explanation .....

..... [2]

- (b) Explain why iron is made in this reaction.

Use ideas about reactivity in your answer.

.....  
 .....  
 ..... [2]

11

- (c) The reaction between aluminium and iron(III) oxide is a redox reaction.

Name the oxidising agent in this reaction.

Explain your answer.

oxidising agent .....

explanation .....

[2]

- (d) The names and formulae of two different oxides of iron are listed in Table 5.1.

**Table 5.1**

| name of iron oxide | formula                        |
|--------------------|--------------------------------|
| iron(II) oxide     | FeO                            |
| iron(III) oxide    | Fe <sub>2</sub> O <sub>3</sub> |

Explain why the two different oxides of iron have these formulae.

Use ideas about the charges on the ions in your answer.

.....

.....

..... [2]

[Total: 8]

12

- 6 Fig. 6.1 shows a dinosaur called Tyrannosaurus Rex (T-Rex).

T-Rex lived about 66 million years ago.




Fig. 6.1

- (a) The T-Rex in Fig. 6.1 has a mass of 8000 kg.

Each foot has an area of  $0.28 \text{ m}^2$  in contact with the ground.

Earth's gravitational field strength is  $10 \text{ N/kg}$ .


Calculate the pressure exerted by T-Rex standing on **two** feet.

pressure = ..... Pa [3]

13

(b) The T-Rex moves for 14 s.

Fig. 6.2 shows a speed-time graph of the motion of the T-Rex.



**Fig. 6.2**

(i) Calculate the acceleration of the T-Rex between 0 s and 8 s.

acceleration = ..... m/s<sup>2</sup> [2]

(ii) Describe the motion of the T-Rex between 12 s and 14 s.

.....  
 ..... [2]

(iii) Calculate the kinetic energy of the T-Rex when moving at its maximum speed.

kinetic energy = ..... J [3]

[Total: 10]

- 7 (a) A student uses the apparatus in Fig. 7.1 to investigate the effect of temperature on the rate of photosynthesis of an aquatic plant.

During photosynthesis, the aquatic plant produces bubbles of gas.

The rate of bubbles produced shows the rate of photosynthesis.




Fig. 7.1

The student counts the number of bubbles produced by the aquatic plant in 3 minutes.

The student does this two more times and calculates the average number of bubbles.

The student then repeats the investigation at different temperatures of water.

Table 7.1 shows the results.

Table 7.1

| temperature of water / °C | number of bubbles produced in 3 minutes |              |              |         |
|---------------------------|-----------------------------------------|--------------|--------------|---------|
|                           | experiment 1                            | experiment 2 | experiment 3 | average |
| 25                        | 56                                      | 64           | 59           | 60      |
| 30                        | 75                                      | 78           | 83           | 79      |
| 35                        | 98                                      | 93           | 97           | 96      |
| 40                        | 78                                      | 81           | 76           | 78      |
| 45                        | 20                                      | 21           | 19           | 20      |

**15**

- (i) Describe the effect of temperature on the rate of photosynthesis shown by the results in Table 7.1.

.....  
.....  
..... [2]

- (ii) The process of photosynthesis is controlled by enzymes.

Explain the result at 45 °C in Table 7.1.

Use ideas about enzymes in your answer.

.....  
.....  
..... [2]

(b) Fig. 7.2 shows a cross-section of a leaf of a plant.




Fig. 7.2

- (i) On Fig. 7.2, draw a label line and the letter **X** to identify cells adapted to synthesise **most** of the carbohydrates made by the leaf. [1]
- (ii) State the function of the part labelled **Y** in Fig. 7.2. [1]
- .....
- (iii) Explain why a deficiency in magnesium ions results in a reduction in the synthesis of carbohydrates. [3]
- .....
- .....
- .....
- .....

[Total: 9]

**BLANK PAGE**

8 Table 8.1 shows some properties of three elements in Group VII of the Periodic Table.

(a) (i) Complete Table 8.1.

Table 8.1

| element  | state at room temperature and pressure | colour at room temperature and pressure | melting point /°C | boiling point /°C |
|----------|----------------------------------------|-----------------------------------------|-------------------|-------------------|
| chlorine | gas                                    | pale green                              | −219              | −188              |
| bromine  | liquid                                 |                                         | −7                | 59                |
| iodine   |                                        | grey-black                              | 114               | 184               |

[2]

(ii) Explain why chlorine, bromine and iodine are in the same group of the Periodic Table.

Use ideas about electrons in your answer.

.....

..... [1]

(b) Fluorine is another element in Group VII.

(i) Fluorine molecules have the formula  $F_2$ . The atoms are held together by a single covalent bond.

Draw a dot-and-cross diagram for a fluorine molecule.

Show the outer electrons only.

[2]

19

- (ii) Fluorine is a diatomic element.

Explain what is meant by *diatomic element*.

.....  
.....  
..... [2]

- (c) The names of some elements in Group I are listed.

**lithium**  
**sodium**  
**potassium**  
**rubidium**

- (i) State which Group I element in this list reacts most vigorously with chlorine.

Give a reason for your answer.

element .....

reason .....  
.....  
..... [2]

- (ii) State the formula of the compound formed when potassium reacts with chlorine.

Use the Periodic Table on page 24 to help you.

..... [1]

[Total: 10]

20

- 9 Fig. 9.1 shows some electrical components of a car.




Fig. 9.1

Fig. 9.2 shows a circuit diagram for the components.




Fig. 9.2

- (a) State **one** advantage of connecting the headlamps in parallel.

.....  
 ..... [1]

- (b) One headlamp requires a current of 5A.

The headlamp is switched on for five hours.

Calculate the total charge that flows through the headlamp in this time.

charge = ..... C [3]

21

(c) The circuit is changed to include two switches, **S1** and **S2**.

- Switch **S1** controls the starter motor but does **not** control the headlamps.
- Switch **S2** controls **both** the headlamps but does **not** control the starter motor.

On Fig. 9.3, complete the circuit diagram to include switches **S1** and **S2**.





Fig. 9.3

[3]

[Total: 7]



**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

| Group                                                                                                                                   |                             |                            |                             |                                 |                              |                              |                              |                            |                              |                                |                               |                               |                             |                             |                               |                           |                           |                        |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------|-----------------------------|---------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|---------------------------|------------------------|
| I                                                                                                                                       | II                          |                            |                             |                                 |                              |                              |                              |                            |                              |                                |                               | III                           | IV                          | V                           | VI                            | VII                       | VIII                      |                        |
| <div><div>1<br/>H<br/>hydrogen<br/>1</div><div><div>atomic number<br/>atomic symbol<br/>name<br/>relative atomic mass</div></div></div> |                             |                            |                             |                                 |                              |                              |                              |                            |                              |                                |                               |                               |                             |                             |                               |                           |                           |                        |
| 3<br>Li<br>lithium<br>7                                                                                                                 | 4<br>Be<br>beryllium<br>9   |                            |                             |                                 |                              |                              |                              |                            |                              |                                |                               |                               |                             |                             |                               |                           |                           |                        |
| 11<br>Na<br>sodium<br>23                                                                                                                | 12<br>Mg<br>magnesium<br>24 |                            |                             |                                 |                              |                              |                              |                            |                              |                                |                               |                               |                             |                             |                               |                           |                           |                        |
| 19<br>K<br>potassium<br>39                                                                                                              | 20<br>Ca<br>calcium<br>40   | 21<br>Sc<br>scandium<br>45 | 22<br>Ti<br>titanium<br>48  | 23<br>V<br>vanadium<br>51       | 24<br>Cr<br>chromium<br>52   | 25<br>Mn<br>manganese<br>55  | 26<br>Fe<br>iron<br>56       | 27<br>Co<br>cobalt<br>59   | 28<br>Ni<br>nickel<br>59     | 29<br>Cu<br>copper<br>64       | 30<br>Zn<br>zinc<br>65        | 31<br>Ga<br>gallium<br>70     | 32<br>Ge<br>germanium<br>73 | 33<br>As<br>arsenic<br>75   | 34<br>Se<br>selenium<br>79    | 35<br>Br<br>bromine<br>80 | 36<br>Kr<br>krypton<br>84 |                        |
| 37<br>Rb<br>rubidium<br>85                                                                                                              | 38<br>Sr<br>strontium<br>88 | 39<br>Y<br>yttrium<br>89   | 40<br>Zr<br>zirconium<br>91 | 41<br>Nb<br>niobium<br>93       | 42<br>Mo<br>molybdenum<br>96 | 43<br>Tc<br>technetium<br>—  | 44<br>Ru<br>ruthenium<br>101 | 45<br>Rh<br>rhodium<br>103 | 46<br>Pd<br>palladium<br>106 | 47<br>Ag<br>silver<br>108      | 48<br>Cd<br>cadmium<br>112    | 49<br>In<br>indium<br>115     | 50<br>Sn<br>tin<br>119      | 51<br>Sb<br>antimony<br>122 | 52<br>Te<br>tellurium<br>128  | 53<br>I<br>iodine<br>127  | 54<br>Xe<br>xenon<br>131  |                        |
| 55<br>Cs<br>caesium<br>133                                                                                                              | 56<br>Ba<br>barium<br>137   | 57–71<br>lanthanoids       |                             | 72<br>Hf<br>hafnium<br>178      | 73<br>Ta<br>tantalum<br>181  | 74<br>W<br>tungsten<br>184   | 75<br>Re<br>rhenium<br>186   | 76<br>Os<br>osmium<br>190  | 77<br>Ir<br>iridium<br>192   | 78<br>Pt<br>platinum<br>195    | 79<br>Au<br>gold<br>197       | 80<br>Hg<br>mercury<br>201    | 81<br>Tl<br>thallium<br>204 | 82<br>Pb<br>lead<br>207     | 83<br>Bi<br>bismuth<br>209    | 84<br>Po<br>polonium<br>— | 85<br>At<br>astatine<br>— | 86<br>Rn<br>radon<br>— |
| 87<br>Fr<br>francium<br>—                                                                                                               | 88<br>Ra<br>radium<br>—     | 89–103<br>actinoids        |                             | 104<br>Rf<br>rutherfordium<br>— | 105<br>Db<br>dubnium<br>—    | 106<br>Sg<br>seaborgium<br>— | 107<br>Bh<br>bohrium<br>—    | 108<br>Hs<br>hassium<br>—  | 109<br>Mt<br>meitnerium<br>— | 110<br>Ds<br>darmstadtium<br>— | 111<br>Rg<br>roentgenium<br>— | 112<br>Cn<br>copernicium<br>— | 114<br>Fl<br>flerovium<br>— |                             | 116<br>Lv<br>livermorium<br>— |                           |                           |                        |

|             |                              |                            |                                 |                              |                             |                             |                             |                               |                            |                               |                              |                           |                               |                              |                              |
|-------------|------------------------------|----------------------------|---------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------|-------------------------------|------------------------------|------------------------------|
| lanthanoids | 57<br>La<br>lanthanum<br>139 | 58<br>Ce<br>cerium<br>140  | 59<br>Pr<br>praseodymium<br>141 | 60<br>Nd<br>neodymium<br>144 | 61<br>Pm<br>promethium<br>— | 62<br>Sm<br>samarium<br>150 | 63<br>Eu<br>europium<br>152 | 64<br>Gd<br>gadolinium<br>157 | 65<br>Tb<br>terbium<br>159 | 66<br>Dy<br>dysprosium<br>163 | 67<br>Ho<br>holmium<br>165   | 68<br>Er<br>erbium<br>167 | 69<br>Tm<br>thulium<br>169    | 70<br>Yb<br>ytterbium<br>173 | 71<br>Lu<br>lutetium<br>175  |
| actinoids   | 89<br>Ac<br>actinium<br>—    | 90<br>Th<br>thorium<br>232 | 91<br>Pa<br>protactinium<br>231 | 92<br>U<br>uranium<br>238    | 93<br>Np<br>neptunium<br>—  | 94<br>Pu<br>plutonium<br>—  | 95<br>Am<br>americium<br>—  | 96<br>Cm<br>curium<br>—       | 97<br>Bk<br>berkelium<br>— | 98<br>Cf<br>californium<br>—  | 99<br>Es<br>einsteinium<br>— | 100<br>Fm<br>fermium<br>— | 101<br>Md<br>mendelevium<br>— | 102<br>No<br>nobelium<br>—   | 103<br>Lr<br>lawrencium<br>— |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).