



# Cambridge IGCSE™

## COMBINED SCIENCE

0653/22

Paper 2 Multiple Choice (Extended)

May/June 2024

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet  
Soft clean eraser  
Soft pencil (type B or HB is recommended)

### INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.


This document has **16** pages. Any blank pages are indicated.



2

1 The diagram shows a typical plant cell.

Which part of the cell controls the movement of materials into and out of the cell?



2 Molecules can move from one area to another by diffusion.

Which statement applies to diffusion?

- A A partially permeable membrane is needed for diffusion to happen.
- B Diffusion can only happen when a substance is in solution in water.
- C Molecules can only enter or leave living cells by diffusion.
- D Molecules move by diffusion down a concentration gradient.

3 Biological catalysts speed up reactions.

What is another name for biological catalysts?

- A antibodies
- B enzymes
- C fatty acids
- D hormones

4 Which row is correct for photosynthesis in a leaf?

|   | substrates            | products              | cells where photosynthesis occurs |
|---|-----------------------|-----------------------|-----------------------------------|
| A | $C_6H_{12}O_6 + 6O_2$ | $6H_2O + 6CO_2$       | palisade mesophyll                |
| B | $C_6H_{12}O_6 + 6O_2$ | $6H_2O + 6CO_2$       | upper epidermis                   |
| C | $6H_2O + 6CO_2$       | $C_6H_{12}O_6 + 6O_2$ | palisade mesophyll                |
| D | $6H_2O + 6CO_2$       | $C_6H_{12}O_6 + 6O_2$ | upper epidermis                   |

5 Which type of molecule is starch?

- A carbohydrate
- B fat
- C protein
- D vitamin

6 Chemical digestion starts in the mouth and continues throughout the length of the alimentary canal.

What is a sequence of three organs in the alimentary canal where chemical digestion occurs?

- A oesophagus → gall bladder → liver
- B oesophagus → stomach → small intestine
- C small intestine → gall bladder → large intestine
- D small intestine → stomach → oesophagus

7 How are mineral ions transported around the human body?

- A attached to antibodies
- B attached to haemoglobin
- C dissolved in blood plasma
- D inside blood platelets

8 Which row correctly lists the features of a gas exchange surface in animals?

|   | large surface area | thin surface | good blood supply | good ventilation with air |
|---|--------------------|--------------|-------------------|---------------------------|
| A | ✓                  | ✓            | x                 | x                         |
| B | ✓                  | x            | ✓                 | x                         |
| C | x                  | ✓            | ✓                 | x                         |
| D | ✓                  | ✓            | ✓                 | ✓                         |

key

✓ = present

x = absent

9 When the hormone adrenaline is released in humans it causes changes in breathing rate and pupil size.

What are the correct changes?

|   | breathing rate | pupil size |
|---|----------------|------------|
| A | decreases      | decreases  |
| B | decreases      | increases  |
| C | increases      | decreases  |
| D | increases      | increases  |


10 The table shows some possible tropic responses in a plant.

|   | part of plant | direction of growth response to |                            |
|---|---------------|---------------------------------|----------------------------|
|   |               | gravity                         | light (from one direction) |
| 1 | root          | away                            | towards                    |
| 2 | root          | towards                         | away                       |
| 3 | shoot         | away                            | towards                    |
| 4 | shoot         | towards                         | away                       |

What are the correct tropic responses for gravitropism and phototropism?

- A1 and 3
- B1 and 4
- C2 and 3
- D2 and 4

11 Which row shows the anther and stigma of an insect-pollinated flower?




|   | insect-pollinated anther | insect-pollinated stigma |
|---|--------------------------|--------------------------|
| A | 1                        | 2                        |
| B | 1                        | 4                        |
| C | 4                        | 1                        |
| D | 4                        | 3                        |

5

12 What gives the human embryo protection from mechanical shock?

- A amniotic fluid
- B cervix
- C placenta
- D umbilical cord


13 The diagram shows part of the carbon cycle.



Which arrows represent decomposition and combustion?

- A 1 and 2
- B 1 and 4
- C 2 and 3
- D 2 and 4

14 The diagram shows a chromatogram of an ink sample after separation by paper chromatography.



Which calculation is used to determine the  $R_f$  value of a coloured spot on the chromatogram?

- A  $\frac{\text{distance travelled by the solvent from the start line}}{\text{distance travelled by the spot from the start line}}$
- B  $\frac{\text{distance travelled by the spot from the start line}}{\text{distance travelled by the solvent from the start line}}$
- C  $\frac{\text{distance from the bottom of the chromatography paper to the spot}}{\text{distance from the bottom to the top of the chromatography paper}}$
- D  $\frac{\text{distance from the bottom to the top of the chromatography paper}}{\text{distance from the bottom of the chromatography paper to the spot}}$

**15** White solid X is formed when magnesium reacts with oxygen.

What is X?

- A** a compound
- B** a mixture
- C** an alloy
- D** an element

**16** Which statement describes the formation of ions when two different atoms combine?

- A** The two atoms share a pair of electrons.
- B** Both atoms lose electrons.
- C** Both atoms gain electrons.
- D** One atom gains electrons and one loses electrons.

**17** A solution of barium chloride reacts with dilute sulfuric acid to form a precipitate.

What is the ionic equation for this reaction?

- A**  $\text{Ba}^{2+}(\text{aq}) + \text{SO}_4^{2-}(\text{aq}) \rightarrow \text{BaSO}_4(\text{aq})$
- B**  $\text{Ba}^{2+}(\text{aq}) + \text{SO}_4^{2-}(\text{aq}) \rightarrow \text{BaSO}_4(\text{s})$
- C**  $\text{BaCl}_2(\text{s}) + \text{H}_2\text{SO}_4(\text{aq}) \rightarrow \text{BaSO}_4(\text{aq}) + 2\text{HCl}(\text{aq})$
- D**  $\text{Ba}^{2+}(\text{aq}) + 2\text{Cl}^{-}(\text{aq}) + 2\text{H}^{+}(\text{aq}) + \text{SO}_4^{2-}(\text{aq}) \rightarrow \text{BaSO}_4(\text{s}) + 2\text{HCl}(\text{aq})$

**18** Dilute sulfuric acid is electrolysed using platinum electrodes.

Which statements about this electrolysis are correct?

- 1 Water is broken down to give hydrogen and oxygen.
- 2 Water is covalent but the solution conducts electricity because it contains equal concentrations of  $\text{H}^{+}$  ions and  $\text{OH}^{-}$  ions.
- 3 The equation for the reaction at the anode is  $4\text{OH}^{-} \rightarrow 2\text{H}_2\text{O} + \text{O}_2 + 4\text{e}^{-}$ .
- 4 The equation for the reaction at the cathode is  $2\text{H}^{+} \rightarrow \text{H}_2 + 2\text{e}^{-}$ .

- A** 1 and 3      **B** 1 and 4      **C** 2 and 3      **D** 2 and 4

19 Which row about an endothermic reaction is correct?





|          | energy    | temperature change<br>in the reaction mixture |
|----------|-----------|-----------------------------------------------|
| <b>A</b> | given out | decreases                                     |
| <b>B</b> | taken in  | increases                                     |
| <b>C</b> | given out | increases                                     |
| <b>D</b> | taken in  | decreases                                     |

20 Hydrogen peroxide decomposes to form water and oxygen.

Which changes in temperature and in concentration **both** reduce the rate of this reaction?

|          | temperature of<br>hydrogen peroxide | concentration of<br>hydrogen peroxide |
|----------|-------------------------------------|---------------------------------------|
| <b>A</b> | decrease                            | decrease                              |
| <b>B</b> | decrease                            | increase                              |
| <b>C</b> | increase                            | decrease                              |
| <b>D</b> | increase                            | increase                              |

21 Which equation represents a redox reaction?



22 Copper sulfate is a soluble salt which is prepared by reacting insoluble copper oxide with dilute sulfuric acid.

Which statement about the preparation of copper sulfate crystals is **not** correct?

**A** After the reaction, the mixture is filtered and copper sulfate solution is collected.

**B** Excess copper oxide is used to ensure that all the acid is used up.

**C** The final solution is heated so that all the water boils off.

**D** The mixture of copper oxide and dilute sulfuric acid is heated to speed up the reaction.


**23** Magnesium carbonate reacts with dilute sulfuric acid.

A gas is produced.

What is the test for this gas?

- A** It bleaches damp litmus paper.
- B** It 'pops' with a lighted splint.
- C** It relights a glowing splint.
- D** It turns limewater milky.

**24** Which diagram represents the particles in an alloy?



**25** What causes an enhanced greenhouse effect?

- A** decreased concentration of methane in the atmosphere
- B** decreased concentration of nitrogen in the atmosphere
- C** increased concentration of carbon dioxide in the atmosphere
- D** increased concentration of oxygen in the atmosphere

**26** Which statement about alkenes is correct?


- A** They are saturated hydrocarbons.
- B** They have the general formula  $C_nH_{2n+2}$ .
- C** They have similar chemical properties.
- D** They are all gases at room temperature.

**27** A hydrocarbon with the formula  $C_9H_{20}$  is cracked to form one molecule of ethene and two other hydrocarbon molecules.

What are the two other molecules?

- A**  $C_4H_{10}$  and  $C_3H_8$
- B**  $C_4H_8$  and  $C_3H_8$
- C**  $C_4H_8$  and  $C_3H_6$
- D**  $C_7H_{14}$  and  $H_2$

28 Two identical solid objects X and Y are placed on a bench.



How do the forces and the pressures on the bench due to X and Y compare?

|   | forces    | pressures |
|---|-----------|-----------|
| A | different | different |
| B | different | equal     |
| C | equal     | different |
| D | equal     | equal     |

29 An object has mass and is in a gravitational field.

Which property does the object possess because it is in a gravitational field?

- A density
- B resistance
- C volume
- D weight


30 A spring obeys Hooke’s law.

In which unit is its spring constant measured?

- A m/N                      B N                      C N/m                      D Nm


- 31** A block has a mass of 5.0 kg.

A student pushes the block 5.0 m up a slope. The gravitational field strength is 10 N/kg.



How much gravitational potential energy does the block gain?

- A** 25 J                      **B** 150 J                      **C** 200 J                      **D** 250 J
- 32** An automatic coffee maker has a power rating of 900 W and takes 3.0 minutes to make a cup of coffee.
- How much energy is transferred by the coffee maker when it makes a cup of coffee?
- A** 5.0 J                      **B** 300 J                      **C** 2700 J                      **D** 162 000 J
- 33** In which list are all the energy resources renewable?
- A** geothermal, hydroelectric, nuclear
- B** geothermal, tides, hydroelectric
- C** tides, nuclear, coal
- D** solar, wind, coal
- 34** A student cooks a potato over a fire. The student holds the potato using a metal rod.



Which transfer of thermal energy is caused mainly by radiation?

- A** from the fire to the air above the fire
- B** from the fire to the student's face
- C** from the inside of the potato to the student's hand
- D** from the outside of the potato to the inside of the potato

- 35 A student uses a thin converging lens of focal length 5.0 cm as a magnifying glass.

What is a possible position of the object?

- A 4.0 cm from the lens, on the same side of the lens as the student
- B 4.0 cm from the lens, on the side of the lens away from the student
- C 6.0 cm from the lens, on the same side of the lens as the student
- D 6.0 cm from the lens, on the side of the lens away from the student

- 36 What is **not** able to transmit sound waves?

- A a gas
- B a liquid
- C a solid
- D a vacuum

- 37 There is a potential difference (p.d.) of 6.0 V across a resistor of resistance 1.5 k $\Omega$ .

How much charge passes through the resistor in 5.0 minutes?

- A 1.2 C
- B 20 C
- C 30 C
- D 1200 C

- 38 Wire X and wire Y are made from the same material. Each wire has a circular cross-section.

The resistance of wire X is  $R$ , its length is  $l$  and its diameter is  $d$ .

The length of wire Y is  $2l$  and its diameter is  $2d$ .

What is the resistance of wire Y?


- A  $\frac{R}{2}$
- B  $R$
- C  $4R$
- D  $8R$

## 12

**39** The diagram shows three resistors connected to a 12 V battery.

The current at two points in the circuit and the potential difference (p.d.) across one resistor are shown.

Another resistor is labelled R.



What is the current in resistor R and what is the p.d. across resistor R?

|          | current in<br>resistor R<br>/A | p.d. across<br>resistor R<br>/V |
|----------|--------------------------------|---------------------------------|
| <b>A</b> | 1.0                            | 3.0                             |
| <b>B</b> | 1.0                            | 9.0                             |
| <b>C</b> | 2.0                            | 3.0                             |
| <b>D</b> | 2.0                            | 9.0                             |

**40** A fault develops in an electric circuit and the current in the circuit becomes too large.

A component in the circuit protects the wires from overheating.

Which component protects the wires?

- A** ammeter
- B** fuse
- C** lamp
- D** voltmeter

**BLANK PAGE**



**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| Group                      |                             |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
|----------------------------|-----------------------------|-----------------------------------------------------------------------|---------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|------------------------------|-----------------------------|
| I                          | II                          | 1<br>H<br>hydrogen<br>1                                               |                                 |                             |                              |                             |                              |                              |                                |                               |                               | III                         | IV                          | V                           | VI                            | VII                          | VIII                        |
| 3<br>Li<br>lithium<br>7    | 4<br>Be<br>beryllium<br>9   | Key<br>atomic number<br>atomic symbol<br>name<br>relative atomic mass |                                 |                             |                              |                             |                              |                              |                                |                               |                               | 5<br>B<br>boron<br>11       | 6<br>C<br>carbon<br>12      | 7<br>N<br>nitrogen<br>14    | 8<br>O<br>oxygen<br>16        | 9<br>F<br>fluorine<br>19     | 10<br>Ne<br>neon<br>20      |
|                            |                             |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
|                            |                             |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               |                             |                             |                             |                               |                              |                             |
| 11<br>Na<br>sodium<br>23   | 12<br>Mg<br>magnesium<br>24 |                                                                       |                                 |                             |                              |                             |                              |                              |                                |                               |                               | 13<br>Al<br>aluminium<br>27 | 14<br>Si<br>silicon<br>28   | 15<br>P<br>phosphorus<br>31 | 16<br>S<br>sulfur<br>32       | 17<br>Cl<br>chlorine<br>35.5 | 18<br>Ar<br>argon<br>40     |
| 19<br>K<br>potassium<br>39 | 20<br>Ca<br>calcium<br>40   | 21<br>Sc<br>scandium<br>45                                            | 22<br>Ti<br>titanium<br>48      | 23<br>V<br>vanadium<br>51   | 24<br>Cr<br>chromium<br>52   | 25<br>Mn<br>manganese<br>55 | 26<br>Fe<br>iron<br>56       | 27<br>Co<br>cobalt<br>59     | 28<br>Ni<br>nickel<br>59       | 29<br>Cu<br>copper<br>64      | 30<br>Zn<br>zinc<br>65        | 31<br>Ga<br>gallium<br>70   | 32<br>Ge<br>germanium<br>73 | 33<br>As<br>arsenic<br>75   | 34<br>Se<br>selenium<br>79    | 35<br>Br<br>bromine<br>80    | 36<br>Kr<br>krypton<br>84   |
| 37<br>Rb<br>rubidium<br>85 | 38<br>Sr<br>strontium<br>88 | 39<br>Y<br>yttrium<br>89                                              | 40<br>Zr<br>zirconium<br>91     | 41<br>Nb<br>niobium<br>93   | 42<br>Mo<br>molybdenum<br>96 | 43<br>Tc<br>technetium<br>— | 44<br>Ru<br>ruthenium<br>101 | 45<br>Rh<br>rhodium<br>103   | 46<br>Pd<br>palladium<br>106   | 47<br>Ag<br>silver<br>108     | 48<br>Cd<br>cadmium<br>112    | 49<br>In<br>indium<br>115   | 50<br>Sn<br>tin<br>119      | 51<br>Sb<br>antimony<br>122 | 52<br>Te<br>tellurium<br>128  | 53<br>I<br>iodine<br>127     | 54<br>Xe<br>xenon<br>131    |
| 55<br>Cs<br>caesium<br>133 | 56<br>Ba<br>barium<br>137   | 57–71<br>lanthanoids                                                  | 72<br>Hf<br>hafnium<br>178      | 73<br>Ta<br>tantalum<br>181 | 74<br>W<br>tungsten<br>184   | 75<br>Re<br>rhenium<br>186  | 76<br>Os<br>osmium<br>190    | 77<br>Ir<br>iridium<br>192   | 78<br>Pt<br>platinum<br>195    | 79<br>Au<br>gold<br>197       | 80<br>Hg<br>mercury<br>201    | 81<br>Tl<br>thallium<br>204 | 82<br>Pb<br>lead<br>207     | 83<br>Bi<br>bismuth<br>209  | 84<br>Po<br>polonium<br>—     | 85<br>At<br>astatine<br>—    | 86<br>Rn<br>radon<br>—      |
| 87<br>Fr<br>francium<br>—  | 88<br>Ra<br>radium<br>—     | 89–103<br>actinoids                                                   | 104<br>Rf<br>rutherfordium<br>— | 105<br>Db<br>dubnium<br>—   | 106<br>Sg<br>seaborgium<br>— | 107<br>Bh<br>bohrium<br>—   | 108<br>Hs<br>hassium<br>—    | 109<br>Mt<br>meitnerium<br>— | 110<br>Ds<br>darmstadtium<br>— | 111<br>Rg<br>roentgenium<br>— | 112<br>Cn<br>copernicium<br>— | 113<br>Nh<br>nihonium<br>—  | 114<br>Fl<br>flerovium<br>— | 115<br>Mc<br>moscovium<br>— | 116<br>Lv<br>livermorium<br>— | 117<br>Ts<br>tennessine<br>— | 118<br>Og<br>oganesson<br>— |

|             |                              |                            |                                 |                              |                             |                             |                             |                               |                            |                               |                              |                           |                               |                              |                              |
|-------------|------------------------------|----------------------------|---------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------|-------------------------------|------------------------------|------------------------------|
| lanthanoids | 57<br>La<br>lanthanum<br>139 | 58<br>Ce<br>cerium<br>140  | 59<br>Pr<br>praseodymium<br>141 | 60<br>Nd<br>neodymium<br>144 | 61<br>Pm<br>promethium<br>— | 62<br>Sm<br>samarium<br>150 | 63<br>Eu<br>europium<br>152 | 64<br>Gd<br>gadolinium<br>157 | 65<br>Tb<br>terbium<br>159 | 66<br>Dy<br>dysprosium<br>163 | 67<br>Ho<br>holmium<br>165   | 68<br>Er<br>erbium<br>167 | 69<br>Tm<br>thulium<br>169    | 70<br>Yb<br>ytterbium<br>173 | 71<br>Lu<br>lutetium<br>175  |
| actinoids   | 89<br>Ac<br>actinium<br>—    | 90<br>Th<br>thorium<br>232 | 91<br>Pa<br>protactinium<br>231 | 92<br>U<br>uranium<br>238    | 93<br>Np<br>neptunium<br>—  | 94<br>Pu<br>plutonium<br>—  | 95<br>Am<br>americium<br>—  | 96<br>Cm<br>curium<br>—       | 97<br>Bk<br>berkelium<br>— | 98<br>Cf<br>californium<br>—  | 99<br>Es<br>einsteinium<br>— | 100<br>Fm<br>fermium<br>— | 101<br>Md<br>mendelevium<br>— | 102<br>No<br>nobelium<br>—   | 103<br>Lr<br>lawrencium<br>— |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).