



Cambridge Assessment International Education
Cambridge International General Certificate of Secondary Education

COMPUTER SCIENCE

0478/23

Paper 2

October/November 2017

MARK SCHEME

Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **7** printed pages.

Question	Answer	Marks
1(a)(i)	1 mark per bullet: - At least one array declaration - At least one array has an appropriate name - All arrays with appropriate names Many correct answers, they must be meaningful. These are examples only. <pre>Array_2Seater[] Array_4Seater[] Array_Historic[]</pre>	3
1(a)(ii)	1 mark per bullet: - Name of variable - Purpose of variable - Name of constant - Purpose of constant Many correct answers, they must be meaningful. These are examples only. Variable NumFlights to store the number of flights in a day Constant FlightCost2Seat30 to store the cost of a 30 minute flight in a 2 seater plane	4

Question	Answer	Marks
1(b)	Any five from: Prompt for plane Input plane Prompt for another input length of flight along with the input. Attempt at calculation of maximum number of flights in a day Using correct values for maximum number of flights (from calculation or otherwise) Calculation/determination of cost of a single flight for selected plane and duration Calculation of income that can be generated for one combination of plane and flight Output of total possible income for one combination of plane and flight with message(s) Algorithm example: <pre> OUTPUT "Please Enter Type of Plane" OUTPUT "1: 2 Seater" OUTPUT "2: 4 Seater" OUTPUT "3: Historic" INPUT PlaneType OUTPUT "Please Enter Length of Flight" INPUT FlightLength CASE FlightLength of 30: OUTPUT "Maximum number of flights is 10" 60: OUTPUT "Maximum number of flights is 6" OTHERWISE OUTPUT "Invalid length of flight" ENDCASE CASE PlaneType of 1: Price30 ← 100; Price60 ← 150 2: Price30 ← 120; Price60 ← 200 3: Price30 ← 120; Price60 ← 500 OTHERWISE OUTPUT "Invalid type of plane" ENDCASE CASE FlightLength of 30: OUTPUT "Total Possible Income is ", Price30 * 10 60: OUTPUT "Total Possible Income is ", Price60 * 6 ENDCASE </pre>	5
1(c)	1 mark for each correct point related to the inputs for Task 1 Description of how the program would validate the input Description/identification of input(s) Type of validation check Checking inputs against stored data/maxima/correct data Dry-running the program Use of test data Identification of types of test data Example(s) of test data	4

Question	Answer	Marks
1(d)	Any four from: Input timeslot Check 3 types of plane Methodology for checking time slot Identify any planes available Output plane(s) available Output if no planes available	4

Question	Answer	Marks
2	1 mark for each error identified plus suggested correction (the corrected lines must be written in full) Line 4 correct line WHILE Number <= 99 OR Number > 1000 Line 7 correct line Num[Index] = Number Line 9 correct line NEXT (Index) Line 10 correct line PRINT Count	4

Question	Answer	Marks
3(a)	1 mark per bullet: Validation checks whether data to be entered is possible/sensible // computer check Verification checks that data entered is the data that was intended to be entered // can be a human check // matches the source	2
3(b)	1 mark for each valid point Either Double Entry // suitable practical example the data will be entered twice compared by the computer or by a human if a discrepancy is found, the data entry operator is asked to re-enter the data Or Visual Verification // suitable practical example the data will be compared to the source 'document' compared by a human if a discrepancy is found, the data is re-entered	2

Question	Answer	Marks
3(c)	1 mark for explanation and 1 mark for an expansion Library routine is a list of instructions // block of code // subroutine ... that is used often which is given a name ... and which can be called from other programs Library routines make writing programs easier and faster as the code is already written Library routines make program testing easier as the code has already been tested and debugged	2

Question	Answer	Marks
4(a)	1 mark for each correct line Pseudocode description A loop that will iterate at least once. A conditional statement to deal with many possible outcomes. A loop that will iterate a set number of times. A conditional statement with different outcomes for true and false. Pseudocode statement FOR...TO...NEXT IF...THEN...ELSE...ENDIF WHILE...DO...ENDWHILE CASE...OF...OTHERWISE...ENDCASE REPEAT...UNTIL	4
4(b)	1 mark per bullet: Appropriate loop controls Read from array Print from array (the last two points can be in one statement) Note reading and printing MUST be within the same loop Example algorithm: <pre>Count ← 0 WHILE Count < 50 DO OUTPUT Name[Count] Count ← Count + 1 ENDWHILE</pre>	3

Question	Answer							Marks
5(a)	Flag	Count	Name[1]	Name[2]	Name[3]	Name[4]	Temp	5
			Jamal	Amir	Eve	Tara		
	0	1	Amir	Jamal	Eve	Tara	Jamal	
	1	2	Amir	Jamal	Eve	Tara	Jamal	
	1	3	Amir	Eve	Jamal	Tara	Jamal	
	1	4	Amir	Eve	Jamal	Tara	Jamal	
	0	1	Amir	Eve	Jamal	Tara	Jamal	
	0	2	Amir	Eve	Jamal	Tara	Jamal	
	0	3	Amir	Eve	Jamal	Tara	Jamal	
	0	4	Amir	Eve	Jamal	Tara	Jamal	
	(1 Mark) (1 Mark) (-----1 Mark-----) (-----1 Mark-----) (1 Mark)							
5(b)	1 mark per bullet: Sorting the names Ascending order / A to Z / lowest to highest / Alphabetic order							2

Question	Answer	Marks
6(a)	1 mark for any sensible appropriate field name 1 mark for data type, purpose + example data Example 1: Field Name: SPECIESID Data Type: Alphanumeric Purpose: Primary key Example Data: SP06583 Example 2: Field name: NUMBER Data Type: Integer Purpose: To record how many of that species there are at the park Example Data: 30	2

Question	Answer					Marks
6(b)	Field:	Species	Classification	Diet	Legs	
	Table:	LIVESTOCK	LIVESTOCK	LIVESTOCK	LIVESTOCK	
	Sort:	Ascending/ Descending				
	Show:	☒	☐	☐	☐	☐
	Criteria:		“Mammal”	“Herbivore”	4	
	or:					
		(1 Mark)	(1 Mark)	(1 Mark)	(1 Mark)	
	1 mark per completely correct column.					
					4	