



**Cambridge International Examinations**  
Cambridge International General Certificate of Secondary Education

---

**CAMBRIDGE INTERNATIONAL MATHEMATICS**

**0607/32**

Paper 3 (Core)

**May/June 2017**

MARK SCHEME

Maximum Mark: 96

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

© IGCSE is a registered trademark.

This document consists of **6** printed pages.

**MARK SCHEME NOTES**

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.


**Types of mark**


- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more ‘method’ steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation ‘**dep**’ is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

**Abbreviations**

|      |                            |
|------|----------------------------|
| awrt | answers which round to     |
| cao  | correct answer only        |
| dep  | dependent                  |
| FT   | follow through after error |
| isw  | ignore subsequent working  |
| nfww | not from wrong working     |
| oe   | or equivalent              |
| rot  | rounded or truncated       |
| SC   | Special Case               |
| soi  | seen or implied            |

| Question  | Answer                                                                              | Marks | Part marks                                                                     |
|-----------|-------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------|
| 1(a)      | Seventy thousand, three hundred [and] two                                           | 1     |                                                                                |
| 1(b)      | 2560.108032 or 2560.11                                                              | 1     |                                                                                |
| 1(c)(i)   | 623.89                                                                              | 1     |                                                                                |
| 1(c)(ii)  | 624                                                                                 | 1     |                                                                                |
| 1(c)(iii) | 600                                                                                 | 1     |                                                                                |
| 1(d)      | 11                                                                                  | 2     | <b>M1</b> for $8 \times 7 + 5 \times -9$<br>or 56 or $-45$ seen                |
| 1(e)      | 5.5 or $\frac{11}{2}$                                                               | 2     | <b>M1</b> for correct first step<br>e.g. $54 - 10 - 8x = 0$ or $54 = 10 + 8x$  |
| 2(a)(i)   | 60                                                                                  | 1     |                                                                                |
| 2(a)(ii)  | 12.6[0]                                                                             | 2     | <b>FT</b> <i>their</i> (a)(i)<br><b>M1</b> for $\frac{\text{their(a)(i)}}{10}$ |
| 2(a)(iii) | 2.9[0]                                                                              | 1     |                                                                                |
| 2(b)(i)   | 4                                                                                   | 2     | <b>M1</b> for $\frac{40}{8}$ soi or $\frac{20}{40}$ soi                        |
| 2(b)(ii)  | 8.6[0]                                                                              | 1     | <b>FT</b> <i>their</i> (a)(ii) – <i>their</i> (b)(i)                           |
| 3(a)      |  | 2     | <b>B1</b> for 2 or 3 correct regions                                           |
| 3(b)      | a or c or e or f or g                                                               | 1     |                                                                                |
| 3(c)      | Any proper subset containing some (but not all) of b, d, f, g                       | 1     |                                                                                |
| 3(d)      | {b, d, h }                                                                          | 1     | <b>FT</b> from <i>their</i> Venn diagram                                       |
| 3(e)      | 1                                                                                   | 1     | <b>FT</b> from <i>their</i> Venn diagram                                       |
| 3(f)      | $c \in P$                                                                           | 1     |                                                                                |

| Question  | Answer                                                                            | Marks | Part marks                                                                  |
|-----------|-----------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------|
| 3(g)      |  | 1     |                                                                             |
| 4(a)(i)   | $x$ in correct place                                                              | 1     |                                                                             |
| 4(a)(ii)  | $y$ in correct place                                                              | 1     |                                                                             |
| 4(a)(iii) | $z$ in correct place                                                              | 1     |                                                                             |
| 4(b)(i)   | Any pair of parallel lines                                                        | 1     |                                                                             |
| 4(b)(ii)  | Any pair of perpendicular lines                                                   | 1     |                                                                             |
| 4(b)(iii) | Any 2 congruent shapes                                                            | 1     | Correct order of letters not required                                       |
| 5(a)      | 9                                                                                 | 2     | B1 for 7 or $-7$ seen                                                       |
| 5(b)      | $-5$                                                                              | 1     |                                                                             |
| 5(c)      | $30 - 7n$ oe                                                                      | 2     | B1 for $k - 7n$ or $30 - kn$ , $k \neq 0$                                   |
| 5(d)      | $-187 = 30 - 7n$ (their c)<br>$-217 = -7n$                                        | M1    |                                                                             |
|           | $n = 31$                                                                          | A1    |                                                                             |
|           | Yes                                                                               | B1    | 1FT dependent on conclusion correct for their result.                       |
| 6(a)(i)   | 190                                                                               | 2     | B1 for 3 hours 10 minutes                                                   |
| 6(a)(ii)  | 19                                                                                | 1     | FT their (a)(i)                                                             |
| 6(a)(iii) | 63.2 or 63.15 to 63.16                                                            | 2     | M1 for $\frac{120}{\text{their(a)(i)}}$ or $\frac{12}{\text{their(a)(ii)}}$ |
| 6(b)(i)   | 15                                                                                | 1     |                                                                             |
| 6(b)(ii)  | 8                                                                                 | 1     |                                                                             |
| 6(b)(iii) | 11                                                                                | 1     |                                                                             |
| 6(c)(i)   | $\frac{2}{13}$ oe                                                                 | 1     |                                                                             |
| 6(c)(ii)  | $\frac{7}{13}$ oe                                                                 | 1     |                                                                             |

| Question | Answer                               | Marks | Part marks                                                                                                                                                             |
|----------|--------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7(a)(i)  | 2, − 3                               | 2     | <b>B1</b> for each<br>If extras given, <b>B1</b> for 1 correct and 1 incorrect or 2 correct and no more than 2 incorrect                                               |
| 7(a)(ii) | $\sqrt{2}$ or $\pi$                  | 1     |                                                                                                                                                                        |
| 7(b)     | 2, −3, 0.55, $-1\frac{1}{7}$         | 2     | <b>B1</b> for any 1 or more correct and no extras                                                                                                                      |
| 7(c)     | $\frac{11}{20}$                      | 2     | <b>B1</b> for $\frac{55}{100}$                                                                                                                                         |
| 8(a)     | All 4 points correctly plotted       | 2     | <b>B1</b> for 2 or 3 correctly plotted                                                                                                                                 |
| 8(b)     | Positive                             | 1     |                                                                                                                                                                        |
| 8(c)(i)  | 9.9                                  | 1     |                                                                                                                                                                        |
| 8(c)(ii) | 10.1                                 | 1     |                                                                                                                                                                        |
| 8(d)     | Mean point correctly plotted         | 1     | <b>FT</b> <i>their</i> (c)                                                                                                                                             |
| 8(e)     | Appropriate line through mean point  | 2     | <b>M1</b> for ruled line within tolerance but not passing through <i>their</i> mean point or ruled line with positive gradient passing through <i>their</i> mean point |
| 8(f)     | 12                                   | 2     | <b>B1FT</b> from <i>their</i> decimal value or rounded up value from ruled line on graph                                                                               |
| 9(a)     | 90                                   | 1     |                                                                                                                                                                        |
| 9(b)     | Friday                               | 1     |                                                                                                                                                                        |
| 9(c)(i)  | $\frac{22}{90} \times 360 [= 88]$ oe | 1     |                                                                                                                                                                        |
| 9(c)(ii) | Correct pie chart                    | 3     | <b>B2</b> for correct pie chart without labels or <b>B1</b> for 1 correct angle                                                                                        |
| 10(a)    | 60                                   | 3     | <b>M2</b> for $\sqrt{100^2 - 80^2}$ or <b>M1</b> for $100^2 = 80^2 + AC^2$ or better                                                                                   |
| 10(b)    | 240                                  | 1     | <b>FT</b> $180 + \text{their (a)}$                                                                                                                                     |
| 10(c)    | 36.9 or 36.86 to 36.87               | 2     | <b>M1</b> for $\cos[ ] = \frac{80}{100}$ oe                                                                                                                            |
| 10(d)(i) | 150                                  | 2     | <b>M1</b> for $9 \times 1000$ or $\frac{9}{60}$ or $\frac{1000}{60}$                                                                                                   |

| Question  | Answer                                      | Marks | Part marks                                                                                                                                                                          |
|-----------|---------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10(d)(ii) | 8                                           | 2     | <b>M1</b> for $5 \times \text{their (b)}$ oe<br>$\frac{\text{their (b)}}{\text{their (d)(i)}}$                                                                                      |
| 11(a)     | 880 or 879.6 to 879.8                       | 3     | <b>M2</b> for $\frac{1}{3} \times \pi \times 6^2 \times 20 + \pi \times 2^2 \times 10$<br><b>M1</b> for $\frac{1}{3} \times \pi \times 6^2 \times 20$ or $\pi \times 2^2 \times 10$ |
| 11(b)(i)  | 20.9 or 20.88...                            | 2     | <b>M1</b> for $20^2 + 6^2$                                                                                                                                                          |
| 11(b)(ii) | 394 or 393.5 to 394.0                       | 2     | <b>M1</b> for $\pi \times 6 \times \text{their (b)}$                                                                                                                                |
| 12(a)     | Correct curve drawn                         | 2     | <b>M1</b> for maximum and minimum in correct quadrants<br>or <b>B1</b> for axes intercepts approximately correct or correct shape in wrong position                                 |
| 12(b)     | – 1                                         | 1     |                                                                                                                                                                                     |
|           | 0.5                                         | 1     |                                                                                                                                                                                     |
|           | 2                                           | 1     |                                                                                                                                                                                     |
| 12(c)     | 2                                           | 1     |                                                                                                                                                                                     |
| 12(d)     | (– 0.366, 2.6[0]) or (–0.366... , 2.598...) | 2     | <b>B1</b> for $x$ co-ordinate<br><b>B1</b> for $y$ co-ordinate<br>If 0 scored <b>SC1</b> for (– 0.37, 2.6[0])                                                                       |