



Cambridge IGCSE™

CAMBRIDGE INTERNATIONAL MATHEMATICS**0607/42**

Paper 4 (Extended)

October/November 2021**MARK SCHEME**Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2021 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **8** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Maths-Specific Marking Principles	
1	Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
2	Unless specified in the question, answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
3	Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
4	Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
5	Where a candidate has misread a number in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 mark for the misread.
6	Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark



- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation '**dep**' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
nfw	not from wrong working
oe	or equivalent
rot	rounded or truncated
SC	Special Case
soi	seen or implied

0607/42

Question	Answer	Marks	Partial Marks
1(a)(i)	$\frac{11}{11+14} \times 200$ or $\frac{11}{25} \times 200$ oe	M1	
1(a)(ii)	7.92	2	M1 for $\frac{88 \times 1.5 \times 6}{100}$ oe
1(b)(i)	12	3	M2 for $\frac{25-22}{25}$ oe or $\frac{22}{25} \times 100$ oe or M1 for $\frac{22}{25}$
1(b)(ii)	15	2	M1 for $\frac{100-10}{100} \times [\dots] = 13.50$ oe
2(a)	Correct sketch 	2	B1 for sine curve but different period and/or different amplitude
2(b)	(270, -1)	1	
2(c)	360 1	2	B1 for each
2(d)	Correct sketch 	2	B1 for (sine) ² curve but different period and/or different amplitude
2(e)(i)	$-1 \leq f(x) \leq 1$	1	
2(e)(ii)	$0 \leq g(x) \leq 1$	1	
2(f)	Correct shading	1	
3(a)(i)	1437	3	B2 for 1440 or 1436.6 to 1436.7 or M1 for $882 \times \left(1 + \frac{5}{100}\right)^{10}$ oe

Question	Answer	Marks	Partial Marks
3(a)(ii)	17 nfw	4	B3 for 16.8 or 16.78... OR or M3 $n \log \left(1 + \frac{5}{100} \right) = \log \left(\frac{2000}{882} \right)$ oe or correct trials reaching 16 and 17 or good sketch indicating value between 16 and 17 or M2 for $\left(1 + \frac{5}{100} \right)^n = \frac{2000}{882}$ oe or at least 3 correct trials, $n > 10$ or suitable graph or M1 for $882 \times \left(1 + \frac{5}{100} \right)^n = 2000$ oe soi by at least 2 trials with $n > 10$
3(b)	7 or 6.999... nfw	3	M2 for $\sqrt[10]{\frac{242}{500}}$ or M1 for $500 \times (\dots)^{10} = 242$
4(a)(i)	190	1	
4(a)(ii)	156	1	
4(a)(iii)	22	2	B1 for LQ = 140 or UQ = 162
4(a)(iv)	28	2	B1 for 172 seen
4(b)	150.45	2	M1 for at least 3 mid-values soi
5(a)(i)	Image at (–2, 1), (–5, 1), (–5, 2)	1	
5(a)(ii)	Image at (–8, 6), (–5, 6) (–5, 7)	2	B1 for translation $\begin{pmatrix} -10 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 5 \end{pmatrix}$
5(a)(iii)	Image at (3, 0), (3, –3), (4, –3)	2	B1 for rotation 90° anticlockwise about (2, 0) or rotation 90° clockwise but incorrect centre.
5(a)(iv)	Image at (–4, –2), (–10 –2), (–10, –4)	2	B1 for enlargement factor –2 correct orientation but incorrect position
5(a)(v)	Stretch [factor] 3 x-axis oe invariant	3	B1 for each
5(b)(i)	$x^2 + 2$	1	
5(b)(ii)	$2x^2$	1	

0607/42

Question	Answer	Marks	Partial Marks
6(a)(i)	$\begin{pmatrix} 5 \\ 9 \end{pmatrix}$	2	B1 for $\begin{pmatrix} 5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 9 \end{pmatrix}$ or M1 for $\begin{pmatrix} 3 \\ 5 \end{pmatrix} - \begin{pmatrix} -2 \\ -4 \end{pmatrix}$ or $\begin{pmatrix} 3 \\ 5 \end{pmatrix} + \begin{pmatrix} 2 \\ 4 \end{pmatrix}$
6(a)(ii)	$\begin{pmatrix} 1 \\ -2 \end{pmatrix}$	2	B1 for $\begin{pmatrix} 1 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$ If 0 scored SC1 for answer $\begin{pmatrix} -1 \\ 2 \end{pmatrix}$
6(a)(iii)	(4, 5)	1	
6(a)(iv)	5	2	M1 for $(-3)^2 + (-4)^2$ oe
6(b)(i)	$y = 2x + 3$ oe	5	B4 for answer $2x + 3$ OR M1 for grad = $\frac{6-4}{-1-3}$ oe or better M1 for perp grad = $\frac{-1}{\text{their gradient}}$ B1 for (1, 5) M1 for substituting <i>their</i> (1, 5) into $y = (\text{their } m)x + c$ oe
6(b)(ii)	(-1.5, 0)	2	FT <i>their</i> (b)(i) M1 for $y = 0$ substituted in <i>their</i> equation in (b)(i)
7(a)	$[p =] [0].85$ $[m =] 2.15$	5	B1 for $3p + 5m = 13.30$ B1 for $p + 7m = 15.90$ M1 for correctly eliminating one variable from <i>their</i> equations in terms of p and m or correct sketch B1 for $p = [0].85$ B1 for $m = 2.15$ If M0 scored then SC1 for values satisfying one of <i>their</i> equations

0607/42

Question	Answer	Marks	Partial Marks
7(b)	1.43 or 1.434... only	7	B6 for 1.43 or 1.434... and 0.232 or 0.2324... OR M1 for $(2x-1)^2 = x(x+1)$ B1 for $4x^2 - 2x - 2x + 1$ oe B1 for $x^2 + x$ M1 for correct three term quadratic from <i>their</i> areas M1 for $\frac{-(-5) \pm \sqrt{(-5)^2 - 4(3)(1)}}{2(3)}$ for <i>their</i> quadratic or sketch leading to roots of <i>their</i> quadratic
8(a)(i)(a)	7	1	
8(a)(i)(b)	$\frac{1}{8}$ oe	1	FT <i>their</i> 7
8(a)(ii)	$15x - 5$ or $5(3x - 1)$ final answer	2	M1 for $3(5x - 1) - 2$
8(a)(iii)	$-\frac{1}{2}$ oe	2	M1 for $3x - 2 = 5x - 1$
8(a)(iv)	$\frac{x+1}{5}$ oe final answer	2	M1 for $x = 5y - 1$ or $y + 1 = 5x$ or $\frac{y}{5} = x - \frac{1}{5}$
8(a)(v)	$\frac{3x+5}{(x+1)(x+2)}$ or $\frac{3x+5}{x^2+3x+2}$ final answer	4	M1 for $\frac{2}{x+1} + \frac{1}{x+1+1}$ FT <i>their</i> fractions provided there are two fractions of the form $\frac{a}{b+c}$ to be collected and the denominators are different M1 for $2(x+2) + x + 1$ or better or M1 for denominator $(x+1)(x+2)$
8(b)(i)	$-\frac{3}{2}$ oe	1	
8(b)(ii)	$\log_5 x$ or $\frac{\log x}{\log 5}$	2	M1 for $x = 5^y$ or $\log y = x \log 5$ or $\log_5 y = x$

Question	Answer	Marks	Partial Marks
9(a)	<u>Sequence A</u> –1 9 – 2n oe final answer	3	B1 for –1 B1 for $k - 2n$ or $9 - cn$, $c \neq 0$ or correct answer spoiled
	<u>Sequence B</u> 64 $(n + 3)^2$ oe final answer	3	B1 for 64 B1 for $(n + k)^2$, k any integer or M1 for second differences = 2
	<u>Sequence C</u> 8 2^{n-2} oe final answer	3	B1 for 8 B1 for 2^{n+k} , k any integer
9(b)	$\frac{5184}{\frac{3}{x^2}}$ oe	4	B3 for $z = \frac{k}{\frac{3}{x^2}}$ or for $y = \frac{12}{\sqrt{x}}$ and $z = 3y^3$ or B2 for $y = \frac{12}{\sqrt{x}}$ or $z = 3y^3$ or M1 for $y = \frac{k}{\sqrt{x}}$ or $z = ky^3$
10(a)	Correct tree diagram 0.6 oe 0.9 and 0.1 oe 0.95 and 0.05 oe	3	B1 for each
10(b)	0.93 oe	3	M2 for $0.4 \times 0.9 + 0.6 \times 0.95$ or M1 for 0.4×0.9 or 0.6×0.95
11(a)	502 or 502.1 to 502.3 nfw	7	M2 for $8^2 + 5^2 - 2 \times 8 \times 5 \times \cos 100$ or M1 for $\cos 100 = \frac{8^2 + 5^2 - BP^2}{2 \times 8 \times 5}$ M1 for $[2 \times] \frac{1}{2} \times 8 \times 5 \times \sin 100$ M1 for 20×8 M1 for 20×5 M1 for <i>their</i> $BP \times 20$
11(b)(i)	PA and CA drawn and arc at A	1	
11(b)(ii)	12.9 or 12.85 to 12.86	4	M3 for $\sin[\dots] = \frac{5 \sin 73.45}{\sqrt{20^2 + 8^2}}$ OR M1 for $\sqrt{20^2 + 8^2}$ M1 for $\frac{\text{their } AC}{\sin 73.45} = \frac{5}{\sin PAC}$ oe