



**Cambridge Assessment International Education**  
Cambridge International General Certificate of Secondary Education

---

**MATHEMATICS**

**0580/43**

Paper 4 (Extended)

**October/November 2019**

MARK SCHEME

Maximum Mark: 130

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2019 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **8** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

## Abbreviations

|      |                            |
|------|----------------------------|
| cao  | correct answer only        |
| dep  | dependent                  |
| FT   | follow through after error |
| isw  | ignore subsequent working  |
| oe   | or equivalent              |
| SC   | Special Case               |
| nfww | not from wrong working     |
| soi  | seen or implied            |

| Question | Answer                | Marks | Partial Marks                                                                                                                                                                                                                                 |
|----------|-----------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1(a)(i)  | 1254                  | 2     | <b>M1</b> for $342 \div 3$                                                                                                                                                                                                                    |
| 1(a)(ii) | 27.3 or 27.27...      | 1     |                                                                                                                                                                                                                                               |
| 1(b)     | 867                   | 2     | <b>M1</b> for $1020 \times \frac{15}{100}$ oe<br>or $1020 \times \left(1 - \frac{15}{100}\right)$ oe                                                                                                                                          |
| 1(c)     | 4.5[0]                | 3     | <b>M2</b> for $\frac{79.5[0]}{100+6} [\times 6]$ oe<br>or $\frac{79.5[0]}{100+6} \times 100$ oe<br>or <b>M1</b> for 79.5[0] associated with 106[%]                                                                                            |
| 1(d)     | 22.6 or 22.58... nfww | 4     | <b>M1</b> for $\frac{45}{20}$ or better<br>and<br><b>M2</b> for $\frac{60+45}{\text{their } 2\text{h } 24\text{min} + \text{their } \frac{45}{20}}$<br>or <b>M1</b> for $\text{their } \frac{45}{20} + \text{their } 2\text{h } 24\text{min}$ |
| 1(e)     | 91.6[0] to 91.61      | 3     | <b>M2</b> for $480 \times \left(1 + \frac{2.1}{100}\right)^4 - 430$ oe<br>OR <b>M1</b> for $480 \times \left(1 + \frac{2.1}{100}\right)^4$ oe<br><b>A1</b> for 522, 521.6[0] to 521.61                                                        |
| 1(f)     | 112.8125              | 2     | <b>B1</b> for 2.5 or 9.5 seen                                                                                                                                                                                                                 |

0580/43

Cambridge IGCSE – Mark Scheme  
PUBLISHEDOctober/November  
2019

| Question  | Answer                                                                                          | Marks     | Partial Marks                                                                                                                                                     |
|-----------|-------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2(a)(i)   | $2a + a + 2b + 3b + 10 = 180$<br>leading to $3a + 5b = 170$ without error or omission           | <b>1</b>  |                                                                                                                                                                   |
| 2(a)(ii)  | $8a + 3a + 2b + b + 50 + 4b - 2a = 360$<br>leading to $9a + 7b = 310$ without error or omission | <b>1</b>  |                                                                                                                                                                   |
| 2(a)(iii) | Correct method to eliminate one variable                                                        | <b>M1</b> |                                                                                                                                                                   |
|           | $[a =]15$<br>$[b =]25$                                                                          | <b>A2</b> | <b>A1</b> for each correct value<br>If 0 scored, <b>SC1</b> for two values that satisfy one of the equations or for two correct answers with no/incorrect working |
| 2(a)(iv)  | 30                                                                                              | <b>1</b>  |                                                                                                                                                                   |
| 2(b)      | $-1.5$ or $-1\frac{1}{2}$ or $-\frac{3}{2}$                                                     | <b>2</b>  | <b>M1</b> for $6x = -12 + 3$ or better                                                                                                                            |
| 2(c)      | $\frac{3x+3}{2}$ oe final answer                                                                | <b>3</b>  | <b>M1</b> for $8x - 2y = 5x - 3$<br>or $4x - y = \frac{1}{2}(5x - 3)$<br><b>M1FT</b> for isolating the $y$ term correctly                                         |
| 2(d)      | $9x^6$                                                                                          | <b>2</b>  | <b>M1</b> for $(3x^3)^2$ or $(729x^{18})^{\frac{1}{3}}$ seen<br>or for $9x^k$ or $kx^6$ as final answer                                                           |
| 2(e)      | $\frac{x}{x-5}$ final answer nfw                                                                | <b>3</b>  | <b>M1</b> for $x(x+5)$<br><b>M1</b> for $(x-5)(x+5)$                                                                                                              |
| 3(a)      | 5, -3, 21                                                                                       | <b>3</b>  | <b>B1</b> for each                                                                                                                                                |
| 3(b)      | Fully correct curve                                                                             | <b>4</b>  | <b>B3 FT</b> for 9 or 10 points<br>or <b>B2 FT</b> for 7 or 8 points<br>or <b>B1 FT</b> for 5 or 6 points                                                         |
| 3(c)      | -2.9 to -2.7<br>0<br>1.7 to 1.9                                                                 | <b>2</b>  | <b>B1</b> for 2 correct values                                                                                                                                    |

0580/43

Cambridge IGCSE – Mark Scheme  
PUBLISHEDOctober/November  
2019

| Question  | Answer                            | Marks     | Partial Marks                                                                                                                                                                                                                    |
|-----------|-----------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3(d)      | Tangent ruled at $x = 2$          | <b>B1</b> |                                                                                                                                                                                                                                  |
|           | 10 to 14                          | <b>B2</b> | Dep on correct tangent or close attempt at tangent at $x = 2$<br><br><b>M1</b> for rise/run <b>also dep on</b> correct tangent drawn or close attempt at tangent<br>Must see correct or implied calculation from a drawn tangent |
| 3(e)      | 6                                 | <b>1</b>  |                                                                                                                                                                                                                                  |
| 4(a)      | 36.8 or 36.84...                  | <b>2</b>  | <b>M1</b> for $\frac{h}{107} = \tan 19$ or $\frac{h}{\sin 19} = \frac{107}{\sin 71}$ oe or better                                                                                                                                |
| 4(b)      | 42.1 or 42.12... from cosine rule | <b>4</b>  | <b>M2</b> for $[\cos BAC =] \frac{158^2 + 132^2 - 107^2}{2 \times 158 \times 132}$<br>or <b>M1</b> for implicit version<br><b>A1</b> for $[\cos BAC =] \frac{30939}{41712}$ or 0.7417...                                         |
| 4(c)      | 35.8 or 35.84... from sine rule   | <b>3</b>  | <b>M2</b> for $\frac{86 \times \sin 116}{132} [= 0.58557...]$<br>or <b>M1</b> for $\frac{\sin CAD}{86} = \frac{\sin 116}{132}$ oe                                                                                                |
| 4(d)      | 9670 or 9669 to 9676              | <b>3</b>  | <b>M2</b> for $\frac{1}{2} \times 158 \times 132 \times \sin(\text{their (b)})$ oe<br>and $\frac{1}{2} \times 86 \times 132 \times \sin(64 - \text{their (c)})$ oe<br>or <b>M1</b> for either area                               |
| 4(e)      | 214.2 or 214.1... or 214          | <b>2</b>  | <b>M1</b> for $[180 +]70 - \text{their (c)}$ oe                                                                                                                                                                                  |
| 5(a)(i)   | 52                                | <b>1</b>  |                                                                                                                                                                                                                                  |
| 5(a)(ii)  | 36                                | <b>1</b>  |                                                                                                                                                                                                                                  |
| 5(a)(iii) | 26                                | <b>1</b>  | <b>FT</b> 62 – <i>their</i> (a)(ii) evaluated correctly                                                                                                                                                                          |
| 5(b)      | Valid comment                     | <b>1</b>  | Strict <b>FT</b> <i>their</i> (a)(iii), e.g. distances for females are more varied                                                                                                                                               |
| 5(c)      | $\frac{11}{20}$ oe                | <b>2</b>  | <b>M1</b> for 27 written or answer of $\frac{27}{60}$ oe                                                                                                                                                                         |
| 5(d)(i)   | [18 9] 14 12 5 [2]                | <b>2</b>  | <b>B1</b> for 1 correct value                                                                                                                                                                                                    |

| Question  | Answer                                                                            | Marks     | Partial Marks                                                                                                                                                                                                                                                                                                          |
|-----------|-----------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5(d)(ii)  | 48.75 nfw                                                                         | 4         | <b>M1</b> for midpoints soi<br><b>M1</b> for use of $\sum fx$ with <i>their</i> frequencies<br><b>M1</b> (dep on 2nd M1)<br>for $\sum fx \div (60$ or by <i>their</i> $\sum f)$                                                                                                                                        |
| 6(a)(i)   | Angle $ABC=52$ nfw                                                                | <b>B1</b> | ALTERNATIVE<br>[Reflex] angle $AOC = 256$                                                                                                                                                                                                                                                                              |
|           | Opposite angles in cyclic quad oe<br>Angles in opposite segments                  | <b>B1</b> | Angle at centre = $2 \times$ angle at circumference/arc                                                                                                                                                                                                                                                                |
|           | [Angle $AOC=104$ ]<br>Angle at centre = $2 \times$ angle at circumference/arc nfw | <b>B1</b> | Angles around a point                                                                                                                                                                                                                                                                                                  |
| 6(a)(ii)  | 22 nfw                                                                            | 2         | <b>B1</b> for angle $OAC = 38$ or<br>angle $CAD = 24$                                                                                                                                                                                                                                                                  |
| 6(a)(iii) | 28                                                                                | 1         |                                                                                                                                                                                                                                                                                                                        |
| 6(a)(iv)  | 36.6 or 36.62 to 36.63 nfw                                                        | 3         | <b>B2</b> for 7.4 or 17.42 to 17.43<br>or <b>M2</b> for $9.6 \times 2 + \frac{104}{360} \times 2 \times \pi \times 9.6$<br>or <b>M1</b> for $\frac{104}{360} \times 2 \times \pi \times 9.6$                                                                                                                           |
| 6(b)(i)   | 81                                                                                | 3         | <b>M2</b> for $\frac{A}{36} = \left( \sqrt[3]{\frac{2187}{648}} \right)$ oe or better<br>or for $A \times \frac{648}{36} \times \sqrt[3]{\frac{2187}{648}} = 2187$ oe<br>or better<br>or <b>M1</b> for $\frac{A^3}{36^3} = \frac{2187^2}{648^2}$ oe<br>or $\sqrt[3]{\frac{2187}{648}}$ or $\sqrt[3]{\frac{648}{2187}}$ |
| 6(b)(ii)  | 8.05 or 8.051 to 8.052...                                                         | 3         | <b>M2</b> for $\left[ r^3 = \right] \frac{2187 \times 3}{4 \times \pi}$ oe<br>or <b>M1</b> for $\frac{4\pi r^3}{3} = 2187$<br><b>SC2</b> for $\frac{648 \times 3}{4 \times \pi}$ or <b>SC1</b> for $\frac{4\pi r^3}{3} = 648$                                                                                          |
| 7(a)      | Reflection<br>$y = -1$                                                            | 2         | <b>B1</b> for each                                                                                                                                                                                                                                                                                                     |
| 7(b)(i)   | Image at<br>$(-6, 5) (-6, 7) (-5, 7) (-4, 5)$                                     | 2         | <b>B1</b> for translation by $\begin{pmatrix} -3 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 4 \end{pmatrix}$                                                                                                                                                                                                         |

| Question  | Answer                                      | Marks | Partial Marks                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|---------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7(b)(ii)  | Image at<br>(1, -1) (3, -1) (3, -3) (2, -3) | 2     | <b>B1</b> for shape correct size and orientation but wrong position                                                                                                                                                                                                                                                                                                                |
| 7(b)(iii) | Image at<br>(1, 2) (1, 6) (3, 6) (5, 2)     | 2     | <b>B1</b> for shape correct size and orientation, wrong position                                                                                                                                                                                                                                                                                                                   |
| 8(a)(i)   | $\frac{2}{5}$ oe                            | 2     | <b>M1</b> for $\frac{4}{6} \times \frac{3}{5}$                                                                                                                                                                                                                                                                                                                                     |
| 8(a)(ii)  | $\frac{3}{5}$ oe                            | 1     | <b>FT 1</b> – <i>their</i> $\frac{12}{30}$ oe                                                                                                                                                                                                                                                                                                                                      |
| 8(b)      | $\frac{5}{7}$ oe nfwf                       | 4     | <b>M3</b> for $\frac{2}{7} + \frac{5}{7} \times \frac{2}{6} + \frac{5}{7} \times \frac{4}{6} \times \frac{2}{5}$ oe<br>or for $1 - \frac{5}{7} \times \frac{4}{6} \times \frac{3}{5}$ oe<br>or <b>M1</b> for each of $\frac{5}{7} \times \frac{2}{6}$ and $\frac{5}{7} \times \frac{4}{6} \times \frac{2}{5}$ oe<br>or completed tree diagram with appropriate probabilities shown |
| 9(a)(i)   | 5                                           | 1     |                                                                                                                                                                                                                                                                                                                                                                                    |
| 9(a)(ii)  | 1                                           | 2     | <b>M1</b> for $h(0)$ or $3^{9-x^2}$ or better                                                                                                                                                                                                                                                                                                                                      |
| 9(a)(iii) | $9 - 4x^2$ final answer                     | 1     |                                                                                                                                                                                                                                                                                                                                                                                    |
| 9(a)(iv)  | $15 - 2x^2$ final answer                    | 2     | <b>M1</b> for $2(9 - x^2) - 3$ or better                                                                                                                                                                                                                                                                                                                                           |
| 9(b)      | $\frac{x+3}{2}$ final answer                | 2     | <b>M1</b> for $x = 2y - 3$ or $y + 3 = 2x$ or better<br>or $\frac{y}{2} = x - \frac{3}{2}$                                                                                                                                                                                                                                                                                         |
| 9(c)      | 1.8 or $1\frac{4}{5}$ or $\frac{9}{5}$      | 2     | <b>M1</b> for $10x - 15 = 3$ or $2x - 3 = \frac{3}{5}$                                                                                                                                                                                                                                                                                                                             |
| 9(d)      | -1 and 4 nfwf                               | 4     | <b>M1</b> for $9 - (2x - 3)^2 = -16$<br><b>A1</b> for $4x^2 - 12x - 16 = 0$ oe<br><b>M1</b> (dep on first M1) for correct factors or use of formula or completing the square for their 3-term quadratic<br><br>OR<br><br><b>M1</b> for $9 - y^2 = -16$<br><b>A1</b> for $y^2 = 25$<br><b>M1</b> (dep on first M1) for $2x - 3 = \pm 5$                                             |
| 9(e)      | $\frac{1}{9}$                               | 1     |                                                                                                                                                                                                                                                                                                                                                                                    |

| Question   | Answer                                                                | Marks     | Partial Marks                                                                                                                                                                                                                                                                                                                                                                                    |
|------------|-----------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10         | $x + 1 - 2x = 3x(x + 1)$                                              | <b>M2</b> | <b>M1</b> for a common denominator of $x(x + 1)$ seen<br>or attempt to multiply through by denominators<br>or for $\frac{x+1-2x}{x(x+1)} = 3$                                                                                                                                                                                                                                                    |
|            | $3x^2 + 4x - 1 [= 0]$ oe nfw                                          | <b>A1</b> |                                                                                                                                                                                                                                                                                                                                                                                                  |
|            | $[x =] \frac{-4 \pm \sqrt{4^2 - 4 \times 3 \times (-1)}}{2 \times 3}$ | <b>B2</b> | <b>B1FT</b> for $\sqrt{4^2 - 4 \times 3 \times (-1)}$ or better<br>or for $\left(x + \frac{2}{3}\right)^2$<br><b>B1FT</b> for $\frac{-4 + \sqrt{q}}{2 \times 3}$ or $\frac{-4 - \sqrt{q}}{2 \times 3}$<br>or for $-\frac{2}{3} \pm \sqrt{\frac{1}{3} + \left(\frac{2}{3}\right)^2}$                                                                                                              |
|            | -1.55 and 0.22 final answers                                          | <b>B2</b> | <b>B1</b> for each<br>or<br><b>B1</b> for -1.548 to -1.549 <b>and</b> 0.215...<br>or for -1.55 <b>and</b> 0.22 seen in working<br>or for -0.22 <b>and</b> 1.55 as final answer<br>or for -1.5 or -1.54 <b>and</b> 0.2 or 0.21 as final answer                                                                                                                                                    |
| 11(a)(i)   | $8b - 4a$ oe                                                          | <b>1</b>  |                                                                                                                                                                                                                                                                                                                                                                                                  |
| 11(a)(ii)  | $6b$                                                                  | <b>1</b>  |                                                                                                                                                                                                                                                                                                                                                                                                  |
| 11(a)(iii) | $6b - 2a$ or $2(3b - a)$                                              | <b>1</b>  | <b>FT</b> $-2a + \text{their (a)(ii)}$                                                                                                                                                                                                                                                                                                                                                           |
| 11(b)      | 2 : 1 oe final answer                                                 | <b>3</b>  | Dep on correct $\overrightarrow{BC}$ or correct $\overrightarrow{AC}$ seen<br><b>B2</b> for $\overrightarrow{BC} = 4b - 2a$<br>or <b>M1</b> for a correct route for $\overrightarrow{BC}$ in terms of <b>a</b> and <b>b</b><br>or for a correct route for $\overrightarrow{AC}$ in terms of <b>a</b> and <b>b</b><br>If no/incorrect working seen then <b>SC1</b> for final answer of 2 : 1 (oe) |