GradeMax

Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME

CENTRE NUMBER | | | | | |

CANDIDATE NUMBER | | | | |

7920026899

MATHEMATICS **0580/41**

Paper 4 (Extended) **October/November 2022**

2 hours 30 minutes

You must answer on the question paper.

You will need: Geometrical instruments

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You may use tracing paper.
- You must show all necessary working clearly.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- For π, use either your calculator value or 3.142.

INFORMATION

- The total mark for this paper is 130.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **20** pages. Any blank pages are indicated.

DC (LK/CGW) 302726/3
© UCLES 2022

[Turn over

1 **(a)** Calculate the volume of


(i) a solid cylinder with radius 6 cm and height 14 cm,

..... cm^3 [2]

(ii) a solid hemisphere with radius 6 cm.
[The volume, V, of a sphere with radius r is $V = \frac{4}{3}\pi r^3$.]

..... cm^3 [2]

(b)



NOT TO SCALE

The cylinder and hemisphere in **part (a)** are joined to form the solid in the diagram.
The solid is made of steel and 1 cm^3 of steel has a mass of 7.85 g.

(i) Show that 1 cm^3 of steel has a mass of 0.007 85 kg.

[1]

(ii) Calculate the total mass of the solid.

..... kg [2]

© UCLES 2022

(c) 2000 cm^3 of iron is melted down and some of it is used to make 50 spheres with radius 2 cm.

(i) Calculate the percentage of iron that is left over.
[The volume, V, of a sphere with radius r is $V = \frac{4}{3}\pi r^3$.]

..... % [3]

(ii) The iron left over is then made into a cube.

Calculate the length of an edge of the cube.

..... cm [1]

(d) A solid cone has radius $3R$ cm and slant height $9R$ cm.
A solid cylinder has radius x cm and height $7x$ cm.
The **total** surface area of the cone is equal to the **total** surface area of the cylinder.

Given that $R = kx$, find the value of k.
[The curved surface area, A, of a cone with radius r and slant height l is $A = \pi rl$.]

$k =$ ..... [4]

© UCLES 2022

GradeMax

2 **(a)** Write

(i) 2994.99 correct to the nearest 10,

..... [1]

(ii) 0.983 correct to 1 decimal place,

..... [1]

(iii) 2090 correct to 2 significant figures.

..... [1]

(b) Write down a prime number between 90 and 100.

..... [1]

(c) Write 2^{-6} as a fraction.

..... [1]

(d) Write 0.007 01 in standard form.

..... [1]

(e) Simplify $1.5 \times 10^{x} + 1.5 \times 10^{x-1}$ giving your answer in standard form.


..... [2]

(f) Write $0.3\dot{7}$ as a fraction.
You must show all your working.

..... [2]

© UCLES 2022

3 **(a)**



Write down the inequality shown by the number line.

..... [1]

(b) $-3 \leqslant 2x+3 < 9$

(i) Solve the inequality.

..... [3]

(ii) Write down all the integer values of x that satisfy the inequality.

..... [2]

(c) Solve the equations.

(i) $3(3-x)-\frac{2(x+2)}{5}=1$

$x =$ ..... [4]

(ii) $\frac{5}{x+3}=\frac{3}{x+5}$

$x =$ ..... [3]

© UCLES 2022

GradeMax

4 **(a)** **(i)** Zak invests $500 at a rate of 2% per year simple interest.

Calculate the value of Zak's investment at the end of 5 years.

$ ..... [3]

(ii) Yasmin invests $500 at a rate of 1.8% per year compound interest.

Calculate the value of Yasmin's investment at the end of 5 years.

$ ..... [2]

(iii) Zak and Yasmin continue with these investments.

How many **more complete** years is it before the value of Yasmin's investment is greater than the value of Zak's investment?

..... [3]

© UCLES 2022

GradeMax

(b) Xavier buys a car for $2500.
The value of the car decreases exponentially at a rate of 10% each year.

Calculate the value of Xavier's car at the end of 5 years.
Give your answer correct to the nearest dollar.

$ ..... [3]

(c) The number of a certain type of bacteria increases exponentially at a rate of r% each day.
After 22 days, the number of this bacteria has doubled.

Find the value of r.


$r =$ ..... [3]

© UCLES 2022

[Turn over

GradeMax

5 **(a)** 100 students each record the time, t minutes, taken to eat a pizza.
The cumulative frequency diagram shows the results.



Find an estimate of

(i) the median,

..... min [1]

(ii) the interquartile range,

..... min [2]

(iii) the number of students taking more than 11 minutes to eat a pizza.

..... [2]

© UCLES 2022

(b) 150 students each record how far they can throw a tennis ball.
The table shows the results.

Distance (d metres)	$0 < d \leqslant 20$	$20 < d \leqslant 30$	$30 < d \leqslant 35$	$35 < d \leqslant 45$	$45 < d \leqslant 60$
Frequency	4	38	40	53	15

(i) Calculate an estimate of the mean.

..... m [4]

(ii) A histogram is drawn to show this information.
The height of the bar representing $30 < d \leqslant 35$ is 12 cm.

Calculate the height of each of the other bars.

Distance (d metres)	Frequency	Height of bar (cm)
$0 < d \leqslant 20$	4	
$20 < d \leqslant 30$	38	
$30 < d \leqslant 35$	40	12
$35 < d \leqslant 45$	53	
$45 < d \leqslant 60$	15	

[3]

(iii) Two students are chosen at random.

Find the probability that they both threw the ball more than 45 m.

..... [2]

© UCLES 2022

6 **(a)** $\mathbf{p} = \begin{pmatrix} 2 \\ 3 \end{pmatrix}$ $\mathbf{q} = \begin{pmatrix} -1 \\ 1 \end{pmatrix}$

Find

(i) $3\mathbf{q}$,

$\begin{pmatrix} \quad \\ \quad \end{pmatrix}$ [1]

(ii) $\mathbf{p} - \mathbf{q}$,

$\begin{pmatrix} \quad \\ \quad \end{pmatrix}$ [1]

(iii) $|\mathbf{p}|$.

..... [2]


(b) B is the point (2, 7) and $\overrightarrow{AB} = \begin{pmatrix} -4 \\ 6 \end{pmatrix}$.

Find the coordinates of A.

(..... , ...) [2]

© UCLES 2022

(c)



NOT TO SCALE

In triangle OGH, M is the midpoint of OH and K divides GH in the ratio 5 : 2.
$\overrightarrow{OG} = \mathbf{g}$ and $\overrightarrow{OH} = \mathbf{h}$.

Find $\overrightarrow{MK}$ in terms of **g** and **h**.
Give your answer in its simplest form.

$\overrightarrow{MK} =$ ..... [4]

© UCLES 2022

GradeMax

7 $\mathrm{f}(x) = 10 - x$ $\mathrm{g}(x) = \frac{2}{x},\ x \neq 0$ $\mathrm{h}(x) = 2^x$ $\mathrm{j}(x) = 5 - 2x$

(a) (i) Find $\mathrm{g}\left(\frac{1}{2}\right)$.

..... [1]

(ii) Find $\mathrm{hg}\left(\frac{1}{2}\right)$.

..... [1]

(b) Find x when $\mathrm{f}(x) = 7$.

$x =$ ..... [1]

(c) Find x when $\mathrm{g}(x) = \mathrm{h}(3)$.

$x =$ ..... [2]

(d) Find $\mathrm{j}^{-1}(x)$.

$\mathrm{j}^{-1}(x) =$ ..... [2]

(e) Write $\mathrm{f}(x) + \mathrm{g}(x) + 1$ as a single fraction in its simplest form.

..... [3]

© UCLES 2022

(f) $\left(\mathrm{f}(x)\right)^2 - \mathrm{ff}(x) = ax^2 + bx + c$

Find the values of a, b and c.

$a =$ .....


$b =$ .....

$\mathrm{c} =$ ..... [4]

(g) Find x when $\mathrm{h}^{-1}(x) = 10$.

$x =$ ..... [2]

8



NOT TO SCALE

The diagram shows triangle ABC on horizontal ground.
$AC = 15\,\text{m}$, $BC = 8\,\text{m}$ and $AB = 20\,\text{m}$.

BP and CQ are vertical poles of different heights.
$BP = 3\,\text{m}$ and $CQ = 4\,\text{m}$.
AQ and PQ are straight wires.

(a) Show that angle $ACB = 117.5°$, correct to 1 decimal place.

[4]

(b) Calculate the area of triangle ABC.

..... m^2 [2]

© UCLES 2022

GradeMax

(c) Calculate the length of AQ.

..... m [2]

(d) Calculate the angle of elevation of Q from P.


..... [3]

(e) Another straight wire connects A to the midpoint of PQ.

Calculate the angle between this wire and the horizontal ground.

..... [5]

9 (a)



The total of the areas of rectangles A and B is $20\,\text{cm}^2$.

(i) Show that $3x^2 + 6x - 22 = 0$.

[2]

(ii) Solve the equation $3x^2 + 6x - 22 = 0$, giving your answers correct to 4 significant figures. You must show all your working.


$x =$ ..... or $x =$ ..... [4]

(iii) Find the perimeter of rectangle B.

..... cm [1]

© UCLES 2022

(b)




The diagram shows two rectangles where $H - h = 1$.

By forming a quadratic equation and factorising, find the value of y.

$y =$ ..... [7]

GradeMax

10 (a)



NOT TO SCALE

The diagram shows a sketch of the graph of $y = f(x)$ for $-1.5 \leqslant x \leqslant 6$.
The coordinates of five points on the graph of $y = f(x)$ are shown on the diagram.

(i) $f(x) = k$ has two solutions in the interval $-1.5 \leqslant x \leqslant 6$.

Write down a possible integer value of k.

$k =$ ..... [1]

(ii) $f(x) = j$ has no solutions in the interval $-1.5 \leqslant x \leqslant 6$ when $j < a$ or $j > b$.

Find the maximum value of a and the minimum value of b.

$a =$ .....

$b =$ ..... [2]

© UCLES 2022

GradeMax

(b) Find the coordinates of the two stationary points on the graph of $y = x^6 - 6x^5$.
You must show all your working.

(..... , ...)

(..... , ...) [5]

© UCLES 2022

GradeMax

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2022