



Cambridge IGCSE™

PHYSICS**0625/53**

Paper 5 Practical Test

May/June 2020

MARK SCHEME

Maximum Mark: 40

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

This document consists of **8** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- | | |
|---|--|
| 1 | Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly. |
| 2 | The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored. |
| 3 | Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection). |
| 4 | The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted. |

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided
- Any response marked *ignore* in the mark scheme should not count towards ***n***
- Incorrect responses should not be awarded credit but will still count towards ***n***
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (*a*) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Question	Answer	Marks
1(a)(i)	five F values increasing	1
	all < 5 (N) and to at least 1 decimal place	1
1(a)(ii)	ensure distances from bench to rule at both ends are equal OR use set square between rule and stand OR align with known horizontal line (e.g. window ledge)	1
1(b)	graph: • axes labelled with quantity and unit	1
	• appropriate scales (plots occupying at least $\frac{1}{2}$ grid)	1
	• plots all correct to $\frac{1}{2}$ small square and precise plots	1
	• well judged line <u>and</u> thin line	1
1(c)(i)	F_0 correct from graph	1
1(c)(ii)	W_R in range 0.70 to 4.0	1
	2/3 sig figs and unit – N	1
1(d)	loop more accurate <u>and</u> can be placed at precise mark (owtte) / difficult to locate centre of block with other method	1

Question	Answer	Marks
2(a)(i)	V all < 4.00 (V) <u>and</u> to at least 1dp	1
2(a)(ii)	correct calculation of R_1	1
2(b)(i)	I all < 2.00 (A) <u>and</u> to at least 2dp	1
2(b)(ii)	units – A, V, Ω	1

Question	Answer	Marks
2(c)(i)	$I_2 < I_1 < I_3$	1
2(c)(ii)	R values all to consistent 2 or consistent 3 significant figures	1
2(d)	statement matching results	1
	justification matching statement with <u>values</u> from results used, e.g. within limits of experimental accuracy	1
2(e)(i)	correct symbol for variable resistor (rectangle with strike-through arrow)	1
	in correct complete series circuit	1
2(e)(ii)	can obtain average value / plot a graph	1

Question	Answer	Marks
3(a)(i)	v between 42 cm and 88 cm	1
3(a)(ii)	correct calculation of f_1 <u>with</u> unit	1
3(b)(i)	u within $\pm 10\%$ of v from (a)(i)	1
	v between 18 cm and 22 cm	1
3(b)(ii)	f_2 and f_1 to consistent 2 or consistent 3 significant figures	1
3(c)(i)	sensible value for h_0 <u>and</u> $h_1 < 1.0$ (cm)	1
3(c)(ii)	correct calculation of M <u>and</u> no unit	1
3(c)(iii)	f_3 in range 12.0 cm to 18.0 cm	1

Question	Answer	Marks
3(d)	any one from: mark position of lens on holder clamp rule / place rule on bench ensure screen, lens and object all perpendicular view scale perpendicularly	1
3(e)(i)	difficult to measure height of image (accurately) as image is small	1
3(e)(ii)	use larger object / graph paper on screen OR mark top and bottom of image and measure later	1

Question	Answer	Marks
4	MP1 additional apparatus: <u>voltmeter</u> , <u>protractor</u> , metre rule	1
	MP2 control variable (one from): distance of lamp from solar panel height of lamp / height of solar panel brightness of lamp	1
	MP3 method (one from): measure angle between panel and stand / other fixed datum (switch on lamp) measure potential difference	1
	MP4 repeat for different angle	1
	MP5 table: appropriate columns with clear headings and units	1
	MP6 analysis: suitable analysis of readings, e.g. calculation of rate of change of potential difference with angle draw a suitable graph with correct axes stated	1

Question	Answer	Marks
4	MP7 additional point / precaution (one from): reading with only ambient light first / subtract ambient light reading make room dark fix protractor keep axis of solar panel and line of lamp perpendicular to each other at least five sets of data taken repeat each reading and take an average repeat for different distance of lamp	1