



Mark Scheme (Results)

Summer 2015

Pearson Edexcel GCE
in Biology (6BI05) Paper 01
Energy, Exercise and Coordination

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2015

Publications Code UA040924*

All the material in this publication is copyright

© Pearson Education Ltd 2015

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Mark
1(a)(i)	A ; cerebrum	(1)

Question Number	Answer	Mark
1(a)(ii)	C ; hypothalamus	(1)

Question Number	Answer	Additional Guidance	Mark												
1(b)(i)	<table border="1"> <thead> <tr> <th>Stage</th> <th>Voltage-gated K⁺ channel open</th> <th>Voltage-gated K⁺ channel closed</th> <th>Voltage-gated Na⁺ channel closed</th> </tr> </thead> <tbody> <tr> <td>Depolarisation</td> <td></td> <td>✓</td> <td></td> </tr> <tr> <td>Repolarisation</td> <td>✓</td> <td></td> <td>✓</td> </tr> </tbody> </table>	Stage	Voltage-gated K ⁺ channel open	Voltage-gated K ⁺ channel closed	Voltage-gated Na ⁺ channel closed	Depolarisation		✓		Repolarisation	✓		✓	3 columns correct = 2 marks 2 columns correct = 1 mark	(2)
Stage	Voltage-gated K ⁺ channel open	Voltage-gated K ⁺ channel closed	Voltage-gated Na ⁺ channel closed												
Depolarisation		✓													
Repolarisation	✓		✓												

Question Number	Answer	Mark
1(b)(ii)	A ;	(1)

Question Number	Answer	Additional Guidance	Mark
1 (b) (iii)	In sensory neurone: 1. dendron longer; 2. dendron myelinated ; 3. axon shorter ; 4. {cell body / eq} {not at the end / towards the middle / to the side / eq } ; 5. reference to no {motor end plate / eq} ;	ALLOW converse for motor neurone 4. ACCEPT centron / nucleus for cell body	(3)

Question Number	Answer	Additional Guidance	Mark
2(a)	<ol style="list-style-type: none"> 1. idea that initiates electrical activity over atria ; 2. causes atria to contract / eq ; 3. {forcing / eq} the (oxygenated) blood into the left ventricle / eq ; 4. electrical activity from SAN {received by AVN / travels through {bundle of His / Purkyne fibres / eq }} ; 5. causing left ventricle to contract (forcing blood into aorta) / eq ; 	<ol style="list-style-type: none"> 1. ACCEPT initiates impulse / initiates depolarisaton 2. ACCEPT systole for contract 4. ACCEPT Purkinje for Purkyne 5. ACCEPT systole for contract NOT left and right 	(4)

Question Number	Answer	Additional Guidance	Mark
*2(b)	<p>(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> 1. increase in <i>respiration</i> rate in <i>muscle</i> cells ; 2. more {CO₂/<i>carbonic acid</i>/eq} in blood ; 3. more {<i>lactate / lactic acid</i>} in blood / eq ; 4. idea that <i>chemoreceptors</i> in <i>medulla</i> stimulated ; 5. ref to <i>cardiovascular</i> control centre in <i>medulla</i> ; 6. ref to <i>autonomic nervous system / sympathetic nerve</i> ; 7. more <i>impulses</i> from {<i>medulla / cardiovascular</i> control centre} to SAN OR along neurones to SAN ; 8. More {<i>noradrenaline / norepinephrine</i>} released onto SAN ; 9. SAN (excitation) rate increased / eq ; 10.(causing an) increased {heart rate / eq} / eq ; 11.Comment on other mechanism e.g. presence of <i>adrenaline</i>, stretch receptor role ; 	<p>QWC emphasis is on spelling</p> <p>2 OR 3 ACCEPT reduced blood pH</p> <p>4. ACCEPT in <i>aorta, carotid</i></p> <p>6. ACCEPT <i>accelerator</i> nerve</p> <p>10. ACCEPT beats per min for heart rate</p>	<p>(6)</p>

Question Number	Answer	Additional Guidance	Mark
2(c) (i)	Correct answer with units gains 2 marks 1 beat = $0.81 \text{ sec} / 60 \div 74 / \text{eq}$; 8.1 seconds ;	ACCEPT 8.11 seconds	(2)

Question Number	Answer	Mark
2(c) (ii)	mV / millivolts / eq ;	(1)

Question Number	Answer	Additional Guidance	Mark
3(c)(i)	1. fMRI ; and any two from: 2. (fMRI) operates in real time / eq ; 3. as experience will be short lived / eq ; 4. Active areas will {light up / be coloured / eq} (on the image) / eq ; 5. high resolution (as areas involved may be small) / eq ; 6. Safer / eq ;	2 ACCEPT live images, 4 images per second 4. ACCEPT idea of active areas require more oxygen/oxygenated blood 5 ACCEPT more pixels, image is more detailed 6. ACCEPT ref. to not using X rays, etc	(3)

Question Number	Answer	Mark
3(c)(ii)	D ;	(1)

Question Number	Answer	Additional Guidance	Mark
4 (a)	<ol style="list-style-type: none"> 1. idea that opsin uncouples from the (rod cell) cell surface membrane ; 2. trans retinal {converts / eq} to cis retinal ; 3. rhodopsin is (re)formed / eq ; 4. from opsin and retinal ; 5. idea that this results in dark adaptation ; 6. permeability of the cell surface membrane to Na⁺ increases / eq ; 7. hyperpolarisation of cell decreases / eq ; 8. (more) neurotransmitter is released / eq ; 	<p>NB IGNORE references to bipolar neurone responses IGNORE reference to retinol</p> <p>6. ACCEPT Na⁺ {enters /channels unblocked / channels open} 7. ACCEPT (partial) depolarisation / reduced potential difference 8. ACCEPT glutamate for neurotransmitter</p>	(5)

Question Number	Answer	Additional Guidance	Mark
4 (b) (i)	<ol style="list-style-type: none"> mean peak voltage increases as light intensity increases up to 9 AU / eq ; idea of {non linear increase / increase decreases} ; no further increase in change in mean peak voltage as light intensity increases from 9AU / eq ; 	<p>IGNORE speed references</p> <p>2. ACCEPT greatest change is mean peak voltage is when light intensity increases from 1 to 3</p>	(2)

Question Number	Answer	Additional Guidance	Mark
4 (b) (ii)	<p><i>As light intensity increases up to 9AU</i></p> <ol style="list-style-type: none"> idea that the greater the light intensity, the less {neurotransmitter/eq} there is binding to the neurone present ; idea that inhibition removed e.g. (more) Na⁺ channels open, (more) Na⁺ diffuses into neurone ; so peak voltage of depolarisation becomes more positive / eq ; <p><i>At high light intensities (from 9AU) :</i></p> <ol style="list-style-type: none"> idea of no {neurotransmitter/eq} binding ; sufficient Na⁺ enters / eq ; so action potential achieved ; 	<p>NB ACCEPT glutamate for neurotransmitter</p> <p>ACCEPT converse for decreasing light intensity</p> <p>3 ACCEPT increasing depolarisation</p> <p>5 ACCEPT threshold potential achieved</p>	(4)

Question Number	Answer	Additional Guidance	Mark
4(c)	<ol style="list-style-type: none">1. idea of rats have rights ;2. rats made {blind/ eq } ;3. 15 samples may not be sufficient for a reliable investigation / eq ;4. idea that rat retina may not behave like human retina (so investigation has no (potential) medical application) ;	<ol style="list-style-type: none">1. ACCEPT lack of consent given2. ACCEPT harmed, causes pain, requires killing rats4. ACCEPT tissue culture available	(2)

Question Number	Answer						Additional Guidance	Mark
5(a) (i)	Investigation	Type of respiration	Potassium hydroxide solution absent or present	Coloured liquid moved to the left	Coloured liquid moved to the right	Coloured liquid did not move		(2)
	1	Anaerobic	Absent	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
	2	Aerobic	Absent	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> ;		
	3	Aerobic	Present	<input checked="" type="checkbox"/> ;	<input type="checkbox"/>	<input type="checkbox"/>		

Question Number	Answer	Additional Guidance	Mark
5(a) (ii)	<ol style="list-style-type: none"> 1. (as anaerobic) no O₂ absorbed / eq ; 2. no CO₂ produced / eq ; 3. so no change in {volume/pressure} (so liquid does not move) ; 4. since for each 6C glucose respired, 2x3C lactate formed / eq ; 	1. ACCEPT No oxygen used	(3)

Question Number	Answer	Additional Guidance	Mark
5(a)(iii)	<ol style="list-style-type: none"> 1. (reduced NAD from glycolysis) enters mitochondria/ moves through outer mitochondrial membrane / eq ; 2. moves to inner membrane of mitochondrion / eq ; 3. becomes {oxidised /NAD / NAD⁺} ; 4. as {electrons / eq} transferred to {electron transport chain / eq} / eq ; 5. fate of hydrogen ions described e.g. pumped into membrane space ; 6. (NAD) returns to {Krebs cycle/ matrix / eq} ; 	<p>2. ACCEPT crista for inner mitochondrial membrane</p> <p>6. ACCEPT cytoplasm, glycolysis</p>	(4)

Question Number	Answer	Additional Guidance	Mark
5(b)	<ol style="list-style-type: none"> 1. same mass of each tissue / eq ; 2. idea of time being recorded for {a set distance travelled by coloured liquid OR distance coloured liquid travelled in a set time} ; 	<p>1. IGNORE amount</p>	(2)

Question Number	Answer	Additional Guidance	Mark
6(a)	<ol style="list-style-type: none"> 1. RBC will {carry/supply oxygen} ; 2. idea that low number of mitochondria present in fast twitch ; 3. so additional oxygen may have limited additional effect / eq ; 4. poor {blood supply / capillary network} in fast twitch muscle so little additional {oxygen / RBC / eq} received / eq ; 5. (in fast twitch) respiration is (primarily) anaerobic / eq ; 6. short {time duration of race/distance travelled} means minimal additional blood supplied to muscles in timeframe ; 	<p>ACCEPT converse for slow twitch muscle</p> <p>4. ACCEPT low numbers of RBC in fast twitch so extra will have minimal additional effect</p> <p>6. ACCEPT no need for oxygen because of short {time duration of race/distance travelled}</p>	(3)

Question Number	Answer	Additional Guidance	Mark
6(b)	<ol style="list-style-type: none"> 1. idea of not being fair ; 2. idea of being a poor role model for youngsters ; 3. health risk to athletes / eq ; 4. cost to {NHS / medical services / eq} of health implications / eq ; 	<p>3. ACCEPT raised blood clotting risk, harmful side effects</p>	(2)

Question Number	Answer	Additional Guidance	Mark
7(a)	<ol style="list-style-type: none">1. protein coat / eq ;2. no {cytoplasm / cell surface membrane present / eq } ;3. contains { viral genetic material / eq } ;4. very small / smaller than a bacterium / size stated ;5. response to antivirals / eq ;	<p>1. ACCEPT capsid</p> <p>2. ACCEPT no ribosomes, no organelles</p>	(2)

Question Number	Answer	Additional Guidance	Mark
*7(b)	<p>(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> 1. identify a gene that {provokes an effective immune response / codes for {antigen / eq} / inhibits <i>T. gondii</i> entering {brain/muscle} cells} ; 2. gene removed using a {restriction enzyme / endonuclease} ; 3. {same / this / eq} restriction enzyme used to open {<i>T. gondii</i> genome / eq} / eq ; 4. sticky ends {formed / eq} ; 5. ligase used to bind gene / eq ; 6. by forming phosphodiester bonds / eq ; 7. idea of method of introducing gene into pathogen ; 8. idea that gene needs to be expressed e.g. protein synthesised ; 9. idea of this protein in provoking an immune response ; 10. detail of immune response ; 	<p>QWC with emphasis on clarity of expression</p> <p>3. NOT plasmid cut open</p> <p>7. IGNORE plasmid</p> <p>8. ACCEPT synthesises antigen</p>	<p>(6)</p>

Question Number	Answer	Additional Guidance	Mark
7(c)	<ol style="list-style-type: none"> 1. idea that it binds to wasp venom so it {is removed from / can no longer bind to} receptor ; 2. idea that breaks down wasp venom so it leaves receptor ; 3. idea that wasp venom binds more readily to it than to the receptor ; 4. idea of the nature of the compound e.g. enzyme ; 		(2)

Question Number	Answer	Additional Guidance	Mark
7(d)	<ol style="list-style-type: none"> 1. idea that mass of ants and mass other insects compared ; 2. in a measured area / reference to quadrat ; 3. samples taken from other habitats / eq ; 4. reference to extrapolate to world scale ; 		(3)

Question Number	Answer	Additional Guidance	Mark
7(g)	<ol style="list-style-type: none"> (signals are) {calcium ions / Ca^{2+}} ; less (Ca^{2+}) binding to troponin so less tropomyosin {displaced / eq} ; so less myosin binding sites exposed (on actin) / less myosin binds (to actin) ; so there is a lack of muscle use / eq ; idea that muscle atrophy means muscle (mass) reduction 	<ol style="list-style-type: none"> ACCEPT muscle wastage for muscle reduction 	(4)

Question Number	Answer	Additional Guidance	Mark
7(h)	<ol style="list-style-type: none"> idea of unsuccessful breeding programme e.g.(fungi) unable to breed together / eq ; could not produce sexually viable offspring / eq ; they had {few (homologous) features in common / morphological differences / different chromosome number / eq} ; { DNA / eq } compared ; Use of electrophoresis ; {banding / eq} did not match / eq; 	<ol style="list-style-type: none"> ACCEPT cannot interbreed ACCEPT DNA hybridisation, molecular phylogeny, proteomics ACCEPT DNA profiling ACCEPT converse 	(4)

Question Number	Answer	Additional Guidance	Mark
7(i)	<ol style="list-style-type: none">1. contains xylem / eq ;2. idea that it is strong enough (to support the ant/fungus) ;3. leaf supplies { a nutrient/named nutrient/water } to fungus ;4. idea of enables effective spreading of fungal spores e.g. enables dispersal, effective reproduction ;		(2)

