



## Mark Scheme (Results)

January 2019

Pearson Edexcel International  
Advanced Subsidiary Level  
In Chemistry (WCH03)  
Paper 01 Chemistry Laboratory Skills I

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

January 2019

Publications Code WCH03\_01\_1901\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2019

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

## Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

( ) means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the meaning of the phrase or the actual word is **essential** to the answer.

ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

Question Number	Acceptable Answers	Reject	Mark
<b>1(a)</b>	Ammonia/NH <sub>3</sub> (1)	Ammonium / NH <sub>4</sub>	2
	NH <sub>4</sub> <sup>+</sup> (1)	NH <sub>4</sub>	
	IGNORE		
	Ammonium		

Question Number	Acceptable Answers	Reject	Mark
<b>1(b)(i)</b>	Silver bromide / AgBr		1
	If name and formula are given both must be correct		

Question Number	Acceptable Answers	Reject	Mark
<b>1(b)(ii)</b>	Ag <sup>+</sup> (aq) + Br <sup>-</sup> (aq) → AgBr(s)		2
	All formulae correct (1)		
	TE on halide in (b)(i)		
	All state symbols correct (1)		
	State symbols dependent on correct equation or very near miss.		

Question Number	Acceptable Answers	Reject	Mark
<b>1(b)(iii)</b>	<p><b>Route 1</b></p> <p>Precipitate does not dissolve / disappear in <b>dilute</b> (aqueous) ammonia / <b>dilute</b> <math>\text{NH}_3(\text{aq})</math> (1)</p> <p>Dissolves/disappears/soluble in <b>conc</b> ammonia / <math>\text{NH}_3</math> (1) ALLOW Partially dissolves (1)</p> <p>TE on wrong halide in (b)(i) If chloride: for soluble in dilute ammonia (1)</p> <p>If iodide: not soluble in dilute ammonia (1) not soluble in conc ammonia/ <math>\text{NH}_3</math> (1)</p> <p><b>Route 2</b></p> <p><b>MP1</b> Addition of <b>concentrated</b> sulfuric acid (1)</p> <p><b>MP2</b> Brown/orange <b>and</b> fumes/gas given off (1)</p> <p><b>MP2</b> depends on the use of sulfuric acid. Penalise missing concentrated or use of dilute sulfuric only in <b>MP1</b></p> <p>TE on wrong halide in (b)(i)</p>	Solution is soluble	2

(Total for Question 1 = 7 marks)

Question Number	Correct Answer	Reject	Mark
<b>2(a)</b>	B = Sulfuric acid / $\text{H}_2\text{SO}_4$ C = Sodium carbonate / $\text{Na}_2\text{CO}_3$ D = Hydrochloric acid / $\text{HCl} (\text{aq})$ E = Barium nitrate / $\text{Ba}(\text{NO}_3)_2$  1 correct 1 mark 2 correct 2 mark All 4 correct 3 marks  Penalise incorrect formulae only once( $\text{BaNO}_3$ etc)  Ignore state symbols even if incorrect		<b>3</b>

Question Number	Acceptable Answers	Reject	Mark
<b>2(b)(i)</b>	<p><b>MP1</b> (Dip clean) nichrome / platinum wire ALLOW NiCr for nichrome loop / rod for wire OR Silica rod (1) IGNORE inoculating / flame-test (wire)</p> <p><b>MP2 (Mark independent of MP1)</b> in (concentrated) hydrochloric acid / HCl(aq) ALLOW any mention of HCl(aq) e.g. cleaning or mixing solid and acid or making a paste/solution HCl for HCl(aq) (1)  IGNORE Dilute</p> <p><b>MP3</b> then dipped in solid <b>and</b> placed in (hot / roaring / colourless / blue-cone) (Bunsen) <b>flame</b>  ALLOW  salt / compound / substance / paste / sample / solution for 'solid' On / over / under / near / show / above for 'in' (1)</p>	<p>Nickel / chrome / Chromium</p> <p>Spatula Splint</p> <p>Other acids</p> <p>Just 'Bunsen'</p> <p>Metal</p>	<b>3</b>

Question Number	Acceptable Answers	Reject	Mark
<b>2(b)(ii)</b>	<p>Barium nitrate: (pale / apple) Green (1)</p> <p>Sodium carbonate: (persistent) Yellow (1)</p> <p>ALLOW Orange or yellow-orange or golden yellow for sodium carbonate</p>		<b>2</b>

(Total for Question 2 = 8 marks)

Question Number	Acceptable Answers	Reject	Mark
<b>3(a)</b>	<p><b>MP1</b> Starch (solution) (1)</p> <p><b>MP2</b> (dark)blue-black / blue / black to colourless</p> <p><b>MP2</b> dependent on starch indicator but if no indicator is given the correct colour change scores <b>MP2</b></p> <p>IGNORE Clear</p>	Purple / pale blue	2

Question Number	Acceptable Answers	Reject	Mark								
<b>3(b)(i)</b>	<table border="1"> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>23.65</td> <td>22.8(0)</td> <td>23.2(0)</td> <td>22.7(0)</td> </tr> </table> <p>All four required.</p>	1	2	3	4	23.65	22.8(0)	23.2(0)	22.7(0)		1
1	2	3	4								
23.65	22.8(0)	23.2(0)	22.7(0)								

Question Number	Acceptable Answers	Reject	Mark
<b>3(b)(ii)</b>	<p><b>MP1</b> Titres 2 and 4. OR Values (1)</p> <p><b>MP2</b> They are concordant / within 0.2/0.1 cm<sup>3</sup> of each other (1)</p> <p>IGNORE</p> <p>Close / near/consistent</p> <p>If the wrong titres are selected <b>MP2</b> cannot be scored</p>	Any difference less than 0.1 cm <sup>3</sup> or greater than 0.2 cm <sup>3</sup>	2

Question Number	Acceptable Answers	Reject	Mark
<b>3(b)(iii)</b>	$(\{22.80 + 22.70\} / 2 =) 22.75 \text{ (cm}^3\text{)}$  TE on titres selected in (b)(ii)		1

Question Number	Acceptable Answers	Reject	Mark
<b>3(b)(iv)</b>	Penalise 1 SF and / or incorrect rounding once only in (b)(iv) to (b)(vii) Do not penalise correct intermediate rounding If units are given they must be correct, but penalise once only.  $(22.75 \times 0.0600/1000) = 1.365 \times 10^{-3} \text{ (mol)} / 0.001365\text{(mol)}$  TE from 3(b)(iii)		1

Question Number	Acceptable Answers	Reject	Mark
<b>3(b)(v)</b>	$(1.365 \times 10^{-3}/2 =) 6.825 \times 10^{-4} / 0.0006825 \text{ (mol)}$  TE from 3(b)(iv): 3(b)(iv) divided by 2		1

Question Number	Acceptable Answers	Reject	Mark
<b>3(b)(vi)</b>	$(6.825 \times 10^{-4} \times 10 =) 6.825 \times 10^{-3} \text{ (mol)} / 0.006825\text{(mol)}$  TE from 3(b)(v): 3(b)(v) multiplied by 10		1

Question Number	Acceptable Answers	Reject	Mark
<b>3(b)(vii)</b>	$(6.825 \times 10^{-3} \times 1000/10 =) 6.825 \times 10^{-1} / 0.6825 \text{ (mol dm}^{-3}\text{)}$  TE from 3(b)(vi): 3(b)(vi) multiplied by 100		1

Question Number	Acceptable Answers	Reject	Mark
<b>3(c)</b>	<p><b>Route 1</b></p> <p><b>MP1</b> Dissolve solid (in a beaker/conical flask) in distilled / deionised water (1)</p> <p><b>MP2</b> Pour (the solution) into volumetric flask (using a funnel) <b>with</b> washings (1)</p> <p><b>MP3</b> Make( the volumetric flask) up to the mark/specified volume e.g. 250cm<sup>3</sup> <b>and</b> shake (1)</p> <p><b>Route 2</b></p> <p><b>MP1</b> Transfer solid to volumetric flask and add distilled / deionised water (1)</p> <p><b>MP2</b> Dissolve and make up to the mark / specified volume e.g. 250cm<sup>3</sup> (1)</p> <p><b>MP3</b> Shake the flask</p> <p><b>MP3</b> dependent on solution previously being made up to the mark.</p> <p>ALLOW</p> <p>Any indication of mixing e.g. swirl / invert / stir</p>	<p>Any other liquid</p> <p>Titration description</p>	3

(Total for Question 3 = 13 marks)

Question Number	Acceptable Answers	Reject	Mark
<b>4(a)</b>	<p>Any <b>three</b> from</p> <p>Same amount / moles of solid or Same amount / moles metal oxide Or Same amount / moles of catalyst</p> <p>ALLOW Same mass (1)</p> <p>Same sized particles / same surface area</p> <p>ALLOW All powders (1)</p> <p>IGNORE All lumps or all granules Same sized solid Same physical state</p> <p>Same concentration of H<sub>2</sub>O<sub>2</sub> (1)</p> <p>IGNORE Same amount/volume of hydrogen peroxide</p> <p>Same temperature (1)</p> <p>Same time to replace bung (1)</p> <p>IGNORE Same pressure Same conditions Same shaking Same light Same time</p>	Same concentration of solid	3

Question Number	Acceptable Answers	Reject	Mark
<b>4(b)</b>	Volume / cm <sup>3</sup> (of oxygen /gas) (1)  Time (1)  The time taken to produce a certain / same volume (of oxygen) or The volume of (oxygen) produced in a certain time (2)	Time for reaction to finish	2

Question Number	Acceptable Answers	Reject	Mark
<b>4(c)</b>	Place solid into a small test tube / container (attached with thread) and knock it over	Any other method	1

Question Number	Acceptable Answers	Reject	Mark
<b>4(d)</b>	Weigh metal oxide before and after use (1)  Filter/decant (and dry) OR compare masses (1)  Measure change in mass of metal oxide before and after the experiment scores (2)  OR  Repeat experiment with different amounts of oxide (1)  Compare (total) volume of oxygen given off (1)  OR  Repeat experiment with a non-oxide catalyst (1) Compare (total) volume of oxygen given off (1)  OR  If the oxide has lost oxygen the metal will remain. Look / test for the metal. Scores (1)	Carry out the experiment without the catalyst  Heating the metal oxides and test for oxygen	2

**(Total for Question 4) = 8 marks**

Question Number	Acceptable Answers	Reject	Mark
<b>5(a)</b>	Reagent: (concentrated)Potassium hydroxide / KOH / sodium hydroxide / NaOH (1)	ethanoic	2
	Conditions: Alcoholic / ethanolic / ethanol / alcohol / alc (heat) (1)		
	Conditions mark dependent on the correct reagent.		

Question Number	Acceptable Answers	Reject	Mark
<b>5(b)(i)</b>	Bromine water / bromine dissolved in organic solvent (1)	Red UV light	2
	yellow / orange / brown <b>and</b> turns colourless/decolourises (1)		
	OR Bromine/Br <sub>2</sub> (1)	UV light	
	Red/ brown/red brown <b>and</b> turns colourless/decolourises (1)		
	IGNORE Goes clear	Hydrochloric acid	
	OR Acidified / H <sup>+</sup> / H <sub>3</sub> O <sup>+</sup> / sulfuric acid / H <sub>2</sub> SO <sub>4</sub> <b>and</b> KMnO <sub>4</sub> / MnO <sub>4</sub> <sup>-</sup> /potassium permanganate / manganate(VII) (1)		
	Pink or purple <b>and</b> turns colourless / decolourises (1)		
	IGNORE Goes clear		
	Result dependent on correct reagent or very near miss such as missing out the acid with KMnO <sub>4</sub>		

Question Number	Acceptable Answers	Reject	Mark
5 (b)(ii)	<p>For bromine / bromine in an organic solvent</p> $  \begin{array}{c}  \text{H} & \text{H} & \text{H} \\    &   &   \\  \text{H}-\text{C}- & \text{C}- & \text{C}-\text{H} \\    &   &   \\  \text{H} & \text{Br} & \text{Br}  \end{array}  $ <p>For bromine water</p> $  \begin{array}{c}  \text{H} & \text{H} & \text{H} \\    &   &   \\  \text{H}-\text{C}- & \text{C}- & \text{C}-\text{H} \\    &   &   \\  \text{H} & \text{O} & \text{Br} \\  &   & \\  & \text{H} &  \end{array}  $ <p>OR</p> $  \begin{array}{c}  \text{H} & \text{H} & \text{H} \\    &   &   \\  \text{H}-\text{C}- & \text{C}- & \text{C}-\text{H} \\    &   &   \\  \text{H} & \text{Br} & \text{O} \\  & &   \\  & & \text{H}  \end{array}  $ <p>ALLOW</p> $  \begin{array}{c}  \text{H} & \text{H} & \text{H} \\    &   &   \\  \text{H}-\text{C}- & \text{C}- & \text{C}-\text{H} \\    &   &   \\  \text{H} & \text{Br} & \text{Br}  \end{array}  $ <p>For potassium manganate(VII)</p> $  \begin{array}{c}  \text{H} & \text{H} & \text{H} \\    &   &   \\  \text{H}-\text{C}- & \text{C}- & \text{C}-\text{H} \\    &   &   \\  \text{H} & \text{O} & \text{O} \\  &   &   \\  & \text{H} & \text{H}  \end{array}  $ <p>ALLOW</p> <p>Undisplayed methyl groups / OH groups / skeletal / structural formulae</p> <p>Connectivity of OH except if C—H—O</p>	1,3—addition products	1



Question Number	Acceptable Answers	Reject	Mark
<b>5 (d)(i)</b>	Orange to green ALLOW Orange to green-blue or Orange to blue		1

Question Number	Acceptable Answers	Reject	Mark
<b>5 (d)(ii)</b>	<p><b>MP1</b> Any heat source <b>and</b> round bottom / pear shaped flask ALLOW just arrow for heat / <b>hot</b> water bath/electric heater (1)</p> <p>IGNORE Lack of liquid in the flask</p> <p><b>MP2</b> Correct condenser sloping downwards <b>and</b> with water entering at bottom and leaving at top ALLOW Just arrows for water direction (1)</p> <p>IGNORE Lack of obvious joint between flask and condenser (i.e. one piece apparatus) Length of the neck of the flask</p> <p><b>MP3</b> Still head shut at the top (with a thermometer) <b>and</b> no obvious gaps between condenser and flask <b>and</b> a receiver (1)</p> <p>IGNORE Line between flask and condenser Ignore position of thermometer if drawn Lack or presence of anti bumping granules</p> <p>ALLOW Reflux apparatus can score <b>MP1</b> only.</p>	<p>Conical flask</p> <p>Sealed system or open vessel</p>	3

Question Number	Acceptable Answers	Reject	Mark
<b>5 (d)(iii)</b>	No <b>peak / trough</b> due to the O-H / -OH / -O-H (absorption/stretch in alcohols)  IGNORE reference to aldehyde group		1

**Total for Question 5 = 14 marks**

**TOTAL FOR PAPER = 50 MARKS**

