

Write your name here	
Surname	Other names
Pearson Edexcel Certificate	
Pearson Edexcel International GCSE	Centre Number
Candidate Number 	
Chemistry Unit: KCH0/4CH0 Paper: 2C	
Wednesday 18 January 2017 – Afternoon Time: 1 hour	Paper Reference KCH0/2C 4CH0/2C
You must have: Calculator	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P48389A

©2017 Pearson Education Ltd.

1/2/1/1/1/1/



THE PERIODIC TABLE

Period

1 2 3 4 5 6 7 0

Group

1	2	3	4	5	6	7	0																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1	7 Li Lithium 3	8 Be Beryllium 4	9 B Boron 5	10 C Carbon 6	11 N Nitrogen 7	12 O Oxygen 8	13 F Fluorine 9	14 Ne Neon 10																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
2	19 K Potassium 19	20 Ca Calcium 20	21 Sc Scandium 21	22 Ti Titanium 22	23 V Vanadium 23	24 Cr Chromium 24	25 Mn Manganese 25	26 Fe Iron 26	27 Co Cobalt 27	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36																																																																																																																																																																																																																																																																																																																																																																																																																																																										
3	39 Y Yttrium 39	40 Zr Zirconium 40	41 Nb Niobium 41	42 Mo Molybdenum 42	43 Tc Technetium 43	44 Ru Ruthenium 44	45 Rh Rhodium 45	46 Pd Palladium 46	47 Ag Silver 47	48 Cd Cadmium 48	49 In Indium 49	50 Sn Tin 50	51 Sb Antimony 51	52 Te Tellurium 52	53 I Iodine 53	54 Xe Xenon 54	55 Ba Barium 56	56 La Lanthanum 57	57 Ce Cerium 58	58 Pr Praseodymium 59	59 Nd Neodymium 60	60 Pm Promethium 61	61 Sm Samarium 62	62 Eu Europium 63	63 Gd Gadolinium 64	64 Tb Terbium 65	65 Dy Dysprosium 66	66 Ho Holmium 67	67 Er Erbium 68	68 Tm Thulium 69	69 Yb Ytterbium 70	70 Lu Lutetium 71	71 Hf Hafnium 72	72 Ta Tantalum 73	73 W Tungsten 74	74 Re Rhenium 75	75 Os Osmium 76	76 Ir Iridium 77	77 Pt Platinum 78	78 Au Gold 79	79 Hg Mercury 80	80 Tl Thallium 81	81 Pb Lead 82	82 Bi Bismuth 83	83 Po Polonium 84	84 At Astatine 85	85 Rn Radon 86																																																																																																																																																																																																																																																																																																																																																																																																																													
4	87 Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89	90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	94 Pu Plutonium 94	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99	100 Fm Fermium 100	101 Md Mendelevium 101	102 No Nobelium 102	103 Lr Lawrencium 103	104 Rf Rutherfordium 104	105 Db Dubnium 105	106 Sg Seaborgium 106	107 Bh Bohrium 107	108 Hs Hassium 108	109 Mt Meitnerium 109	110 Ds Darmstadtium 110	111 Rg Roentgenium 111	112 Nh Nihonium 112	113 Fl Flerovium 113	114 Lv Livermorium 114	115 Ts Tennessine 115	116 Og Oganesson 116	117 Uue Ununseptium 117	118 Uuo Ununoctium 118	119 Uuh Ununhennium 119	120 Uuq Ununquadium 120	121 Uus Ununseptium 121	122 Uuo Ununoctium 122	123 Uuh Ununhennium 123	124 Uuq Ununquadium 124	125 Uus Ununseptium 125	126 Uuo Ununoctium 126	127 Uuh Ununhennium 127	128 Uuq Ununquadium 128	129 Uus Ununseptium 129	130 Uuo Ununoctium 130	131 Uuh Ununhennium 131	132 Uuq Ununquadium 132	133 Uus Ununseptium 133	134 Uuo Ununoctium 134	135 Uuh Ununhennium 135	136 Uuq Ununquadium 136	137 Uus Ununseptium 137	138 Uuo Ununoctium 138	139 Uuh Ununhennium 139	140 Uuq Ununquadium 140	141 Uus Ununseptium 141	142 Uuo Ununoctium 142	143 Uuh Ununhennium 143	144 Uuq Ununquadium 144	145 Uus Ununseptium 145	146 Uuo Ununoctium 146	147 Uuh Ununhennium 147	148 Uuq Ununquadium 148	149 Uus Ununseptium 149	150 Uuo Ununoctium 150	151 Uuh Ununhennium 151	152 Uuq Ununquadium 152	153 Uus Ununseptium 153	154 Uuo Ununoctium 154	155 Uuh Ununhennium 155	156 Uuq Ununquadium 156	157 Uus Ununseptium 157	158 Uuo Ununoctium 158	159 Uuh Ununhennium 159	160 Uuq Ununquadium 160	161 Uus Ununseptium 161	162 Uuo Ununoctium 162	163 Uuh Ununhennium 163	164 Uuq Ununquadium 164	165 Uus Ununseptium 165	166 Uuo Ununoctium 166	167 Uuh Ununhennium 167	168 Uuq Ununquadium 168	169 Uus Ununseptium 169	170 Uuo Ununoctium 170	171 Uuh Ununhennium 171	172 Uuq Ununquadium 172	173 Uus Ununseptium 173	174 Uuo Ununoctium 174	175 Uuh Ununhennium 175	176 Uuq Ununquadium 176	177 Uus Ununseptium 177	178 Uuo Ununoctium 178	179 Uuh Ununhennium 179	180 Uuq Ununquadium 180	181 Uus Ununseptium 181	182 Uuo Ununoctium 182	183 Uuh Ununhennium 183	184 Uuq Ununquadium 184	185 Uus Ununseptium 185	186 Uuo Ununoctium 186	187 Uuh Ununhennium 187	188 Uuq Ununquadium 188	189 Uus Ununseptium 189	190 Uuo Ununoctium 190	191 Uuh Ununhennium 191	192 Uuq Ununquadium 192	193 Uus Ununseptium 193	194 Uuo Ununoctium 194	195 Uuh Ununhennium 195	196 Uuq Ununquadium 196	197 Uus Ununseptium 197	198 Uuo Ununoctium 198	199 Uuh Ununhennium 199	200 Uuq Ununquadium 200	201 Uus Ununseptium 201	202 Uuo Ununoctium 202	203 Uuh Ununhennium 203	204 Uuq Ununquadium 204	205 Uus Ununseptium 205	206 Uuo Ununoctium 206	207 Uuh Ununhennium 207	208 Uuq Ununquadium 208	209 Uus Ununseptium 209	210 Uuo Ununoctium 210	211 Uuh Ununhennium 211	212 Uuq Ununquadium 212	213 Uus Ununseptium 213	214 Uuo Ununoctium 214	215 Uuh Ununhennium 215	216 Uuq Ununquadium 216	217 Uus Ununseptium 217	218 Uuo Ununoctium 218	219 Uuh Ununhennium 219	220 Uuq Ununquadium 220	221 Uus Ununseptium 221	222 Uuo Ununoctium 222	223 Uuh Ununhennium 223	224 Uuq Ununquadium 224	225 Uus Ununseptium 225	226 Uuo Ununoctium 226	227 Uuh Ununhennium 227	228 Uuq Ununquadium 228	229 Uus Ununseptium 229	230 Uuo Ununoctium 230	231 Uuh Ununhennium 231	232 Uuq Ununquadium 232	233 Uus Ununseptium 233	234 Uuo Ununoctium 234	235 Uuh Ununhennium 235	236 Uuq Ununquadium 236	237 Uus Ununseptium 237	238 Uuo Ununoctium 238	239 Uuh Ununhennium 239	240 Uuq Ununquadium 240	241 Uus Ununseptium 241	242 Uuo Ununoctium 242	243 Uuh Ununhennium 243	244 Uuq Ununquadium 244	245 Uus Ununseptium 245	246 Uuo Ununoctium 246	247 Uuh Ununhennium 247	248 Uuq Ununquadium 248	249 Uus Ununseptium 249	250 Uuo Ununoctium 250	251 Uuh Ununhennium 251	252 Uuq Ununquadium 252	253 Uus Ununseptium 253	254 Uuo Ununoctium 254	255 Uuh Ununhennium 255	256 Uuq Ununquadium 256	257 Uus Ununseptium 257	258 Uuo Ununoctium 258	259 Uuh Ununhennium 259	260 Uuq Ununquadium 260	261 Uus Ununseptium 261	262 Uuo Ununoctium 262	263 Uuh Ununhennium 263	264 Uuq Ununquadium 264	265 Uus Ununseptium 265	266 Uuo Ununoctium 266	267 Uuh Ununhennium 267	268 Uuq Ununquadium 268	269 Uus Ununseptium 269	270 Uuo Ununoctium 270	271 Uuh Ununhennium 271	272 Uuq Ununquadium 272	273 Uus Ununseptium 273	274 Uuo Ununoctium 274	275 Uuh Ununhennium 275	276 Uuq Ununquadium 276	277 Uus Ununseptium 277	278 Uuo Ununoctium 278	279 Uuh Ununhennium 279	280 Uuq Ununquadium 280	281 Uus Ununseptium 281	282 Uuo Ununoctium 282	283 Uuh Ununhennium 283	284 Uuq Ununquadium 284	285 Uus Ununseptium 285	286 Uuo Ununoctium 286	287 Uuh Ununhennium 287	288 Uuq Ununquadium 288	289 Uus Ununseptium 289	290 Uuo Ununoctium 290	291 Uuh Ununhennium 291	292 Uuq Ununquadium 292	293 Uus Ununseptium 293	294 Uuo Ununoctium 294	295 Uuh Ununhennium 295	296 Uuq Ununquadium 296	297 Uus Ununseptium 297	298 Uuo Ununoctium 298	299 Uuh Ununhennium 299	300 Uuq Ununquadium 300	301 Uus Ununseptium 301	302 Uuo Ununoctium 302	303 Uuh Ununhennium 303	304 Uuq Ununquadium 304	305 Uus Ununseptium 305	306 Uuo Ununoctium 306	307 Uuh Ununhennium 307	308 Uuq Ununquadium 308	309 Uus Ununseptium 309	310 Uuo Ununoctium 310	311 Uuh Ununhennium 311	312 Uuq Ununquadium 312	313 Uus Ununseptium 313	314 Uuo Ununoctium 314	315 Uuh Ununhennium 315	316 Uuq Ununquadium 316	317 Uus Ununseptium 317	318 Uuo Ununoctium 318	319 Uuh Ununhennium 319	320 Uuq Ununquadium 320	321 Uus Ununseptium 321	322 Uuo Ununoctium 322	323 Uuh Ununhennium 323	324 Uuq Ununquadium 324	325 Uus Ununseptium 325	326 Uuo Ununoctium 326	327 Uuh Ununhennium 327	328 Uuq Ununquadium 328	329 Uus Ununseptium 329	330 Uuo Ununoctium 330	331 Uuh Ununhennium 331	332 Uuq Ununquadium 332	333 Uus Ununseptium 333	334 Uuo Ununoctium 334	335 Uuh Ununhennium 335	336 Uuq Ununquadium 336	337 Uus Ununseptium 337	338 Uuo Ununoctium 338	339 Uuh Ununhennium 339	340 Uuq Ununquadium 340	341 Uus Ununseptium 341	342 Uuo Ununoctium 342	343 Uuh Ununhennium 343	344 Uuq Ununquadium 344	345 Uus Ununseptium 345	346 Uuo Ununoctium 346	347 Uuh Ununhennium 347	348 Uuq Ununquadium 348	349 Uus Ununseptium 349	350 Uuo Ununoctium 350	351 Uuh Ununhennium 351	352 Uuq Ununquadium 352	353 Uus Ununseptium 353	354 Uuo Ununoctium 354	355 Uuh Ununhennium 355	356 Uuq Ununquadium 356	357 Uus Ununseptium 357	358 Uuo Ununoctium 358	359 Uuh Ununhennium 359	360 Uuq Ununquadium 360	361 Uus Ununseptium 361	362 Uuo Ununoctium 362	363 Uuh Ununhennium 363	364 Uuq Ununquadium 364	365 Uus Ununseptium 365	366 Uuo Ununoctium 366	367 Uuh Ununhennium 367	368 Uuq Ununquadium 368	369 Uus Ununseptium 369	370 Uuo Ununoctium 370	371 Uuh Ununhennium 371	372 Uuq Ununquadium 372	373 Uus Ununseptium 373	374 Uuo Ununoctium 374	375 Uuh Ununhennium 375	376 Uuq Ununquadium 376	377 Uus Ununseptium 377	378 Uuo Ununoctium 378	379 Uuh Ununhennium 379	380 Uuq Ununquadium 380	381 Uus Ununseptium 381	382 Uuo Ununoctium 382	383 Uuh Ununhennium 383	384 Uuq Ununquadium 384	385 Uus Ununseptium 385	386 Uuo Ununoctium 386	387 Uuh Ununhennium 387	388 Uuq Ununquadium 388	389 Uus Ununseptium 389	390 Uuo Ununoctium 390	391 Uuh Ununhennium 391	392 Uuq Ununquadium 392	393 Uus Ununseptium 393	394 Uuo Ununoctium 394	395 Uuh Ununhennium 395	396 Uuq Ununquadium 396	397 Uus Ununseptium 397	398 Uuo Ununoctium 398	399 Uuh Ununhennium 399	400 Uuq Ununquadium 400	401 Uus Ununseptium 401	402 Uuo Ununoctium 402	403 Uuh Ununhennium 403	404 Uuq Ununquadium 404	405 Uus Ununseptium 405	406 Uuo Ununoctium 406	407 Uuh Ununhennium 407	408 Uuq Ununquadium 408	409 Uus Ununseptium 409	410 Uuo Ununoctium 410	411 Uuh Ununhennium 411	412 Uuq Ununquadium 412	413 Uus Ununseptium 413	414 Uuo Ununoctium 414	415 Uuh Ununhennium 415	416 Uuq Ununquadium 416	417 Uus Ununseptium 417	418 Uuo Ununoctium 418	419 Uuh Ununhennium 419	420 Uuq Ununquadium 420	421 Uus Ununseptium 421	422 Uuo Ununoctium 422	423 Uuh Ununhennium 423	424 Uuq Ununquadium 424	425 Uus Ununseptium 425	426 Uuo Ununoctium 426	427 Uuh Ununhennium 427	428 Uuq Ununquadium 428	429 Uus Ununseptium 429	430 Uuo Ununoctium 430	431 Uuh Ununhennium 431	432 Uuq Ununquadium 432	433 Uus Ununseptium 433	434 Uuo Ununoctium 434	435 Uuh Ununhennium 435	436 Uuq Ununquadium 436	437 Uus Ununseptium 437	438 Uuo Ununoctium 438	439 Uuh Ununhennium 439	440 Uuq Ununquadium 440	441 Uus Ununseptium 441	442 Uuo Ununoctium 442	443 Uuh Ununhennium 443	444 Uuq Ununquadium 444	445 Uus Ununseptium 445	446 Uuo Ununoctium 446	447 Uuh Ununhennium 447	448 Uuq Ununquadium 448	449 Uus Ununseptium 449	450 Uuo Ununoctium 450	451 Uuh Ununhennium 451	452 Uuq Ununquadium 452	453 Uus Ununseptium 453	454 Uuo Ununoctium 454	455 Uuh Ununhennium 455	456 Uuq Ununquadium 456	457 Uus Ununseptium 457	458 Uuo Ununoctium 458	459 Uuh Ununhennium 459	460 Uuq Ununquadium 460	461 Uus Ununseptium 461	462 Uuo Ununoctium 462	463 Uuh Ununhennium 463	464 Uuq Ununquadium 464	465 Uus Ununseptium 465	466 Uuo Ununoctium 466	467 Uuh Ununhennium 467	468 Uuq Ununquadium 468	469 Uus Ununseptium 469	470 Uuo Ununoctium 470	471 Uuh Ununhennium 471	472 Uuq Ununquadium 472	473 Uus Ununseptium 473	474 Uuo Ununoctium 474	475 Uuh Ununhennium 475	476 Uuq Ununquadium 476	477 Uus Ununseptium 477	478 Uuo Ununoctium 478	479 Uuh Ununhennium 479	480 Uuq Ununquadium 480	481 Uus Ununseptium 481	482 Uuo Ununoctium 482	483 Uuh Ununhennium 483	484 Uuq Ununquadium 484	485 Uus Ununseptium 485	486 Uuo Ununoctium 486	487 Uuh Ununhennium 487	488 Uuq Ununquadium 488	489 Uus Ununseptium 489	490 Uuo Ununoctium 490	491 Uuh Ununhennium 491	492 Uuq Ununquadium 492	493 Uus Ununseptium 493	494 Uuo Ununoctium 494	495 Uuh Ununhennium 495	496 Uuq Ununquadium 496	497 Uus Ununseptium 497	498 Uuo Ununoctium 498	499 Uuh Ununhennium 499	500 Uuq Ununquadium 500	501 Uus Ununseptium 501	502 Uuo Ununoctium 502	503 Uuh Ununhennium 503	504 Uuq Ununquadium 504	505 Uus Ununseptium 505	506 Uuo Ununoctium 506	507 Uuh Ununhennium 507	508 Uuq Ununquadium 508	509 Uus Ununseptium 509	510 Uuo Ununoctium 510	511 Uuh Ununhennium 511	512 Uuq Ununquadium 512	513 Uus Ununseptium 513	514 Uuo Ununoctium 514	515 Uuh Ununhennium 515	516 Uuq Ununquadium 516	517 Uus Ununseptium 517	518 Uuo Ununoctium 518	519 Uuh Ununhennium 519	520 Uuq Ununquadium 520	521 Uus Ununseptium 521	522 Uuo Ununoctium 522	523 Uuh Ununhennium 523	524 Uuq Ununquadium 524	525 Uus Ununseptium 525	526 Uuo Ununoctium 526	527 Uuh Ununhennium 527	528 Uuq Ununquadium 528	529 Uus Ununseptium 529	530 Uuo Ununoctium 530	531 Uuh Ununhennium 531	532 Uuq Ununquadium 532	533 Uus Ununseptium 533	534 Uuo Ununoctium 534	535 Uuh Ununhennium 535	536 Uuq Ununquadium 536	537 Uus Ununseptium 537	538 Uuo Ununoctium 538	539 Uuh Ununhennium 539	540 Uuq Ununquadium 540	541 Uus Ununseptium 541	542 Uuo Ununoctium 542	543 Uuh Ununhennium 543	544 Uuq Ununquadium 544	545 Uus Ununseptium 545	546 Uuo Ununoctium

Answer ALL questions.

- 1** The box contains the names of some substances.

air	chlorine	hydrogen	iron
nitrogen	oxygen	potassium	sodium

Choose a substance from the box that best matches each description.

Each substance may be used once, more than once or not at all.

- (a) Which substance is a mixture?

(1)

- (b) Which substance is a gas that makes a squeaky pop when ignited?

(1)

- (c) Which substance is an element that is a green gas at room temperature?

(1)

- (d) Which substance is used to sterilise water?

(1)

- (e) Which substance is a metal that can be made by heating its oxide with carbon?

(1)

(Total for Question 1 = 5 marks)



2 Oxides can be made by burning elements in air.

The table gives some information about the oxides of four elements.

Element	Physical state of oxide at room temperature	Solubility of oxide in water	Type of solution formed when oxide dissolves in water
calcium	solid	slightly soluble	alkaline
carbon	gas	slightly soluble	acidic
magnesium	solid	slightly soluble	alkaline
sulfur	gas	very soluble	acidic

(a) Calcium and magnesium are metals. Carbon and sulfur are non-metals.

- (i) Using only information from the table, state two ways in which the oxides of the metals are similar to each other.

(1)

.....

.....

.....

.....

- (ii) Using only information from the table, state two ways in which the oxides of the non-metals are similar to each other.

(1)

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) A teacher tells his students that when phosphorus burns in air a white solid oxide forms. This oxide is very soluble in water and forms an acidic solution.

(i) One student states that phosphorus is a metal.

Use information from the table to suggest why the student made this statement.


(1)

(ii) Another student states that phosphorus is a non-metal.

Use information from the table to suggest why the student made this statement.

(1)

(c) An experiment using this apparatus shows that phosphorus is a non-metal.



Explain how this experiment shows that phosphorus is a non-metal.


(2)

(Total for Question 2 = 6 marks)



3 This question is about the reactivity of metals.

(a) This apparatus can be used to compare the reactivities of different metals.



A metal is heated with the oxide of a different metal.

The table shows the results of two experiments.

Mixture	Result
titanium + tin oxide	reaction
titanium + calcium oxide	no reaction

Explain how these results show the order of reactivity of calcium, tin and titanium.

(3)

.....

.....

.....

.....

.....

.....


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA



(b) The diagram shows a method of making iron.



(i) The word equation for the reaction that occurs is



Write a chemical equation for this reaction.

(1)

(ii) Explain which substance is oxidised in this reaction.

(2)

(iii) Explain why aluminium and iron(III) oxide are used in powdered form rather than large pieces.

(2)

(Total for Question 3 = 8 marks)



4 Chemical tests can be used to detect ions in solids and in aqueous solutions.

- (a) A solid produces a gas when heated with sodium hydroxide solution. Damp red litmus paper is turned blue by the gas.

Which of these ions is present in the solid?

(1)

- ☐ A Cu^{2+}
☐ B Fe^{2+}
☐ C Fe^{3+}
☐ D NH_4^+

- (b) When dilute nitric acid is added to an aqueous solution, followed by silver nitrate solution, a yellow precipitate forms.

Which of these halide ions is present in the aqueous solution?

(1)

- ☐ A Br^-
☐ B Cl^-
☐ C F^-
☐ D I^-

- (c) When dilute hydrochloric acid is added to a solid, a gas forms.

Which of these ions is present in the solid?

(1)

- ☐ A carbonate
☐ B hydroxide
☐ C nitrate
☐ D sulfate

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (d) Sodium hydroxide solution is added separately to three solutions.

One solution contains Cu^{2+} ions, another contains Fe^{2+} ions and the third solution contains Fe^{3+} ions.

Which row shows the correct colours of the precipitates that form?

(1)

	Cu^{2+}	Fe^{2+}	Fe^{3+}
☐ A	green	blue	brown
☐ B	brown	green	blue
☐ C	blue	green	brown
☐ D	blue	brown	green

- (e) When barium chloride solution is added to an aqueous solution of a compound, a white precipitate forms. When dilute hydrochloric acid is added to the mixture, the precipitate disappears and a colourless solution forms.

Which of these ions is present in the aqueous solution?

(1)

- ☐ A carbonate
- ☐ B chloride
- ☐ C nitrate
- ☐ D sulfate


(Total for Question 4 = 5 marks)



5 Lithium and carbon both form fluorides.

(a) Lithium reacts with fluorine to produce the ionic compound lithium fluoride.

The diagrams show the arrangement of electrons in a lithium atom and in a fluorine atom.




Draw similar diagrams to show the arrangement of the electrons in the ions formed when lithium reacts with fluorine.

Show all the electrons in each ion.

(2)

(b) Carbon tetrafluoride is a simple molecular compound.

The displayed formula for a molecule of carbon tetrafluoride is



Draw a dot and cross diagram to show the arrangement of the electrons in this molecule.

Show only the outer electrons.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) The table shows some properties of lithium fluoride and carbon tetrafluoride.

Compound	Melting point	Ability to conduct electricity when molten or liquid
lithium fluoride	high	good
carbon tetrafluoride	low	poor

Explain these properties of each compound.

(4)

lithium fluoride

.....

.....

.....

.....

.....

carbon tetrafluoride

.....

.....

.....

.....


.....

(Total for Question 5 = 8 marks)




6 Ethanol can be produced when yeast is added to a glucose solution.

This apparatus is used to investigate the reaction.



(a) The equation for the reaction is



(i) State the purpose of the yeast.

(1)

(ii) State how the appearance of the limewater changes during the reaction.

(1)

(iii) State the temperature at which this reaction is carried out in industry.

(1)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Ethanol can be used as a fuel.

This is the equation for the complete combustion of ethanol.



These are the displayed formulae for ethanol, oxygen, carbon dioxide and water.

<pre> H H H — C — C — O — H H H </pre>	O=O	O=C=O	H—O—H
ethanol	oxygen	carbon dioxide	water

The table gives some average (mean) bond energies.

Bond	Average bond energy in kJ/mol
C—C	348
C—H	412
C—O	360
H—O	463
O=O	496
C=O	743

Use this information to calculate the enthalpy change (ΔH) when one mole of ethanol is completely burned.


(4)

enthalpy change (ΔH) = kJ/mol



(c) Ethanol and methanol can both be used as fuels.

A student uses this apparatus to find out how much energy is produced when one mole of ethanol and one mole of methanol are burned.



The table shows some of the student's results.

Fuel	Formula mass of fuel	Energy given out by 1.00 g of fuel in kJ	Energy given out by 1 mol of fuel in kJ
ethanol ($\text{C}_2\text{H}_5\text{OH}$)	46.0	20.9	961
methanol (CH_3OH)		15.6	

(i) Calculate the energy given out by 1 mol of methanol.

(2)

energy given out = kJ

(ii) The student uses the same burner and copper can in each experiment.

State two other factors that the student should keep the same in each experiment.
(2)

1

2

(iii) A data book states that the energy given out when 1 mol of ethanol is burned is 1371 kJ.

Suggest two reasons why the student's value is much less than this.
(2)

1

2

(Total for Question 6 = 13 marks)



- 7 Magnesium chloride can be made by reacting excess magnesium carbonate with dilute hydrochloric acid.

The equation for the reaction is



- (a) (i) In one experiment, a sample of 0.050 mol of MgCO_3 is added to 0.080 mol of HCl.

Show, by calculation, that the MgCO_3 is in excess.

(2)

- (ii) Calculate the maximum volume, in cm^3 , of carbon dioxide, measured at room temperature and pressure, that would be obtained when 0.080 mol of HCl react completely with MgCO_3 .

[One mole of any gas occupies 24 000 cm^3 at room temperature and pressure.]

(2)

maximum volume of carbon dioxide = cm^3

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) In another experiment 0.050 mol of MgCO_3 reacts with excess HCl .

A yield of 5.5 g of $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$ is obtained.

(i) Calculate the percentage yield of $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$

(2)

percentage yield = %

(ii) Suggest why the percentage yield is less than 100%.

(1)

.....

.....


.....

(Total for Question 7 = 7 marks)



- 8 When nitrogen dioxide gas (NO_2) is placed in a sealed flask, it reacts to form dinitrogen tetraoxide gas (N_2O_4).

The equation for the reaction is



A sample of pure NO_2 is placed in a sealed flask at 25°C . The flask is left until a dynamic equilibrium is reached.

- (a) For a reaction that is in dynamic equilibrium, the forward and backward reactions occur at the same time.

State two other features of a reaction that is in dynamic equilibrium.

(2)

1


.....

2

.....

- (b) At equilibrium there is more NO_2 than N_2O_4

The graph shows how the number of moles of NO_2 in the sealed flask changes with time.



- (i) Draw a cross (X) on the graph at the point where the reaction reaches equilibrium.

(1)

- (ii) Draw a curve on the graph to show how the number of moles of N_2O_4 in the sealed flask changes over the same time period.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) The sealed flask containing the equilibrium mixture is placed in water at a temperature of 50°C. The mixture goes darker in colour.

Explain what this observation shows about the equilibrium reaction.

(2)

(Total for Question 8 = 8 marks)

TOTAL FOR PAPER = 60 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.

