

Mark Scheme (Results)

June 2011

International GCSE

Mathematics (4MP0) Paper 01

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:
<http://www.edexcel.com/Aboutus/contact-us/>

June 2011

Publications Code UG027960

All the material in this publication is copyright




© Edexcel Ltd 2011

Question number	Scheme	Marks
1.	$7 + x = x^2 - 3x + 2$ $x^2 - 4x - 5 = 0$ $(x - 5)(x + 1) = 0$ $x = 5 \quad y = 12$ $x = -1 \quad y = 6$ $y = (y - 7)^2 - 3(y - 7) + 2$ $y^2 - 18y + 72 = 0$ $(y - 6)(y - 12) = 0$ $y = 6 \quad y = 12$ $x = -1 \quad x = 5$	M1 A1 M1 A1 A1 (5)
2.	<p>(a) $\log_a b = \frac{\log_b b}{\log_b a} = \frac{1}{\log_b a}$</p> <p>(b) $\log_x 8 - 6 \log_8 x = 1$</p> $\log_x 8 - \frac{6}{\log_x 8} = 1$ $(\log_x 8)^2 - \log_x 8 - 6 = 0$ $(\log_x 8 - 3)(\log_x 8 + 2) = 0$ $\log_x 8 = 3 \Rightarrow 8 = x^3 \quad x = 2$ $(\log_x 8 = -2 \quad x \notin \mathbf{Z}^+)$ $\frac{1}{\log_8 x} - 6 \log_8 x = 1$ $6(\log_8 x)^2 + \log_8 x - 1 = 0$ $(3 \log_8 x - 1)(2 \log_8 x + 1) = 0$ $\log_8 x = \frac{1}{3} \quad x = 8^{\frac{1}{3}} = 2$ $(\log_8 x = -\frac{1}{2}, x = 8^{-\frac{1}{2}} \notin \mathbf{Z}^+)$	M1A1 M1 M1 M1 M1A1 (7)
3.	<p>(a) $\frac{dy}{dx} = 2e^{2x} \sin 3x + 3e^{2x} \cos 3x$</p> <p>(b) $\frac{d^2 y}{dx^2} = 4e^{2x} \sin 3x + 6e^{2x} \cos 3x + 6e^{2x} \cos 3x - 9e^{2x} \sin 3x$</p> $\frac{d^2 y}{dx^2} = 2 \frac{dy}{dx} - 9y + 6e^{2x} \cos 3x$ <p>or $\frac{dy}{dx} = 2y + 3e^{2x} \cos 3x$</p> $\frac{d^2 y}{dx^2} = 2 \frac{dy}{dx} - 9e^{2x} \sin 3x + 6e^{2x} \cos 3x$ $= 2 \frac{dy}{dx} - 9y + 6e^{2x} \cos 3x$	M1A1A1 M1A1 M1A1 (7)

Question number	Scheme	Marks
4.	<p>(a) $\sin 2A = \sin A \cos A + \cos A \sin A \quad (= 2 \sin A \cos A)$</p> <p>(b) $\cos 2A = \cos^2 A - \sin^2 A = (1 - \sin^2 A) - \sin^2 A \quad (= 1 - 2 \sin^2 A)$</p> <p>(c) $\sin 3A + \sin A = \sin(2A + A) = \sin 2A \cos A + \cos 2A \sin A + \sin A$ $= 2 \sin A \cos^2 A + (1 - 2 \sin^2 A) \sin A + \sin A$ $= 2 \sin A (1 - \sin^2 A) + \sin A - 2 \sin^3 A + \sin A$ $= 4 \sin A - 4 \sin^3 A$</p>	<p>B1</p> <p>M1A1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>A1 (7)</p>
5.	<p>(a) $a^2 = 5a \quad a = 5$</p> <p>(b) $y - 5 = -\frac{5}{7}(x - 5)$ $y = 0 \quad (x - 5) = 7 \quad x = 12$</p> <p>(c) Vol. of cone $= \frac{1}{3} \pi \times 5^2 \times (12 - 5) = \frac{175}{3} \pi$</p> $\int_0^5 \pi y^2 dx = \int_0^5 \pi \times 5x dx = 5\pi \left[\frac{x^2}{2} \right]_0^5$ $= \frac{125}{2} \pi$ <p>Total vol. $= \frac{125}{2} \pi + \frac{175}{3} \pi = \frac{725}{6} \pi$</p>	<p>M1A1</p> <p>M1</p> <p>M1A1</p> <p>B1</p> <p>M1A1ft</p> <p>A1</p> <p>B1ft (9)</p>
6.	<p>(a) $a + 2d = 70$ $\frac{10}{2}(2a + 9d) = 450$ $2a + 9d = 90$ $5d = -50 \Rightarrow d = -10$</p> <p>(b) $a = 70 + 20 = 90$</p> $S = \frac{n}{2}(180 - 10(n - 1))$ $\frac{n}{2}(190 - 10n) \dots 350 \quad 190n - 10n^2 \dots 700$ $n^2 - 19n + 70, \dots 0$ $(n - 5)(n - 14), \dots 0$ <p>critical values: 5, 14</p> $5, \dots, n, \dots, 14 \quad n \in \mathbb{Z} \quad (n = 5, 7, \dots, 13, 14)$	<p>M1</p> <p>A1</p> <p>M1A1</p> <p>B1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>A1ft (10)</p>

Question number	Scheme	Marks
7.	<p>(a) $(5p-1)(p-2) = 0$ $p = \frac{1}{5} \quad p = 2$</p> <p>(b) $5(3^x)^2 - 11(3^x) + 2 = 0$ $3^x = \frac{1}{5} \quad x \ln 3 = \ln 0.2 \quad x = \frac{\ln 0.2}{\ln 3} = -1.464\dots = -1.46$ $3^x = 2 \quad x \ln 3 = \ln 2 \quad x = \frac{\ln 2}{\ln 3} = 0.6309\dots = 0.631$</p> <p>(c) $y = 5(3^{2x}) - 6(3^x) = 5(3^x)^2 - 6(3^x) - 2$ $5(3^{2x}) - 11(3^x) + 2 = 0$ $3^x = 0.2 \quad y = 5 \times 0.2 - 2 = -1$ $3^x = 2 \quad y = 5 \times 2 - 2 = 8$ Points are $(-1.46, -1)$ and $(0.631, 8)$</p>	M1 A1 M1 M1A1 A1 M1 M1 A1 B1ft (10)
8.	<p>(a) $\frac{y-5}{7-5} = \frac{x-1}{9-1}$ $8(y-5) = 2(x-1)$ $4y - 20 = x - 1$ $y = \frac{1}{4}x + \frac{19}{4}$</p> <p>(b) Grad. of $l = -4$ Midpoint of $AB = (5, 6)$ Eqn. of $l: y - 6 = -4(x - 5) \quad (y = -4x + 26)$</p> <p>(c) $x = 3 \quad q = -4 \times -2 + 6 = 14$</p> <p>(d) $y = 0 \quad x = 6\frac{1}{2}$ length $CD = \sqrt{(6\frac{1}{2} - 3)^2 + 14^2} = \sqrt{\frac{7^2}{2^2} + 14^2} = \frac{7}{2}\sqrt{17}$ length $AB = \sqrt{(7-5)^2 + (9-1)^2} = \sqrt{68} = 2\sqrt{17}$ Area of kite $= \frac{1}{2} \times \frac{7}{2}\sqrt{17} \times 2\sqrt{17} = 59\frac{1}{2}$ (accept 59.5 provided surds seen) or $14 \times 8 - \frac{1}{2}(9 \times 2 + 7 \times 6 + 7 \times 2\frac{1}{2} + 5 \times 5\frac{1}{2})$ or $2 \times 3\frac{1}{2} + \frac{1}{2}(9 \times 2 + 7 \times 6 + 7 \times 2\frac{1}{2} + 5 \times 5\frac{1}{2})$</p>	M1A1 B1ft B1 M1A1 M1A1ft B1ft M1 A1 B1 cao (13)

Question number	Scheme	Marks
9.	<p>(a) $x = 2$ oe</p> <p>(b) $\frac{dy}{dx} = \frac{4x(3x-6) - 3(2x^2-6)}{(3x-6)^2}$</p> <p>$\frac{dy}{dx} = 0 \quad 12x^2 - 24x - 6x^2 + 18 = 0$</p> <p>$x^2 - 4x + 3 = 0$</p> <p>$(x-3)(x-1) = 0$</p> <p>$x = 3 \quad y = \frac{2 \times 9 - 6}{9 - 6} = \frac{12}{3} \quad (3, 4)$</p> <p>$x = 1 \quad y = \frac{-4}{-3} = \frac{4}{3} \quad (1, \frac{4}{3})$</p> <p>(c) $x = 0 \quad y = 1$</p> <p>$\frac{dy}{dx} = \frac{18}{36} = \frac{1}{2}$ grad. normal $= -2$</p> <p>eqn. normal: $y - 1 = -2x$ oe</p> <p>(d) $-2x + 1 = \frac{2x^2 - 6}{3x - 6}$</p> <p>$-6x^2 + 15x - 6 = 2x^2 - 6$</p> <p>$8x^2 - 15x = 0$</p> <p>$(x = 0 \text{ (at A)}) \quad \therefore \text{at B } x = \frac{15}{8}$</p>	<p>B1</p> <p>M1A1A1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>A1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>M1</p> <p>M1A1</p> <p>A1 (15)</p>

Question number	Scheme	Marks
10.	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">  <p style="text-align: center;">$VA^2 = (5x)^2 + (5\sqrt{3}x)^2$ or</p>  <p style="text-align: center;">midpoint AB</p>  <p style="text-align: center;">or $(6x)^2 = (5x)^2 + (5x)^2 - 2(5x)(5x)\cos\phi$</p> </div> <div style="width: 45%;"> <p>(a) $AC = 10x$ $\frac{VN}{5x} = \tan 60$ $VN = 5x\sqrt{3}$</p> <p>(b) $\frac{5x}{VA} = \cos 60^\circ$ $VA = 10x$</p> <p>(c) $\tan \theta = \frac{VN}{4x} = \frac{5x\sqrt{3}}{4x} = \frac{5\sqrt{3}}{4}$ $\theta = 65.20\dots = 65.2^\circ$</p> <p>(d) $\tan \frac{1}{2}\phi = \frac{3}{4}$ $\phi = 2 \times 36.86\dots = 73.7^\circ$ (or obtuse 106.3°)</p> <p>(e) Vol. = $\frac{1}{3} \times \text{base area} \times \text{height}$ $\frac{1}{3} \times 48x^2 \times 5x\sqrt{3} = 1110$ $x^3 = \frac{1110 \times 6}{48 \times 5\sqrt{3}} = 8.010\dots$ $x = 2.0008\dots = 2$</p> </div> </div>	<p>B1 M1A1ft A1</p> <p>M1A1ft A1 cao</p> <p>M1A1ft A1</p> <p>M1A1 A1</p> <p>M1 A1ft A1</p> <p style="text-align: right;">(16)</p>

Further copies of this publication are available from
International Regional Offices at www.edexcel.com/international

For more information on Edexcel qualifications, please visit
www.edexcel.com

Alternatively, you can contact Customer Services at
www.edexcel.com/ask or on + 44 1204 770 696

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

