



# Mark Scheme (Results)

Summer 2013

International GCSE Mathematics  
(4MA0) Paper 3H

Level 1/Level 2 Certificate in Mathematics  
(KMA0) Paper 3H

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at [www.edexcel.com](http://www.edexcel.com).

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

[www.edexcel.com/contactus](http://www.edexcel.com/contactus)

## **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2013

Publications Code UG037227

All the material in this publication is copyright

© Pearson Education Ltd 2013

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
- Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case

- oe – or equivalent (and appropriate)
- dep – dependent
- indep – independent
- eooo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

**Apart from Questions 3(c), 19(b) and 20(b) (where the mark scheme states otherwise), the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.**

| Question Number | Working                                                                                                  | Answer | Mark | Notes                                                                                                 |
|-----------------|----------------------------------------------------------------------------------------------------------|--------|------|-------------------------------------------------------------------------------------------------------|
| 1               | $(0 \times 13) + 1 \times 2 + 2 \times 3 + 3 \times 8 + 4 \times 14$<br>or $(0) + 2 + 6 + 24 + 56$ or 88 |        | 3    | M1 for sum of at least 3 products (products may or may not be evaluated)                              |
|                 | "88" $\div$ 40                                                                                           |        |      | M1 (dep) for division by 40 (or by their 40)                                                          |
|                 |                                                                                                          | 2.2    |      | A1 accept 2.2 or $\frac{11}{5}$ or $2\frac{1}{5}$<br>Also accept '2' if both method marks are scored. |
|                 |                                                                                                          |        |      | <b>Total 3 marks</b>                                                                                  |

|       |                           |               |   |                                                                                                                                     |
|-------|---------------------------|---------------|---|-------------------------------------------------------------------------------------------------------------------------------------|
| 2 (a) | $\frac{2.720294102}{7.7}$ |               | 2 | M1 for 2.72029... if first 5 figures correct (rounded or truncated)<br><br><b>or</b> for 7.7 <b>or</b> for $\frac{2\sqrt{185}}{77}$ |
|       |                           | 0.35328(4948) |   | A1 Accept if first 5 figures correct                                                                                                |
| (b)   |                           | 0.35          | 1 | B1 ft from (a) only if more than 2 sig figs given in (a)                                                                            |
|       |                           |               |   | <b>Total 3 marks</b>                                                                                                                |

|   |     |                           |                  |   |                                                                                                                                                                                                                               |
|---|-----|---------------------------|------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3 | (a) |                           | $6n - 12$        | 1 | B1                                                                                                                                                                                                                            |
|   | (b) |                           | $p(p - 5)$       | 2 | B2 Also accept $(p+0)(p-5)$ for B2<br>B1 for factors which, when expanded and simplified, give two terms, one of which is correct.<br><br>SC B1 for $p(p - 5p)$                                                               |
|   | (c) | $7x - 3 = 2x$             |                  | 3 | M1 for $7x - 3 = 2x$<br>or $7x - 3 = 2 \times x$<br>or $\frac{7x}{2} - \frac{3}{2} = x$ oe                                                                                                                                    |
|   |     | $7x - 2x = 3$ or $5x = 3$ |                  |   | M1 for $7x - 2x = 3$ or $5x = 3$<br>or $5x - 3 = 0$<br>or $\frac{7x}{2} - x = \frac{3}{2}$<br>or $\frac{5x}{2} = \frac{3}{2}$<br>NB. All these examples could be written with all terms 'on the other side' eg $-5x = -3$ etc |
|   |     |                           | $\frac{3}{5}$ oe |   | A1 <b>Award full marks if at least one method mark awarded and answer correct.</b>                                                                                                                                            |
|   |     |                           |                  |   | <b>Total 6 marks</b>                                                                                                                                                                                                          |

|   |     |                                                                                                                                                                                                      |     |                      |                                                                     |
|---|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------|---------------------------------------------------------------------|
| 4 | (a) | corresponding (angle(s))                                                                                                                                                                             | 1   | B1                   | oe eg $x$ corresponds to angle $A$ ;<br>corresponding to angle $A$  |
|   | (b) | $(6 - 2) \times 180$ <b>or</b> $4 \times 180$<br><b>or</b> $(2 \times 6 - 4) \times 90$ <b>or</b> $8 \times 90$<br><b>or</b> $120 \times 6$ <b>or</b> $(180 - 60) \times 6$<br><b>or</b> $360 + 360$ | 4   | M1                   | $360 - (73 + 46 + 38 + 88 + 57)$<br>Condone one incorrect ext angle |
|   |     | 720                                                                                                                                                                                                  |     | A1                   | M1 A1 for 720 seen<br>58 M1 A1 for 58 seen                          |
|   |     | "720" $- (107 + 134 + 142 + 92 + 123)$<br>or "720" $- 598$                                                                                                                                           |     | M1                   | dep on first M1<br>$180 - "58"$                                     |
|   |     |                                                                                                                                                                                                      | 122 | A1                   |                                                                     |
|   |     |                                                                                                                                                                                                      |     | <b>Total 5 marks</b> |                                                                     |

|   |     |                                                                                                                                  |                     |   |                                                                                                                                                                                                                            |                                                           |
|---|-----|----------------------------------------------------------------------------------------------------------------------------------|---------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| 5 | (a) | $43 = 12x + 2 \times 6.5$ <b>or</b> $43 = 12x + 13$<br><b>or</b> $P - 2y = 12x$<br>(oe with $\pm 12x$ or $\pm x$ as the subject) |                     | 3 | M1 for correct rearrangement of original equation or substitution                                                                                                                                                          | M2 for $43 - 2 \times 6.5 (= 12x)$ <b>or</b> $30 (= 12x)$ |
|   |     | $12x = 43 - 13$ <b>or</b> $12x = 30$ <b>or</b> $-12x = 13 - 43$ <b>or</b> $-12x = -30$                                           |                     |   | M1 for correct rearrangement and substitution                                                                                                                                                                              |                                                           |
|   |     |                                                                                                                                  | 2.5 oe              |   | A1 Correct answer scores full marks                                                                                                                                                                                        |                                                           |
|   | (b) | $4xy + \frac{1}{2} \times 3x \times 4x$ <b>or</b><br>$\frac{3x + y + y}{2} \times 4x$                                            |                     | 2 | M1 for any one correct area eg $4xy$ oe <b>or</b><br>$\frac{1}{2} \times 3x \times 4x$ oe <b>or</b><br>$4x(3x + y)$                                                                                                        |                                                           |
|   |     |                                                                                                                                  | $4xy + 6x^2$<br>etc |   | A1 for $4xy + 6x^2$ <b>or</b> $4yx + 6x^2$<br><b>or</b> $2x(3x + 2y)$ <b>or</b><br>$2(3x^2 + 2xy)$ <b>or</b><br>$x(6x + 4y)$ (No fractions or uncollected terms but could be multiplication signs and/or brackets present) |                                                           |
|   |     |                                                                                                                                  |                     |   | <b>Total 5 marks</b>                                                                                                                                                                                                       |                                                           |

|   |     |                                                          |     |   |          |                                                                             |
|---|-----|----------------------------------------------------------|-----|---|----------|-----------------------------------------------------------------------------|
| 6 | (a) | $\frac{8}{100} \times 475$ oe <b>or</b> 38 <b>or</b> 437 |     | 3 | M1       | M2 for $475 \times 1.08$ oe                                                 |
|   |     | 475 + "38"                                               |     |   | M1 (dep) |                                                                             |
|   |     |                                                          | 513 |   | A1       | cao                                                                         |
|   | (b) | $1\% = \frac{48}{8}$ <b>or</b> 6<br>8% (of amount) = 48  |     | 3 | M1       | M2 for $\frac{48}{8} \times 100$ <b>or</b> 600 <b>or</b> $\frac{48}{0.08}$  |
|   |     | "6" $\times$ 100 or 600                                  |     |   | M1       | <b>or</b> $\frac{48}{8} \times 108$ <b>or</b> $\frac{48}{0.08} \times 1.08$ |
|   |     |                                                          | 648 |   | A1       | cao<br>(NB: An answer of 600 scores M2A0)                                   |
|   |     |                                                          |     |   |          | <b>Total 6 marks</b>                                                        |

|   |      |  |                        |   |                                     |                                              |
|---|------|--|------------------------|---|-------------------------------------|----------------------------------------------|
| 7 | (i)  |  | u, a, e                | 2 | B1                                  | Any order. Brackets and commas not necessary |
|   | (ii) |  | s, q, r, a, e, i, o, u |   | B1 B0 if 'a' or 'e' or 'u' repeated |                                              |
|   |      |  |                        |   | <b>Total 2 marks</b>                |                                              |

|   |                                                                                                                                                                                                                                                                                                                                                                                   |     |   |                                                                                                                                                                                                                                                                                                                     |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8 | $2 \times \pi \times 5.1^2 + 2 \times \pi \times 5.1 \times 3.7$ oe <b>or</b><br>$163.42... + 118.56...$ (using $\pi$ ) <b>or</b><br>$163.3428 + 118.5036$ (using 3.14)<br>(rounded or truncated to at least 3 sig<br>figs) <b>or</b><br>$2 \times \pi \times 5.1 \times (5.1 + 3.7)$ <b>or</b><br>$\frac{2601}{50} \pi + \frac{1887}{50} \pi$ <b>or</b><br>$\frac{2244}{25} \pi$ |     | 3 | M2 M1 for one of<br>$2 \times \pi \times 5.1^2$ <b>or</b><br>value in range 163-163.43 inc<br><b>or</b><br>$\frac{2601}{50} \pi$<br><br>$2 \times \pi \times 5.1 \times 3.7$ oe <b>or</b><br>value in range 118-119 inc <b>or</b><br>$\frac{1887}{50} \pi$<br><br>NB. Accept 3.14(...) or 22/7 in<br>place of $\pi$ |
|   |                                                                                                                                                                                                                                                                                                                                                                                   | 282 |   | A1 for answer in range<br>281.8-282 inc                                                                                                                                                                                                                                                                             |
|   |                                                                                                                                                                                                                                                                                                                                                                                   |     |   | <b>Total 3 marks</b>                                                                                                                                                                                                                                                                                                |

|   |                                                                                                                           |     |  |    |                                                                          |
|---|---------------------------------------------------------------------------------------------------------------------------|-----|--|----|--------------------------------------------------------------------------|
| 9 | <b>No approximation</b><br>$\frac{37527}{365}$ or $\frac{37527}{366}$ or $\frac{37527}{365.25}$ or<br>$\frac{37527}{364}$ |     |  | M2 | M1 for $\frac{37527}{x}$ where<br>$356 \leq x \leq 370$                  |
|   |                                                                                                                           | 103 |  | A2 | Accept 102 if M2 awarded<br>A1 for $102.5 \leq \text{answer} \leq 103.1$ |

|   |                                                                                                                                                                                 |                                               |   |                                                                                                                                       |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------|
| 9 | <b>Alternative - with approximation</b><br>$\frac{x}{y}$ or $x \times \frac{1}{y}$<br>where $x$ is $35\,000 \leq x \leq 40\,000$<br><br><b>AND</b><br><br>$336 \leq y \leq 400$ |                                               | 4 | M2<br><br>M1 for $\frac{x}{y}$ or $x \times \frac{1}{y}$ where<br>either the value of $x$ <b>or</b> the<br>value of $y$ is acceptable |
|   |                                                                                                                                                                                 | integer in the<br>range 93 – 111<br>inclusive |   | <b>The award of any accuracy<br/>marks is dependent on the<br/>award of M2</b><br><br>A2 A1 for non-integer in the range<br>93 – 111  |
|   |                                                                                                                                                                                 |                                               |   | <b>Total 4 marks</b>                                                                                                                  |

|    |                                                                                                              |      |   |    |                                                                   |                                                                                                                                                                                                                                                           |
|----|--------------------------------------------------------------------------------------------------------------|------|---|----|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10 | use of cos                                                                                                   |      | 3 | M1 | cos must be selected for use in trig ratio <b>NOT</b> Cosine Rule | <b>or</b> M2 for sin and $\frac{\sqrt{21.36}}{9.5}$ following correct Pythagoras<br><b>or</b> M2 for tan and $\frac{\sqrt{21.36}}{8.3}$ following correct Pythagoras<br><b>or</b> correct Pythag and then correct use of sine or cosine rule with "21.36" |
|    | $\cos ("x") = \frac{8.3}{9.5} (=0.87...)$<br><b>or</b><br>$("x" =) \cos^{-1} \left( \frac{8.3}{9.5} \right)$ |      |   | M1 |                                                                   |                                                                                                                                                                                                                                                           |
|    |                                                                                                              | 29.1 |   | A1 | for awrt 29.1 e.g. (29.1103...)                                   |                                                                                                                                                                                                                                                           |
|    |                                                                                                              |      |   |    | <b>Total 3 marks</b>                                              |                                                                                                                                                                                                                                                           |

|        |                                                                                                                                                             |     |   |    |                                                                                                                                                                                                           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11 (a) | $54 = 2 \times 3^3$ and $90 = 2 \times 3^2 \times 5$<br><b>or</b> 1,2,3,6,9,18,27,54<br>and<br>1,2,3,5,6,9,10,15,18,30,45,90<br><b>or</b> $2 \times 3^2$ oe |     | 2 | M1 | Need not be products of powers; accept products or lists<br>eg 2,3,3,3 and 2,3,3,5<br>accept 9, 2, 3 and 9, 2, 5<br>(may be seen in a Venn diagram or may be shown as factor trees or repeated division ) |
|        |                                                                                                                                                             | 18  |   | A1 | cao                                                                                                                                                                                                       |
| (b)    | $2 \times 3^3 \times 5$ oe eg $6 \times 9 \times 5$<br><b>or</b> 54,108,162,216,270<br>and 90,180,270                                                       |     | 2 | M1 | Need not be products of powers; accept products or lists<br>eg 2, 3, 3, 3, 5                                                                                                                              |
|        |                                                                                                                                                             | 270 |   | A1 | cao                                                                                                                                                                                                       |
|        |                                                                                                                                                             |     |   |    | <b>Total 4 marks</b>                                                                                                                                                                                      |

|    |     |                                                                |                |   |                      |                                                                                                                                                                                            |
|----|-----|----------------------------------------------------------------|----------------|---|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12 | (a) |                                                                | Points correct | 2 | B1                   | $\pm \frac{1}{2}$ sq                                                                                                                                                                       |
|    |     | Curve or line segments                                         |                |   | B1                   | ft from points if 4 or 5 correct or if points are plotted consistently within 50-60, 60-70, 70-80 etc at the correct heights<br>Ignore any attempt at curve to left of first plotted point |
|    | (b) | 30 (or 30.5) indicated on cumulative frequency graph or stated |                | 2 | M1                   | for 30 (or 30.5) indicated on cumulative frequency axis or stated                                                                                                                          |
|    |     |                                                                | approx 66      |   | A1                   | If M1 scored, ft from <i>their</i> cumulative frequency graph<br><br>If M1 not scored, ft only from correct curve & if answer is correct ( $\pm \frac{1}{2}$ sq tolerance) award M1<br>A1  |
|    |     |                                                                |                |   | <b>Total 4 marks</b> |                                                                                                                                                                                            |

|    |                                                                                                                                                                                                                                                                                                            |  |    |   |                      |                                                                                                   |                                           |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----|---|----------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------|
| 13 | <b>NB : M2 cannot be awarded if angles are marked incorrectly on the diagram</b><br>$180 - 77 - 39$ <b>or</b><br>$\angle BAD = 77^\circ$ <b>and</b> $\angle ABD = 39^\circ$ <b>or</b><br>$\angle BA''x'' = 64^\circ$ where $x$ is on $PA$ produced <b>or</b><br>a fully correct method to find angle $ADB$ |  |    | 3 | M2                   | also accept $103 - 39$<br><br>M1 for $\angle BAD = 77^\circ$ <b>or</b><br>$\angle ABD = 39^\circ$ | Angles may be stated or marked on diagram |
|    |                                                                                                                                                                                                                                                                                                            |  | 64 |   | A1                   | cao                                                                                               |                                           |
|    |                                                                                                                                                                                                                                                                                                            |  |    |   | <b>Total 3 marks</b> |                                                                                                   |                                           |

|    |     |                    |   |    |                                                                                                                                    |
|----|-----|--------------------|---|----|------------------------------------------------------------------------------------------------------------------------------------|
| 14 | (a) | $24p^5q^6$         | 2 | B2 | B1 for 2 of 24, $p^5$ , $q^6$ correct in a single product with no additional terms <b>or</b> $24p^{3+2}q^{5+1}$                    |
|    | (b) | $125x^6y^{12}$     | 2 | B2 | B1 for 2 of 125, $x^6$ , $y^{12}$ correct in a single product with no additional terms <b>or</b> $125x^{2 \times 3}y^{4 \times 3}$ |
|    | (c) | $(3a + b)(3a - b)$ | 2 | B2 | B1 for $(3a + b)(3a + b)$ <b>or</b> $(3a + b)^2$ <b>or</b> $(3a - b)(3a - b)$ <b>or</b> $(3a - b)^2$                               |
|    |     |                    |   |    | <b>Total 6 marks</b>                                                                                                               |

|    |     |                                                                                                                                                                                                                                                                                                                                                            |            |   |    |                                                                                                                       |
|----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---|----|-----------------------------------------------------------------------------------------------------------------------|
| 15 | (a) |                                                                                                                                                                                                                                                                                                                                                            | $x=3, y=2$ | 1 | B1 | cao                                                                                                                   |
|    | (b) | <b>Use of gradient and</b> $y = mx + c$<br>or clear attempt to use<br><u>vertical difference</u><br><u>horizontal difference</u> eg $\frac{2}{3}$ oe<br>(ignore omission of – sign)<br><br><b>or</b> for $3y = 12 - 2x$ <b>or</b> $3y = -2x + 12$<br><br><b>or</b> for $y = \frac{12 - 2x}{3}$ oe<br><br><b>or</b> gradient = $\frac{2}{3}$ stated or used |            | 4 | M1 | Throughout question accept $\frac{2}{3}$<br><br>written as a decimal rounded or truncated to 2 or more decimal places |
|    |     | (grad =) $-\frac{2}{3}$ oe or $y = 4 - \frac{2}{3}x$ oe                                                                                                                                                                                                                                                                                                    |            |   | A1 |                                                                                                                       |
|    |     | $y = -\frac{2}{3}x + c$ <b>or</b> for $y = "-\frac{2}{3}"x + c$<br>where $c \neq 10$ <b>or</b><br>$-\frac{2}{3}x + 10$ , $"-\frac{2}{3}"x + 10$ , $L = -\frac{2}{3}x + 10$ etc                                                                                                                                                                             |            |   | M1 | ft from $"-\frac{2}{3}"$                                                                                              |
|    |     | $y = -\frac{2}{3}x + 10$ oe <b>or</b> $2x + 3y = 30$ oe<br><br><b>or</b> $y = "-\frac{2}{3}"x + 10$ oe                                                                                                                                                                                                                                                     |            |   | A1 | ft from $"-\frac{2}{3}"$                                                                                              |

|     |                                                                        |               |                                                                                                                                                                                                                                 |                      |                                        |
|-----|------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------|
| (b) | <b>Alternative scheme:</b><br><b>Use of</b> $2x+3y=k$<br><br>$2x+3y=k$ |               | 4                                                                                                                                                                                                                               | M1                   |                                        |
|     | $2 \times 0 + 3 \times 10 (=k)$                                        |               |                                                                                                                                                                                                                                 | M1                   | Substitution of (0, 10) into $2x+3y=k$ |
|     | $k = 30$                                                               |               |                                                                                                                                                                                                                                 | A1                   |                                        |
|     |                                                                        | $2x+3y=30$ oe |                                                                                                                                                                                                                                 | A1                   |                                        |
| (c) | (1,1) (1,2) (1,3) (2,2) marked                                         | 2             | B2 B1 for 3 correct points marked and none wrong<br><br><b>or</b> for all correct points and either one or more of points on $y$ axis ie. (0,-1) (0,0) (0,1) (0,2) (0,3) (0,4)<br>points on $y=x-1$ ie (0,-1) (1,0) (2,1) (3,2) |                      |                                        |
|     |                                                                        |               |                                                                                                                                                                                                                                 | <b>Total 7 marks</b> |                                        |

|                      |     |                                                                                                                                                 |      |   |                                                                                                        |
|----------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------|------|---|--------------------------------------------------------------------------------------------------------|
| 16                   | (a) | $\frac{PR}{5} = \frac{14}{8}$ or $\frac{PR}{14} = \frac{5}{8}$                                                                                  |      | 2 | M1 or for $5 \times \frac{14}{8}$ oe                                                                   |
|                      |     |                                                                                                                                                 | 8.75 |   | A1                                                                                                     |
|                      | (b) | $\frac{14}{8}$ or $\frac{7}{4}$ or 1.75 or $\frac{8}{14}$ or $\frac{4}{7}$ or 0.571...<br>(May be implied by second M1)<br>Allow ratio notation |      | 3 | M1<br>Alternative method<br>M1 for $\frac{1}{2} \times 8 \times 5 \times \sin A$<br>and $\sin A = 0.8$ |
|                      |     | $1.75^2$ oe eg 3.0625, $\frac{49}{16}$ or $\left(\frac{4}{7}\right)^2$ oe eg $\frac{16}{49}$ , 0.326... allow ratio notation                    |      |   | M1<br>M1 (dep) for $\frac{1}{2} \times 14 \times "8.75" \times 0.8$                                    |
|                      |     |                                                                                                                                                 | 49   |   | A1<br>cao<br>SC : B1 for an answer of 28                                                               |
| <b>Total 5 marks</b> |     |                                                                                                                                                 |      |   |                                                                                                        |

|    |     |                                                                                                                        |         |   |                                                                                                                                                   |
|----|-----|------------------------------------------------------------------------------------------------------------------------|---------|---|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 17 | (a) | $0.3 \times 0.1$ <b>or</b><br>$(1 - 0.7) \times 0.1$ and no other terms                                                |         | 2 | M1                                                                                                                                                |
|    |     |                                                                                                                        | 0.03 oe |   | A1                                                                                                                                                |
|    | (b) | $0.7 \times 0.8$ <b>or</b> $0.7 \times (1 - 0.2)$ <b>or</b><br>$0.3 \times 0.9$ <b>or</b> $(1 - 0.7) \times (1 - 0.1)$ |         | 3 | M1<br>M1 for "(a)" + $0.7 \times 0.2$ <b>or</b><br>$0.3 \times 0.1 + 0.7 \times 0.2 (=0.17)$ <b>or</b><br>$(1 - 0.7) \times 0.1 + 0.7 \times 0.2$ |
|    |     | $0.7 \times 0.8 + 0.3 \times 0.9$ <b>or</b><br>$0.7 \times (1 - 0.2) + (1 - 0.7) \times (1 - 0.1)$                     |         |   | M1<br>M1 for $1 - ("(a)" + 0.7 \times 0.2)$<br><b>or</b> $1 - "0.17"$<br>(M2 for $1 - "(a)" - 0.7 \times 0.2)$                                    |
|    |     |                                                                                                                        | 0.83 oe |   | A1                                                                                                                                                |
|    |     |                                                                                                                        |         |   | <b>Total 5 marks</b>                                                                                                                              |

|    |                                                             |      |   |                                                                |                                  |
|----|-------------------------------------------------------------|------|---|----------------------------------------------------------------|----------------------------------|
| 18 | $\frac{2.9}{\sin 36^\circ} = \frac{QS}{\sin(180-62)^\circ}$ |      | 3 | M1 for correct substitution into the Sine Rule                 | Condone use of 62 instead of 118 |
|    | $(QS =) \frac{2.9 \sin 118^\circ}{\sin 36^\circ}$ oe        |      |   | M1 for correct rearrangement (there may be partial evaluation) |                                  |
|    |                                                             | 4.36 |   | A1 for awrt 4.36                                               |                                  |
|    |                                                             |      |   | <b>Total 3 marks</b>                                           |                                  |

|    |     |                                                                                                                             |      |   |                                                                  |
|----|-----|-----------------------------------------------------------------------------------------------------------------------------|------|---|------------------------------------------------------------------|
| 19 | (a) | 3.65 x 6                                                                                                                    |      | 2 | M1<br>for 3.65 or 3.64 $\dot{9}$ or 3.6499...                    |
|    |     |                                                                                                                             | 21.9 |   | A1<br>Also accept 21.8 $\dot{9}$ or 21.899...                    |
|    | (b) | 75 <b>or</b> 12.5 <b>or</b> 12.4 $\dot{9}$                                                                                  |      | 3 | M1                                                               |
|    |     | $\frac{75}{12.5} \text{ or } 75 = w \times 12.5 \text{ or }$ $\frac{75}{12.4\dot{9}} \text{ or } 75 = w \times 12.4\dot{9}$ |      |   | M1<br>for 75 <b>and</b> 12.5 (or 12.4 $\dot{9}$ ) used correctly |
|    |     |                                                                                                                             | 6    |   | A1<br>cao dep on both method marks                               |
|    |     |                                                                                                                             |      |   | <b>Total 5 marks</b>                                             |

|    |     |                                                                                                                                                                                                                                                                                             |                      |   |                                                                                                                                                                 |
|----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 20 | (a) | $\frac{20-2x}{2}$ or $10-x$ seen as the width<br>or $\sqrt{8^2-x^2}$ oe                                                                                                                                                                                                                     |                      | 4 | B1                                                                                                                                                              |
|    |     | $x^2 + (10-x)^2 = 8^2$ <b>or</b><br>$x^2 + (10-x)^2 = 64$ <b>or</b><br>$2x + 2\sqrt{8^2-x^2} = 20$ <b>or</b><br>$x + \sqrt{8^2-x^2} = 10$                                                                                                                                                   |                      |   | M1 accept $\frac{20-2x}{2}$ in place of $10-x$<br>for all method marks                                                                                          |
|    |     | $x^2 + 100 - 10x - 10x + x^2 = 64$ <b>or</b><br>$(2\sqrt{8^2-x^2})^2 = 400 - 40x - 40x + 4x^2$<br><b>or</b> $(\sqrt{8^2-x^2})^2 = 100 - 10x - 10x + x^2$                                                                                                                                    |                      |   | M1 (dep on previous M1)<br>for correct expansion of $(10-x)^2$<br><b>or</b> correct expansion of $(20-2x)^2$                                                    |
|    |     |                                                                                                                                                                                                                                                                                             | $x^2 - 10x + 18 = 0$ |   | A1 for correct manipulation resulting<br>in given equation                                                                                                      |
|    | (b) | $\frac{- -10 \pm \sqrt{(-10)^2 - 4 \times 1 \times 18}}{2 \times 1}$ <b>or</b> for<br>this expression with one or more of<br>$(- -10)$ , $(-10)^2$ , $10^2$ , $-4 \times 1 \times$<br>$18$ , $2 \times 1$ , $(-10)^2 - 4 \times 1 \times 18$<br>evaluated e.g. $\frac{10 \pm \sqrt{28}}{2}$ |                      | 3 | M1 correct substitution brackets not<br>necessary (accept $10^2$ )<br><br><b>or</b><br>$(x-5)^2 - 25 + 18 = 0$ oe                                               |
|    |     | $\sqrt{28}$ <b>or</b> $2\sqrt{7}$ <b>or</b> $\sqrt{100-72}$ <b>or</b><br>5.29...                                                                                                                                                                                                            |                      |   | M1 (independent) for correct<br>simplification of discriminant (if<br>evaluated at least 3sf rounded or<br>truncated)<br><br><b>or</b> $x - 5 = \pm\sqrt{7}$ oe |

|  |  |           |  |                                                                                                                                          |
|--|--|-----------|--|------------------------------------------------------------------------------------------------------------------------------------------|
|  |  | 2.35 7.65 |  | A1 for values rounding to 2.35 and 7.65 (2.35424... 7.64575...) Award full marks for correct solutions if at least 1 method mark scored. |
|  |  |           |  | <b>Total 7 marks</b>                                                                                                                     |

|    |                                                                                                               |     |   |    |                                                                                                                                                                                                                                  |
|----|---------------------------------------------------------------------------------------------------------------|-----|---|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21 | $\frac{1}{2} \times 7 \times 16 \times \sin 150^\circ$                                                        |     | 6 | M1 | for $\frac{1}{2} \times 7 \times 16 \times \sin 150^\circ$                                                                                                                                                                       |
|    |                                                                                                               |     |   | M1 | for $\pi \times 7^2$ <b>or</b> $49\pi$ <b>or</b> for value rounding to 153.9                                                                                                                                                     |
|    | $\frac{210}{360} \times \pi \times 7^2$ <b>or</b><br>$\pi \times 7^2 - \frac{150}{360} \times \pi \times 7^2$ |     |   | M2 | correct method for sector of circle<br>M1 for $\frac{210}{360}$ oe inc 0.5833... rounded or truncated to at least 3 decimal places<br>or for $\frac{360}{210}$ oe inc 1.714... rounded or truncated to at least 2 decimal places |
|    |                                                                                                               |     |   | A1 | for value rounding to 89.8 or $\frac{343\pi}{12}$ for area of sector<br><b>or</b> 28 for area of triangle                                                                                                                        |
|    |                                                                                                               | 118 |   | A1 | for value rounding to 118                                                                                                                                                                                                        |
|    |                                                                                                               |     |   |    | <b>Total 6 marks</b>                                                                                                                                                                                                             |

|    |                                                                                                                                                                     |                        |   |    |                                                                                                                                                                                                                                     |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22 | $\frac{y(x+4)}{x(x+4)} + \frac{2xy}{x(x+4)} = 3 \text{ or}$ $\frac{y(x+4)}{x(x+4)} + \frac{2xy}{x(x+4)} = \frac{3x(x+4)}{x(x+4)}$                                   |                        | 5 | M1 | <p>LHS may be two separate fractions or one single fraction</p> <p>(brackets may or may not be removed on RHS and denominator)</p>                                                                                                  |
|    | $y(x+4) + 2xy = 3x(x+4) \text{ or}$ $\frac{xy+4y}{x(x+4)} + \frac{2xy}{x(x+4)} = 3 \text{ or}$ $\frac{xy+4y}{x(x+4)} + \frac{2xy}{x(x+4)} = \frac{3x(x+4)}{x(x+4)}$ |                        |   | M1 | <p>LHS may be two separate fractions or one single fraction; if one fraction, numerator on LHS may or may not be simplified<br/><b>(implies previous M1)</b></p> <p>(brackets may or may not be removed on RHS and denominator)</p> |
|    | $xy+4y+2xy=3x^2+12x \text{ or}$ $xy+4y-2xy=3x(x+4) \text{ or}$ $3xy+4y=3x^2+12x \text{ or}$ $3xy+4y=3x(x+4)$                                                        |                        |   | M1 | <p>(brackets may or may not be removed on RHS)</p> <p><b>(implies previous two M1s)</b></p>                                                                                                                                         |
|    | $y(3x+4)=3x(x+4) \text{ or}$ $y(3x+4)=3x^2+12x$                                                                                                                     |                        |   | M1 | LHS factorised correctly - expression in bracket on LHS may or may not be simplified                                                                                                                                                |
|    |                                                                                                                                                                     | $\frac{3x(x+4)}{3x+4}$ |   | A1 | $\frac{3x(x+4)}{3x+4} \text{ or } \frac{3x^2+12x}{3x+4}$ <p>a fully correct method must be seen in order to award full marks</p>                                                                                                    |
|    |                                                                                                                                                                     |                        |   |    | <b>Total 5 marks</b>                                                                                                                                                                                                                |



Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)

Order Code UG037227 Summer 2013

For more information on Edexcel qualifications, please visit our website  
[www.edexcel.com](http://www.edexcel.com)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE



Llywodraeth Cynulliad Cymru  
Welsh Assembly Government

