



# Mark Scheme (Results)

January 2019

Pearson Edexcel International GCSE  
Mathematics A (4MA1) Foundation Tier  
Paper 2FR

## Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at [www.edexcel.com](http://www.edexcel.com).

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

[www.edexcel.com/contactus](http://www.edexcel.com/contactus)

## Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

January 2019

Publications Code 4MA1\_2FR\_1901\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2019

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

- **Types of mark**

- o M marks: method marks
- o A marks: accuracy marks
- o B marks: unconditional accuracy marks (independent of M marks)

- **Abbreviations**

- o cao – correct answer only
- o ft – follow through
- o isw – ignore subsequent working
- o SC - special case
- o oe – or equivalent (and appropriate)
- o dep – dependent
- o indep – independent
- o eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme. If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. Eg. uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

| Question     | Working | Answer                            | Mark | Notes                |
|--------------|---------|-----------------------------------|------|----------------------|
| <b>1</b> (a) |         | 7.002, 7.013, 7.04,<br>7.831, 7.9 | 1    | B1                   |
| (b)          |         | 0.07                              | 1    | B1                   |
| (c)          |         | $\frac{47}{100}$                  | 1    | B1                   |
| (d)          |         | 63                                | 1    | B1                   |
| (e)          |         | 3000                              | 1    | B1                   |
|              |         |                                   |      | <b>Total 5 marks</b> |

| Question | Working                                          | Answer | Mark | Notes                                                             |
|----------|--------------------------------------------------|--------|------|-------------------------------------------------------------------|
| <b>2</b> | 700 or 0.45                                      | 15     | 3    | M1 for a correct conversion                                       |
|          | "700" or $\frac{7}{45}$ or "0.45"                |        |      | M1 Units may not be consistent ft from their incorrect conversion |
|          | 15.555.... or $\frac{140}{9}$ or $15\frac{5}{9}$ |        |      |                                                                   |
|          |                                                  |        |      | A1                                                                |
|          |                                                  |        |      | <b>Total 3 marks</b>                                              |

| Question | Working | Answer                                      | Mark | Notes                                                                                                                                                                                                        |
|----------|---------|---------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3        | (a)     | 9 squares shaded                            | 1    | B1                                                                                                                                                                                                           |
|          | (b)     | $7\frac{2}{3}$                              | 1    | B1                                                                                                                                                                                                           |
|          | (c)     | 60 ÷ 5 or 12 or 2 × 60 or 120               | 2    | M1                                                                                                                                                                                                           |
|          | (d)     | 24                                          | 2    | A1                                                                                                                                                                                                           |
|          |         | Correct conclusion based on correct figures |      | M1 or use of decimals for 0.25 and 0.125                                                                                                                                                                     |
|          |         |                                             |      | A1 e.g. $\frac{3}{16}$ is halfway between $\frac{1}{4}$ and $\frac{1}{8}$ ( $\frac{3}{16} \neq \frac{1}{6}$ ) oe or using second method above, 4 is not halfway between 3 and 6 or 0.1875, 0.16666... and No |
| 4        | (a)     | 22                                          | 1    | B1                                                                                                                                                                                                           |
|          | (b)     | 10                                          | 1    | B1                                                                                                                                                                                                           |
|          | (c)     | Correctly completed pictogram               | 1    | B1 2½ circles oe                                                                                                                                                                                             |
| 5        | (a)     | -6, -5, -4, 8 10                            | 1    | B1                                                                                                                                                                                                           |
|          | (b)     | 15                                          | 1    | B1 Allow -15                                                                                                                                                                                                 |
|          | (c)     | 1                                           | 1    | B1                                                                                                                                                                                                           |
|          | (d)     | -14                                         | 1    | B1                                                                                                                                                                                                           |

| Question     | Working                                                                                                                                               |                   |                    |  | Answer                                  | Mark | Notes                                                                                                                                                                     |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------|--|-----------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>6</b> (a) | <b>Biology</b>                                                                                                                                        | <b>Chemistry</b>  | <b>Physics</b>     |  | Correct completed table<br><b>TOTAL</b> | 3    | M2 for at least 4 correct entries or M1 for at least 2 correct entries                                                                                                    |
| <b>boys</b>  | 25                                                                                                                                                    | 5<br>.....        | 7                  |  | <b>37</b><br>.....                      |      | A1 fully correct table.                                                                                                                                                   |
| <b>girls</b> | <b>6</b><br>.....                                                                                                                                     | 4                 | <b>33</b><br>..... |  | 43                                      |      |                                                                                                                                                                           |
| <b>TOTAL</b> | 31                                                                                                                                                    | <b>9</b><br>..... | <b>40</b><br>..... |  | 80                                      |      |                                                                                                                                                                           |
| (b)          |                                                                                                                                                       |                   |                    |  | $\frac{43}{80}$                         | 1    | B1 0.5375 or 0.538                                                                                                                                                        |
| (c)          |                                                                                                                                                       |                   |                    |  | $\frac{4}{43}$                          | 2    | M1 For $\frac{4}{n}$ ( $n > 4$ ) or $\frac{m}{43}$ ( $m < 43$ )<br>A1 Correct probability (allow 0.093(02...))<br>NB:penalise incorrect notation in (b) and (c) once only |
| <b>7</b> (a) |                                                                                                                                                       |                   |                    |  | 14                                      | 1    | B1                                                                                                                                                                        |
| (b)          |                                                                                                                                                       |                   |                    |  | 220                                     | 2    | M1 For $-10, \times 2$ or 110<br>A1                                                                                                                                       |
| <b>8</b>     |                                                                                                                                                       |                   |                    |  | 8 hours 35 mins                         | 2    | B2 for<br>(B1 for 8 hours or 35 minutes or 515 minutes)                                                                                                                   |
| <b>9</b>     | $(2 \times 2.10) + (2 \times 1.80) (= 7.80)$ or<br>$20 - 8.75 (=11.25)$ or<br>$[20 - ('7.80' + 8.75)] \div 3$ or<br>$[11.25 - 2(2.10 + 1.80)] \div 3$ |                   |                    |  | 1.15                                    | 3    | M1<br><br>M1<br>A1                                                                                                                                                        |

| Question                           | Working                                                                                                                                                                                                                                                                            | Answer                                         | Mark             | Notes                                                                                                                                                                                                                                                                                                       |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>10</b>                          |                                                                                                                                                                                                                                                                                    | Correct triangle                               | 2                | B 2 For a fully correct triangle or<br>B1 for $BAC = 55^\circ \pm 2^\circ$ or $AC = 7 \text{ cm} \pm 2 \text{ mm}$                                                                                                                                                                                          |
| <b>11</b> (a)<br>(b)<br>(c)<br>(d) | $5 \times -3 + 4 \times 6$ or for $-15$ or $(+)24$<br>$3 \times (-4)^2 + 7 \times -4$ or for $(+)48$ or for $-28$                                                                                                                                                                  | $x(3x - 1)$<br>$8y + 12$<br>9<br>20            | 1<br>1<br>2<br>2 | B1<br>B1<br>M1 oe<br>A1<br>M1 oe<br>A1                                                                                                                                                                                                                                                                      |
| <b>12</b>                          | $9 \times 3 (=27)$ or $8 \times 5 (=40)$ or $3 \times 4 (=12)$ or $9 \times 8 (=72)$ or $5 \times 5 (=25)$ or $4 \times 5 (=20)$<br>$9 \times 3 + 5 \times 5$ or $5 \times 8 + 3 \times 4$ or $9 \times 8 - 5 \times 4 (=52)$<br>'52' $\div 14 (=3.714\dots)$<br>'4' $\times 9.59$ | 38.36                                          | 5                | M1 For correct method to find area of a relevant rectangle<br>M1 For a fully correct method to find the area of the floor<br>M1 For a correct method to find number of tins of polish needed<br>M1 Method to find total cost - must be a whole number of tins rounded up<br>A1                              |
| <b>13</b> (a)<br>(b)<br>(c)        | $7x - x = -18 - 3$ ( $6x = -21$ ) oe<br>$7w = t - 3$ oe                                                                                                                                                                                                                            | $-3.5$<br>$w = \frac{t-3}{7}$<br>$T = 2p + 3r$ | 2<br>2<br>3      | M1 Collect terms in 'x' on one side and number terms on the other.<br>A1<br>M1 Isolating term in w<br>A1 Must have $w =$<br>B3 For $T = 2p + 3r$ oe<br>(B2 for $2p + 3r$ or $T = 3p + r$ or $T = p + 2r$ or<br>$T = 3p + 2r$ )<br>(B1 for $2p + r$ or $p + 3r$ or $3p + 2r$ or<br>or $3p + r$ or $p + 2r$ ) |



| Question      | Working                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Answer                                        | Mark   | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 14            | $75 + (180 - 123)$ or $180 - (75 + (180 - 123))$<br><br>$132^\circ$<br><u>e.g.</u><br><u>Vertically opposite angles</u> are equal.<br><u>Angles</u> on a <u>straight line</u> add up to <u><math>180^\circ</math></u><br><u>Angles</u> in a <u>triangle</u> add up to <u><math>180^\circ</math></u><br>Or<br>Vertically opposite angles are equal<br><u>Angles</u> on a <u>straight line</u> add up to <u><math>180^\circ</math></u><br><u>exterior angle</u> of a <u>triangle</u> is equal to the <u>sum</u> of the <u>opposite interior angles</u> | 132 and a full set of reasons for method used | 4      | M1 Correct method to find angle $x$<br><br>A1 Correct value for $x$<br>B2 For a correct full set of reasons for the method used<br>B1 for two correct reasons for a method used.                                                                                                                                                                                                                                                                                                                         |
| 15 (a)<br>(b) | $2 \times 16 + 6 \times 18 + 10 \times 19 + 14 \times 27 + 18 \times 20$<br>$= 32 + 108 + 190 + 378 + 360$<br>(=1068)<br><br><br><br><br><br><br><br><br><br>‘1068’ $\div$ 100                                                                                                                                                                                                                                                                                                                                                                       | $12 < d \leq 16$<br>10.68                     | 1<br>4 | B1<br>M2 $f \times d$ for at least 4 products with correct mid- interval values and intention to add.<br><br>If not M2 then award M1<br><br>for $d$ used consistently for at least 4 products within interval (including end points) and intention to add<br><br>or<br><br>for at least 4 correct products with correct mid-interval values with no intention to add<br>M1 dep on at least M1 Allow division by their $\sum f$ provided addition or total under column seen<br>A1 Accept 10, 10.7 and 11 |

| Question      | Working                                                                                                                                                                                          | Answer             | Mark | Notes                                                                                                                                                                                                                                  |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>16</b>     | $0.5 \times 6 \times 6 \times 5 (= 90)$<br>$0.5 \times \pi \times 3^2 \times 5 (= 22.5 \pi = 70.6858\dots)$ or<br>$\pi \times 3^2 \times 5 (= 45 \pi = 141.37166\dots)$<br>'90' – '70.6858.....' | 19.3               | 4    | M1 Correct method for volume of <b>A</b><br>M1 Correct method for volume of <b>B</b> or correct volume of cylinder<br>M1 Correct method to find the difference in the volume<br>A1 19 – 19.4                                           |
| <b>17</b> (a) |                                                                                                                                                                                                  | $6n + 4$           | 2    | M1 for $6n + k$ ( $k$ may be 0 or absent) oe                                                                                                                                                                                           |
| (b)           | ...40, 46,...<br>-2, 1, 6, 13, 22, 33 46 ...<br><br>$6n + 4 = n^2 - 3$ oe                                                                                                                        | e.g. 22 or 46      | 2    | A1 oe eg $10 + (n - 1)6$ or $n \times 6 + 4$<br>M1 continuing sequence and writing at least 5 terms of 2 <sup>nd</sup> sequence – allow one error or<br>A1 for a correct equation fit part (a) or other number in both sequences eg -2 |
| <b>18</b>     | $0.07 \times 10\,800 (= 756)$ oe<br>$10\,800 + '756'$                                                                                                                                            | 11 556             | 3    | M1 M2 for $1.07 \times 10\,800$ oe<br>M1<br>A1                                                                                                                                                                                         |
| <b>19</b> (a) |                                                                                                                                                                                                  | 2, 4, 6, 8, 10, 12 | 1    | B1                                                                                                                                                                                                                                     |
| (b)           |                                                                                                                                                                                                  | 8, 10, 12          | 1    | B1                                                                                                                                                                                                                                     |
| (c)           |                                                                                                                                                                                                  | 1, 3, 5            | 1    | B1                                                                                                                                                                                                                                     |
| (d)           |                                                                                                                                                                                                  | $\frac{9}{12}$     | 2    | M1 for 9 or $\frac{m}{12}$ ( $m < 12$ )<br>A1 oe                                                                                                                                                                                       |

| Question      | Working                                                                                                                                                                                                                           | Answer | Mark | Notes                                                                                                                                                                                                                                                                        |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>20</b> (a) |                                                                                                                                                                                                                                   | 12.35  | 1    | B1 or 12.34 $\dot{9}$                                                                                                                                                                                                                                                        |
| (b)           |                                                                                                                                                                                                                                   | 12.25  | 1    | B1                                                                                                                                                                                                                                                                           |
| <b>21</b>     | $6000 \times 0.015 (= 90)$ <b>or</b><br>$6000 \times 1.015 (= 6090)$<br><br>$(6000 + '90') \times 0.015 (= 91.35)$<br>$('6090' + '91.35') \times 0.015 (= 92.72)$<br>$('6090' + '91.35' + '92.72') \times 0.015$<br>$(= 94.11..)$ | 368.18 | 3    | <div> M1 or for<br/> <math>\frac{4 \times 1.5}{100} \times 6000 (= 360)</math> or 6360<br/><br/> M1 for complete method (4 years)<br/> for total value or sight of<br/> 6368.....<br/><br/> A1 accept 368 – 368.20 </div> <div>M2 for <math>6000 \times 1.015^4</math></div> |
| <b>22</b>     | $\tan '35' = \frac{x}{15}$ or $\tan '55' = \frac{15}{x}$<br>$x = 15 \times \tan '35' (= 10.5...)$ or<br>$x = \frac{15}{\tan '55'}$ (= 10.5...)<br>10.5 + 37                                                                       | 47.5   | 4    | <div> M1 Forming a right-angled triangle with angle 125 – 90 marked or 55 marked<br/><br/> M1<br/><br/> M1<br/><br/> A1 Awrt 47.5 </div>                                                                                                                                     |

| Question | Working                                                                                                                                                                                                                                                     | Answer          | Mark | Notes                                                                                                                                                              |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 23       | $360 \div 8 (= 45)$ or $180 - (360 \div 8) (= 135)$<br>or $\frac{6 \times 180}{8} (= 135)$ oe<br>e.g. $\frac{540 - 112 - 112 - 84}{2} (= 116)$ or<br>$\frac{540 - 308}{2} (= 116)$ or $\frac{232}{2} (= 116)$<br>e.g. '135' - '116' or $180 - '116' - '45'$ | 19              | 4    | M1 Correct method to find the interior or exterior angle of octagon<br><br>M1 Correct method to find a missing angle from pentagon<br><br>M1 Complete method<br>A1 |
| 24       | $1 + 0.65 + 1.22 (= 2.87)$ or<br>$100 + 65 + 122 (= 287)$<br>$861 \div 2.87$ or<br>$(861 \div 287) \times 100$ oe                                                                                                                                           | 300             | 3    | M1 oe<br>Note: $863 \div 3 = 287$ is M0<br><br>M1<br><br>A1                                                                                                        |
| 25 (a)   |                                                                                                                                                                                                                                                             | $4d^2e(3 + 4e)$ | 2    | B2 B1 for correct partial factorisation with at least one correct factor                                                                                           |
| (b)      |                                                                                                                                                                                                                                                             | $3k^3m$         | 2    | B2 B1 for an answer in the form $ak^xm^y$ with 2 correct from $a = 3, x = 3, y = 1$                                                                                |