



Mark Scheme (Results)

Summer 2022

Pearson Edexcel International GCSE
In Mathematics A (4MA1)
Paper 2F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2022

Question Paper Log Number P68797RA

Publications Code 4MA1_2F_2206_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- cao – correct answer only
- ft – follow through
- isw – ignore subsequent working
- SC - special case
- oe – or equivalent (and appropriate)
- dep – dependent
- indep – independent
- awrt – answer which rounds to
- eoo – each error or omission

No working

- If no working is shown then correct answers normally score full marks
- If no working is shown then incorrect (even though nearly correct) answers score no marks.

With working


- If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.
- If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.
- If a candidate misreads a number from the question. Eg. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified.
- Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.
- If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

- It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.
- It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.
- Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

Parts of questions

- Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another.
to another.

International GCSE Maths				
Apart from questions 20 and 26 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method				
Q	Working	Answer	Mark	Notes
1 (a)		30	1	B1
(b)		0.29	1	B1
(c)		0.85	1	B1
(d)		-9, -7, -3, 8, 16	1	B1
(e)		0.009, 0.04, 0.044, 0.104, 0.2	1	B1 extra zeros at the end are fine and the numbers may be separated by any signs eg < or , etc
(f)	$1 - \frac{3}{10} (= \frac{7}{10})$ oe or $\frac{3}{10} \times 400 (= 120)$ oe		2	M1 or use of $\frac{7}{10}$ eg $\frac{400}{10} \times 7$
		280		A1 Cao
				Total 7 marks
2 (a)		C, E	1	B1 accept E and C as order does not matter
(b)		A, F	1	B1 accept F and A as order does not matter
(c)		Correct line	1	B1 correct line with no other lines
(d)		12	1	B1
(e)		8	1	B1
				Total 5 marks

3	(a)(i)		37	1	B1
	(ii)		+6	1	B1 oe eg 'added 6' or 'plus 6' or $6n + 1$ allow $31 + 6 = 37$ increase by 6 / goes up by 6
	(b)		169	1	B1
	(c)		All the numbers in the sequence are odd numbers	1	B1 96 is not odd / 96 is even 96 is a multiple of 6 (and terms are not multiples of 6) or No numbers in the sequence end in 6 / all end in 1, 3, 5, 7, 9 or the sequence is $6n + 1$ or it goes ...91, 97, ... oe or it should be 97 They need to add 1
					Total 4 marks

4	(a)		B	1	B1 Accept b or 'Country B' allow incorrect spelling if meaning is clear
	(b)		bar at height of 7	1	B1 any width is acceptable
	(c)		11	1	B1 Allow 11 million or 11 000 000 in the answer space
					Total 3 marks

5 (a)	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">5</td> <td style="text-align: center;">6</td> <td style="text-align: center;">7</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">7</td> <td style="text-align: center;">8</td> <td style="text-align: center;">9</td> </tr> <tr> <td style="text-align: center;">8</td> <td style="text-align: center;">9</td> <td style="text-align: center;">10</td> <td style="text-align: center;">11</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">11</td> <td style="text-align: center;">12</td> <td style="text-align: center;">13</td> </tr> </table>		1	2	3	2	3	4	5	4	5	6	7	6	7	8	9	8	9	10	11	10	11	12	13		2	B2 For all 10 entries correct in table (B1 for 6, 7, 8 or 9 correct entries)
	1	2	3																									
2	3	4	5																									
4	5	6	7																									
6	7	8	9																									
8	9	10	11																									
10	11	12	13																									
(b)(i)		$\frac{10}{15}$	1	B1ft oe eg $\frac{2}{3}$ or 0.66, 0.67, 0.666, 0.667 etc																								
(ii)		$\frac{8}{15}$	1	B1ft 0.53(333...) (SC B1(marks in (ii)) if both parts using “correct values” but incorrect probability notation eg 10 : 15, 8 : 15)																								
Total 4 marks																												

6	$12 \times 1.40 + 12 \times 0.5 \times 1.40 (=25.20)$ oe eg $(1.4 + 0.7) \times 12 (= 25.20)$		4	M1 correct method to find the cost for offer A
	$0.8 \times 7.20 \times \text{“4”} (=23.04)$ oe or $\text{“4”} \times 7.20 - 0.2(\text{“4”} \times 7.20)$ oe eg $28.80 - 5.76 (= 23.04)$ where $4 = 24 \div 6$			M1 indep correct method to find the cost for offer B
	$12 \times 1.40 + 12 \times 0.5 \times 1.40 - 0.8 \times 7.20 \times 4$ or $\text{“25.20”} - \text{“23.04”}$			M1 dep on M2 A fully correct method to find the difference
		2.16		A1 allow -2.16
Total 4 marks				

7	$2 \times \pi \times 6.5$ or $\pi \times 13$ oe		2	M1 Allow use of π as 3.14(2...) or $\frac{22}{7}$
		40.8		A1 40.8 – 40.9
				Total 2 marks

8	$200 - 37 - 25 - 42 (= 96)$ oe eg $200 - "104" (= 96)$ or $\frac{37 + 25 + 42}{200} \left(= \frac{104}{200} \right)$		3	M1
	$\frac{96}{200}$ or $\frac{13}{25}$			M1ft for a correct fraction, but not in lowest terms or for 0.48 or 48% or for cancelling their $\frac{104}{200}$ to simplest form (if their fraction cannot be cancelled then this mark is not awarded)
		$\frac{12}{25}$		A1 cao
				Total 3 marks

9	200 (ml) written as 0.2 (l) or 3.5 (l) written as 3500 (ml)		4	B1 for a correct conversion
	$3 \times "0.2" (= 0.6)$ oe eg $0.2 + 0.2 + 0.2$ or $3 \times 200 (= 600)$ oe eg $-200-200-200$ or $3500 - 600 (= 2900)$			M1 A correct calculation for the total amount of water in the 3 cups or the 4 jugs
	$\frac{3.5 - "0.6"}{4}$ or $\frac{"3500" - "600"}{4}$ oe			M1 For a fully correct method or for an answer of 0.725 (this alone gains B1M2)
		725		A1 (SCB1M1 (no other marks) for $(3.5 - 0.2) \div 4 (= 0.825)$ or $(3500 - 200) \div 4 (= 825)$)
				Total 4 marks

10	(Area of kite =)12		3	B1 for a correct area of the kite – may be implied by their diagram
				M1 for any rectangle
				A1ft A correct rectangle or ft for a rectangle with their stated area of the kite
				Total 3 marks


11	(a)		c^6	1	B1
	(b)		$6h^3$	1	B1
	(c)		$x^2 + 5x$	1	B1
	(d)		$3(3y - 4)$	1	B1
	(e)		$T = 15m + 40p$	3	B3 ((B2 for $15m + 40p$ or $T = 15m + xp$ or $T = ym + 40p$ or $T = 40m + 15p$) (B1 for $15m + xp$ or $ym + 40p$ or $40m + 15p$ or for $T =$ an incorrect expression in m and p eg $T = mp$)) Allow $15 \times m$ or $m15$ etc
					Total 7 marks


12	$1342 \div 11 (=122)$ or $125 \times 11 (=1375)$		3 euros or 33 (Swedish) Krona	3	M1
	$125 - "122" (=3)$ or $"1375" - 1342 (=33)$				M1
					A1 Answer must have correct units which may be shortened eg € or SK or krona
					Total 3 marks

13		$BO, BA, BW,$ $FO, FA, FW,$ CO, CA, CW	2	B2 B2 all correct combinations with no repeats or errors (B1 for at least 4 correct combinations ignoring repeats)	
					Total 2 marks

14	(a)	Rotation, rotate, rotated (not turn)	rotation 180° about (0, 0) or <i>O</i>	2	B1 oe with no mention of reflection, translation, enlargement, move, flip etc B1 oe with no mention of a line, column vector or SF (SCB1 for 'half turn about (0, 0) or <i>O</i> ' with no contradictory statements) <hr/> Alternative: B2 for enlargement with centre <i>O</i> and SF -1 (B1 for enlargement with no mention of other transformation, B1 for centre <i>O</i> and SF -1)
	(b)	(-4, 1)(-6, 1)(-6, 3)(-5, 3)(-5, 4)(-4, 4)	A correct shape	2	B2 (B1 for a 'correct' shape reflected in any vertical line or a correct reflection in the line $y = -1$ or reflection of shape B in the line $x = -1$)
Total 4 marks					

15	$\frac{579}{490}$ or 1.18163.....		2	M1 or 70.1, 70.07, 70.071, 70.072, 70.0716
		70.07163(265.....)		A1 at least 5 dp truncated or rounded
Total 2 marks				

16			3	B3 For all 4 regions of Venn diagram correct (B2 for 2 or 3 regions correct, B1 for 1 region correct) numbers must not be repeated in a region
Total 3 marks				
17			3	M1 for $d = 9$ or $(c + d) \div 2 = 8$ (algebraically or clearly labelled integers) or $d - a = 4$ (algebraically or clearly labelled integers)
				M1 for two of $a = 5$ or $c = 7$ or $d = 9$ or $(c + d) \div 2 = 8$ (algebraically or clearly labelled integers) or $d - a = 4$ (algebraically or clearly labelled integers)
		$a = 5, b = 6,$ $c = 7, d = 9$		A1 All correct
Total 3 marks				

<p>18 (a)(i)</p> <p>(ii)</p> <p>(iii)</p>	 <p>Line length 2cm + but shaded area must be enclosed for the mark in (b)</p>		3	<p>B1 $y = 1$ drawn</p> <p>B1 $x = 2$ drawn</p> <p>B1 $x + y = 7$ drawn</p> <p>Allow dashed lines or solid lines for graphs condone lack of labels if unambiguous</p>
<p>(b)</p>			1	<p>B1 correct region shaded – shaded in or out – labelled R or clear intention to be the required region (ft only for one vertical line, one horizontal line and one line with a negative gradient)</p>
Total 4 marks				

19	For sight of 5 hrs 24 mins = 5.4 (hrs) or $5\frac{24}{60}$ ($=5\frac{2}{5}$) oe or 324 (mins)		3	B1
	$3980 \div 5.4$ oe or $\frac{3980}{324} \times 60$			M1 For distance \div time that should give a speed in km/h. (SC allow $3980 \div 5.24 (= 759.5\dots$ or 760) for this mark unless mark has been awarded for 324 minutes or 5.4 hours oe)
		737		A1 awrt 737 (if no working shown, 738 gets SCB2)
				Total 3 marks

20	$\frac{16}{3} - \frac{20}{7}$ or $(5)\frac{7}{21} - (2)\frac{18}{21}$ or $(5)\frac{7a}{21a} - (2)\frac{18a}{21a}$		3	M1 for correct improper fractions or fractional part of numbers written correctly over a common denominator
	$\frac{112}{21} - \frac{60}{21}$ or $\frac{112a}{21a} - \frac{60a}{21a}$ or $5\frac{7}{21} - 2\frac{18}{21} = 3 - \frac{11}{21}$ oe or $5\frac{7}{21} - 2\frac{18}{21} = 4\frac{28}{21} - 2\frac{18}{21}$			M1 for correct fractions with a common denominator with minus sign or mixed numbers to the stage shown
	$\frac{112}{21} - \frac{60}{21} = \frac{52}{21} = 2\frac{10}{21}$ oe or $3 - \frac{11}{21} = 2\frac{10}{21}$ or $5\frac{7}{21} - 2\frac{18}{21} = 4\frac{28}{21} - 2\frac{18}{21} = 2\frac{10}{21}$	Shown		A1 Dep on M2 for a correct answer from fully correct working If all 3 fractions turned into improper fractions on the first line $\frac{16}{3} - \frac{20}{7} = \frac{52}{21}$ then the student clearly needs to show that the LHS $= \frac{52}{21}$
				Total 3 marks

21	$28 \times 12 (=336)$ or $5 \times 12 (= 60)$ or $18 \times 12 (= 216)$ or $28 \times 20 (=560)$ or $\frac{1}{2}(CD + "18")"8"$ oe eg $72 + 4CD$ [numbers in “ ” come from correct working] Check diagram for areas		4	M1 For a correct method to find the area of a rectangle (may be seen as part calculation) or a correct expression for the area of the trapezium with numbers substituted. Allow for other correct method to find area linked to this shape.
	“336” + $0.5("18" + CD)"8" = 434$ oe eg $4("18" + CD) = 98$ or eg $0.5("18" + CD)"8" = "98"$ oe eg $\frac{1}{2}(18 + CD) = 12.25$ or $"560" - 2(0.5(5 + x)"8") = 434$ oe (where x is horizontal from D to perp with AF) [numbers in “ ” come from correct working]			M1 correct use of their values from correct working for an equation involving CD (CD could be labelled with any letter)
	eg $(CD =) \frac{196 - 144}{8} \left(= \frac{52}{8} \right)$ or $(CD =) \frac{98 - 72}{4} \left(= \frac{26}{4} \right)$ or $(CD =) \frac{434 + 152 - 560}{4}$ or $(CD =) 2 \times 12.25 - 18$ or $98 \times 2 (= 196)$, $"196" \div 8 (= 24.5)$, $"24.5" - 18$			M1 a correct process to solve a correct equation or a correct process to find CD using correct values
		6.5		A1 oe
				Total 4 marks

22	$\cos 42 = \frac{x}{9.5} \text{ or}$ $\tan 42 = \frac{9.5 \sin 42}{x} \text{ or}$ $\sin(90 - 42) = \frac{x}{9.5} \text{ or}$ $\frac{x}{\sin 48} = \frac{9.5}{\sin 90} \text{ or}$ $9.5^2 - (9.5 \sin 42)^2$		3	M1 a correct trig statement for x or correct Pythagoras for x^2
	$(x =) 9.5 \cos 42 \text{ or}$ $(x =) \frac{9.5 \sin 42}{\tan 42} \text{ or}$ $(x =) 9.5 \sin(90 - 42) \text{ or}$ $(x =) \frac{9.5 \sin 48}{\sin 90} \text{ or}$ $(x =) \sqrt{9.5^2 - (9.5 \sin 42)^2}$			M1 a fully correct calculation to find x
		7.1		A1 awrt 7.1
				Total 3 marks

23	×1000 (÷60 ÷ 60) or ÷3600 or sight of 81 000 or 1350 or 0.0225		3	M1 For one of ×1000 (eg sight of 81 000) or (÷60 ÷ 60) or ÷3600 oe
	$\frac{81 \times 1000}{60 \times 60}$ oe eg $\frac{81}{3.6}$ or $81 \times \frac{5}{18}$ oe			M1 For a fully correct method with correct use of brackets eg $81000 \div 60 \times 60$ is M1 only if not recovered
		22.5		A1 oe eg $\frac{45}{2}$
				Total 3 marks

24	$300 \div (7 + 5 + 3) (= 20)$ clear correct use of $7 + 5 + 3 (= 15)$ eg division at the end by 15 $\left(\frac{"2.8"+"1.8"}{15}\right)$ or correct use of 15 in a fraction eg $\frac{2}{5} \times \frac{7}{15}$		5	M1 (no mark for "15" unless it is used correctly) use of 7×20 or 140 or 5×20 or 100 in further work assumes this mark
	$\frac{2}{5} \times (7 \times "20") (=56)$ oe eg $0.4 \times 140 (= 56)$ or $\frac{2}{5} \times 7 \left(= \frac{14}{5} = 2.8 \right)$ or eg $\frac{2}{5} \times \frac{7}{15} \left(= \frac{14}{75} = 0.186\dots \right)$			M1 finding $\frac{2}{5}$ of the number of birthday cards or $\frac{2}{5}$ of the share of 7 or $\frac{2}{5}$ of fraction of amount
	$0.36 \times (5 \times "20") (=36)$ or $0.36 \times 5 (= 1.8)$ or eg $\frac{36}{100} \times \frac{5}{15} \left(= \frac{180}{1500} = 0.12 \right)$ oe			M1 finding 36% of anniversary cards Or 36% of the share of 5 or 36% of fraction of amount
	$\frac{"56"+"36"}{300}$ or eg $\left(\frac{"2.8"+"1.8"}{15}\right)$ or $\frac{\frac{14}{5} + \frac{9}{5}}{15}$ $\frac{"14"}{75} + \frac{"180"}{1500}$			M1 for any fraction from correct working that isn't simplified or 30.66..% or 0.3066...
		$\frac{23}{75}$		A1 cao
				Total 5 marks

25	$50\,000 \times 1.013 (=50\,650)$ oe Or $50\,000 \times 0.013 (= 650)$ oe (NB: accept $\left(1 + \frac{1.3}{100}\right)$ for 1.013 but not $(1 + 1.3\%)$)		3	M1 For finding 101.3% or 1.3% of 50 000	M2 for 50000×1.013^4 or 50000×1.013^5
	“50 650” $\times 1.013 (=51\,308.45)$ “51 308.45” $\times 1.013 (=51\,975.45\dots)$ “51 975.45...” $\times 1.013$			M1 dep for a complete method	
		52 651		A1 awrt 52 651 if no marks awarded then SCB1 for $50\,000 \times 0.013^n$ $50\,000 \times 0.987^4 (= 47450\dots)$ $50\,000 \times 0.052 (= 2600)$ $50\,000 \times 1.052 (= 52600)$ $50000 \times 1.013^2 (= 51308.45)$ $50000 \times 1.013^3 (= 51975.45\dots)$	
				Total 3 marks	

26	eg $\begin{matrix} +7x+3y=3 \\ 9x-3y=21 \end{matrix}$ or $\begin{matrix} -21x+9y=9 \\ 21x-7y=49 \end{matrix}$		3	M1 a correct method to eliminate x or y – multiplying one or both equations so that one variable can be eliminated (allow a total of one error in multiplication) and the correct operation to eliminate or for substitution of one variable into the other equation.
	or eg $7x+3(3x-7)=3$ or $7\left(\frac{7+y}{3}\right)+3y=3$			M1 dep on M1 for a correct method to calculate the value of other letter eg substitution or starting again with elimination
	If first M1 gained then they can substitute an incorrect value if from ‘correct’ method to gain this mark.			A1 oe dep on M1
		$x = 1.5, y = -2.5$		

27	(i)	$(x \pm 3)(x \pm 8)$	2	M1 or $(x+a)(x+b)$ where $ab = -24$ or $a+b = 5$
		$(x-3)(x+8)$		A1
	(ii)	3, -8	1	B1ft Must fit from their answer to (i) fit from their incorrect factors in the form $(x+a)(x+b)$
				Total 3 marks

28	$7 \times 2.7 (=18.9)$ or $4 \times 3.3 (= 13.2)$ or $\frac{3W + 4 \times 3.3}{7} = 2.7$ oe eg $3W + 13.2 = 18.9$		3	M1 For one correct product or for a correct equation for W
	$\frac{7 \times 2.7 - 4 \times 3.3}{3}$ or $\frac{18.9 - 13.2}{3}$ or $\frac{5.7}{3}$ or $3W = 5.7$			M1
	If you see 1.9 from correct working and they do further work to this value, award M2	1.9		A1
				Total 3 marks

