

Mark Scheme (Results)

Summer 2013

International GCSE  
Chemistry (4CH0) Paper 2CR

## Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk) for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.

Their contact details can be found on this link: [www.edexcel.com/teachingservices](http://www.edexcel.com/teachingservices).

You can also use our online Ask the Expert service at [www.edexcel.com/ask](http://www.edexcel.com/ask). You will need an Edexcel username and password to access this service.

### **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2013

Publications Code UG035550

All the material in this publication is copyright

© Pearson Education Ltd 2013

Question number	Answer	Notes	Marks
1 (a)	gallium / Ga		1
(b)	sodium / magnesium / aluminium / Na / Mg / Al		1
(c)	fluorine / F / F <sub>2</sub>		1
(d)	nitrogen / N / N <sub>2</sub>		1
(e)	neon / argon / krypton / xenon / radon / Ne / Ar / Kr / Xe / Rn		1
		<b>Total</b>	<b>5</b>

Question number	Answer	Notes	Marks
2 (a)	B A D C		1 1 1 1
(b)	Mixture Compound Mixture		1 1 1
		<b>Total</b>	<b>7</b>

Question number	Answer	Notes	Marks
3 (a)	hydrogen / H <sub>2</sub> burns with a pop/squeak OR use burning/lit splint/flame to see if pop/squeak	Ignore H Must be reference to test and result Reference to splint/match with no indication of flame is not enough Reject reference to glowing splint Ignore flame extinguished 'Squeaky pop test' on its own is not sufficient	1 1
(b) i	AgCl  (dilute) nitric acid / HNO <sub>3</sub>	Ignore names even if wrong Accept sulfuric acid / H <sub>2</sub> SO <sub>4</sub> Reject hydrochloric acid / HCl Ignore conc(entrated) acid Ignore acid(ified) without a named acid Reject other named acids	1 1
(b) ii	iron nitrate	Accept ferrous nitrate and ferric nitrate Ignore oxidation states (II) and (III) Reject other oxidation states	1

Question number	Answer	Notes	Marks
3 (c)	(add) sodium hydroxide (solution) / NaOH  green precipitate  brown precipitate	Any group I hydroxide / ammonium hydroxide / barium or calcium hydroxide / ammonia solution (names or formulae) If reagent incorrect, then 0/3 If reagent missing, then M2 and M3 can be awarded If near miss (eg ammonia hydroxide) then M2 and M3 can be awarded  Ignore qualifiers such as light / pale / dark Accept solid / suspension / ppt(e) in place of precipitate Reject all other colours Ignore names and formulae even if incorrect  Ignore qualifiers such as light / pale / dark / rusty / foxy / orange Accept red-brown Accept solid / suspension / ppt(e) in place of precipitate Reject all other colours Ignore names and formulae even if incorrect  If both colours correct, penalise missing precipitate once only Do not award M2 or M3 for two correct observations in the wrong order Ignore references to bubbles etc	1  1  1
<b>Total</b>			<b>8</b>

Question number	Answer	Notes	Marks
4 (a)	bubbles / fizzing / effervescence  sodium moves / darts / floats sodium gets smaller / disappears sodium melts / forms ball white trail	Accept gas given off/evolved/formed/produced Accept hydrogen gas Ignore identity of gas  Accept equivalents such as shoots/skims Accept dissolves  Do not apply list principle Assume that it = sodium Ignore flames / sparks Any two for 1 each	2
(b)	Do not apply list principle	Assume that it = sodium	1
(c) i	hydrogen / H <sub>2</sub>	Ignore H	1
ii	K <sup>+</sup>		1

Question number	Answer	Notes	Marks
4 (d)	<p>Na is 2.8.1 K is 2.8.8.1</p> <p>outer/valence electron / outer shell / electron lost in K further from nucleus/protons</p> <p>less attracted by nucleus</p>	<p>Accept other punctuation and no punctuation and diagrams in place of full stops If neither of M1 and M2 scored, allow potassium has more (electron) shells (or numbers of shells stated)/energy levels for 1 mark?</p> <p>Ignore potassium further from nucleus</p> <p>Accept (electron) more easily removed/lost /less energy needed to remove (electron) Accept potassium more willing to lose electron If no reference to nucleus or protons, then neither M3 nor M4 can be awarded A correct reference to nucleus/protons is needed before M3 and M4 can be awarded Ignore references to shielding Accept reverse arguments for sodium in M3 and M4</p>	<p>1 1</p> <p>1</p> <p>1</p>
		<b>Total</b>	<b>9</b>

Question number	Answer			Notes	Marks
5 (a)	<b>Statement</b>	<b>Fractional distillation</b>	<b>Cracking</b>	1 mark for each line correct	5
	Crude oil is heated	(✓)			
	A catalyst may be used		✓		
	Alkenes are formed		✓		
	Decomposition reactions occur		✓		
	Fuels are obtained	✓	✓		
	Separation is the main purpose	✓			
(b) i	C <sub>5</sub> H <sub>12</sub>			Accept H <sub>12</sub> C <sub>5</sub>	1
ii	<pre>       H H H H H                 H—C—C—C—C—C—H                       H H H H H           </pre>				1
iii	C <sub>5</sub> H <sub>12</sub>			Accept H <sub>12</sub> C <sub>5</sub>	1
iv	pentane				1
v	C <sub>n</sub> H <sub>2n+2</sub>			Accept x and other letters in place of n Accept answers like C <sub>n</sub> H <sub>2n+2</sub> Ignore 2(n+1)	1

Question number	Answer	Notes	Marks
5 (c) i	(products) 2 2 (oxygen) 3	M1 and M2 independent	1 1
ii	4 electrons shared between 2 (carbon) atoms 4 electron pairs between 2C and 4H atoms	Ignore inner electrons even if wrong Ignore number of hydrogen atoms  Accept all permutations of dots and crosses Ignore intersecting circles Accept H atoms at all angles At least one C or one H atom must be labelled – max 1 if not Max 1 if more than 2 C atoms Max 1 if wrong number of electrons in outer shell of any atom	1 1
(d) i	phosphoric acid / H <sub>3</sub> PO <sub>4</sub> any value in range 250 – 500 °C	Ignore concentrated / dilute Accept value without unit Accept 523 – 623 <u>K</u> Marks independent	1 1
ii	20 (mol) M1 × 24 480 (dm <sup>3</sup> )	Accept 480 000 <u>cm</u> <sup>3</sup> If M1 incorrect but 480 is final answer, then only M3 can be awarded If no answer to amount of ethene, then 20 x 24 = 480 scores M2 and M3	1 1 1
		<b>Total</b>	<b>19</b>

Question number	Answer	Notes	Marks
6 (a)	ethanol/it is more volatile/evaporates more quickly/more easily/evaporates in a shorter time	Accept has a lower boiling point (than water) Ignore reference to melting point(s) Accept reverse arguments for water	1
(b) i	0.3(0) (g)	Accept some copper dropped off  Any two for 1 each	1
ii	some copper did not stick to (negative) electrode/cathode some copper removed during washing/drying <u>positive</u> electrode/anode impure OR formed (anode) sludge		2

Question number	Answer	Notes	Marks
6 (c) i	all 9 points plotted correctly to nearest gridline  straight line of best fit  ii point at (7.40, 0.20) circled  iii no charge/current/electricity passed AND no copper deposited/no change in mass/no electrolysis  iv line is straight / fixed gradient AND goes through origin  v graph line extrapolated to (at least) 0.55 correct value from candidate graph	Deduct 1 mark for each error Award these marks if points too faint to be seen under correct line Ignore point at 0.55  Must be drawn with a ruler Must go through origin Ignore extrapolation beyond (16,0.5)  OWTTE, eg charge = 0, so mass (increase) = 0 Ignore references to direct proportion  Ignore re-statements of the information given in the question, eg the greater the charge, the greater the mass (increase)  Probably 17.4 - 17.8 M2 not dependent on extrapolation	
		<b>Total</b>	<b>12</b>
		<b>Total for paper</b>	<b>60</b>



Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)

Order Code UG035550 Summer 2013

For more information on Edexcel qualifications, please visit our website  
[www.edexcel.com](http://www.edexcel.com)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual  




Llywodraeth Cynulliad Cymru  
Welsh Assembly Government

