

**Paper 2 (4CH1/2C)**

<b>Question number</b>	<b>Answer</b>	<b>Mark</b>
<b>1(a)</b>	A	<b>1</b>

<b>Question number</b>	<b>Answer</b>	<b>Mark</b>
<b>1(b)</b>	C	<b>1</b>

<b>Question number</b>	<b>Answer</b>	<b>Mark</b>
<b>1(c)</b>	B	<b>1</b>

<b>Question number</b>	<b>Answer</b>	<b>Mark</b>
<b>1(d)</b>	A	<b>1</b>

**Total for Question 1 = 4 marks**

Question number	Answer	Mark
2(a)	<ul style="list-style-type: none"> <li>• (mass of solid) 5.3 (g) (1)</li> <li>• (mass of water) 20.9 (g) (1)</li> </ul>	2

Question number	Answer	Mark
2(b)	<ul style="list-style-type: none"> <li>• <math>(10.5 \div 16.8) \times 100</math> (1)</li> <li>• 62.5 (grams of solid per 100 g of water) (1)</li> </ul>	2

Question number	Answer	Mark
2(c)	<p>An explanation that links together the following three points:</p> <ul style="list-style-type: none"> <li>• the gas will escape (1)</li> <li>• the mass of solid remaining will be less (than it should be) (1)</li> <li>• the value of the calculated solubility will be lower (than it should be) (1)</li> </ul>	3

**Total for Question 2 = 7 marks**

Question number	Answer	Mark
3(a)	Fluorine	1

Question number	Answer	Mark
3(b)	Iodine OR astatine	1

Question number	Answer	Mark
3(c)(i)	$\text{Cl}_2 + 2\text{Br}^- \rightarrow 2\text{Cl}^- + 2\text{Br}$	1

Question number	Answer	Additional guidance	Mark
3(c)(ii)	(they are) Losing electrons	accept oxidation number (of bromine) increases  accept oxidation number (of bromine) changes from -1 to 0	1

Question number	Answer	Additional guidance	Mark
3(c)(iii)	$2\text{Br} \rightarrow \text{Br}_2$	accept $\text{Br} + \text{Br} = \text{Br}_2$	1

Question number	Answer	Mark
3(d)	<p>A diagram that shows:</p> <ul style="list-style-type: none"> <li>all three bonding pairs correct (1)</li> <li>all non-bonding pairs (1)</li> </ul> <p>Example</p> <pre>       ..       :F:       .. x       :F x B       .. x       :F:       ..           </pre>	2

**Total for Question 3 = 7 marks**

Question number	Answer	Additional guidance	Mark
4	<p>A description that makes reference to the following six points:</p> <p>Test for cation:</p> <ul style="list-style-type: none"> <li>• do a flame test (1)</li> <li>• if flame is yellow then cation is sodium (1)</li> <li>• if flame is lilac then cation is potassium (1)</li> </ul> <p>Test for anion:</p> <ul style="list-style-type: none"> <li>• dissolve solid in water (1)</li> </ul> <p><b>EITHER</b></p> <ul style="list-style-type: none"> <li>• add (dilute nitric acid and) aqueous silver nitrate (1)</li> <li>• if (white) precipitate forms the anion is chloride/if no precipitate forms then anion is sulfate (1)</li> </ul> <p><b>OR</b></p> <ul style="list-style-type: none"> <li>• add (dilute hydrochloric acid and) aqueous barium chloride (1)</li> <li>• if (white) precipitate forms the anion is sulfate/if no precipitate forms then anion is chloride (1)</li> </ul>	<p>accept any combination of hydrochloric acid/nitric acid and barium chloride/barium nitrate</p>	6

**Total for Question 4 = 6 marks**

Question number	Answer	Mark
5(a)	Zinc has displaced cadmium	1


Question number	Answer	Mark
5(b)(i)	$\text{Zn}^{2+} + 2\text{e}^{(-)} \rightarrow \text{Zn} (1)$	1


Question number	Answer	Mark
5(b)(ii)	$2\text{H}_2\text{O} \rightarrow 4\text{H}^+ + \text{O}_2 + 4\text{e}^-$	1

Question number	Answer	Additional guidance	Mark
5(b)(iii)	<p>An explanation that links the following two points:</p> <ul style="list-style-type: none"> <li>pH decreases</li> <li>hydrogen ion/<math>\text{H}^+</math> (ion) concentration increases</li> </ul>	accept hydrogen ions are formed	2

Question number	Answer	Additional guidance	Mark
5(c)	<p>An explanation that links three of the following points:</p> <ul style="list-style-type: none"> <li>the ions of (pure) copper are the same size (1)</li> <li>the layers (of ions) can easily slide over one another (1)</li> <li>the ions of zinc and copper have different sizes (1)</li> <li>this disrupts the layers/structure/arrangement of the copper ions (1)</li> <li>hence it is more difficult for the layers (of ions) to slide over one another (1)</li> </ul>	<p>accept atoms/particles for ions</p> <p>reject molecules once only</p>	3


**Total for Question 5 = 8 marks**

Question number	Answer	Additional guidance	Mark
6(a)	<ul style="list-style-type: none"> <li>All points plotted correctly (1)</li> <li>Best fit line drawn (1)</li> </ul> 	must be drawn with the aid of a ruler	2

Question number	Answer	Mark
6(b)	<ul style="list-style-type: none"> <li>Answer read correctly from graph drawn/4.1 (g) (1)</li> <li>Appropriate horizontal or vertical line drawn (1)</li> </ul> 	2

Question number	Answer	Mark
6(c)	All of the water has been removed/there is no more water left	1

Question number	Answer	Mark
6(d)	<ul style="list-style-type: none"> <li>Calculate the amount of magnesium carbonate</li> <li>Calculate the amount of water</li> <li>Evaluation</li> </ul> <p>Example calculation:</p> $n(\text{MgCO}_3) = (1.68 \div 84) = 0.02(0)(\text{mol}) \quad (1)$ $n(\text{H}_2\text{O}) = (1.08 \div 18) = 0.06(0)(\text{mol}) \quad (1)$ $x = 3 \quad (1)$	3

Question number	Answer	Additional guidance	Mark
6(a)	<ul style="list-style-type: none"> <li>All points plotted correctly (1)</li> <li>Best fit line drawn (1)</li> </ul> 	must be drawn with the aid of a ruler	2

**Total for Question 6 = 11 marks**

Question number	Answer	Additional guidance	Mark
7(a)(i)	<p>Graph A</p> <p>An explanation that links the following two points:</p> <ul style="list-style-type: none"> <li>the backward/reverse reaction is endothermic (1)</li> <li>so an increase in temperature shifts the equilibrium to the left (hence the percentage of NO decreases) (1)</li> </ul> <p>Graph B</p> <p>An explanation that links the following two points:</p> <ul style="list-style-type: none"> <li>there are fewer molecules/moles of gas on the left (1)</li> <li>so an increase in pressure shifts the equilibrium to the left (hence the percentage of NO decreases) (1)</li> </ul>	<p>ignore any references to or arguments based on Le Chatelier's principle</p> <p>accept the (forward) reaction is exothermic</p>	4

Question number	Answer	Additional guidance	Mark
7(a)(ii)	<ul style="list-style-type: none"> <li>(The catalyst/it) increases the rate of both the forward and reverse reactions (1)</li> <li>To the same extent (1)</li> </ul>	second mark is dependent on the first	2


Question number	Answer	Mark
7(b)(i)	Because a proton is transferred from HNO <sub>3</sub> to NH <sub>3</sub>	1



Question number	Answer	Mark
7(b)(ii)	<ul style="list-style-type: none"> <li>Calculate the amount of nitric acid</li> <li>Calculate the volume of aqueous ammonia</li> </ul> <p>Example calculation:</p> $n(\text{HNO}_3) = 15.8 \times 150 \text{ mol} (= 2370 \text{ mol}) (1)$ $\text{vol}(\text{NH}_3) \text{ required} = (2370 \div 14.8) = 160(\text{dm}^3) (1)$	2

**Total for Question 7 = 9 marks**

Question number	Answer	Additional guidance	Mark
8(a)(i)	Chloroethene	accept vinyl chloride	1

Question number	Answer	Additional guidance	Mark
8(a)(ii)	Poly(chloroethene)	accept polyvinyl chloride ignore PVC	1

Question number	Answer	Additional guidance	Mark
8(b)		ignore bond angles	1

Question number	Answer	Additional guidance	Mark
8(c)(i)	<ul style="list-style-type: none"> <li>• Correct ester link (1)</li> <li>• Rest of unit correct (1)</li> </ul> <p>Example:</p> 	<p>accept:</p> 	2

Question number	Answer	Additional guidance	Mark
8(c)(ii)	Water/H <sub>2</sub> O	if both name and formula given, both must be correct	1

**Total for Question 8 = 6 marks**

Question number	Answer	Mark
9(a)(i)	<ul style="list-style-type: none"> <li>To provide an enzyme/zymase (1)</li> <li>To increase the rate of the reaction (1)</li> </ul>	2

Question number	Answer	Additional guidance	Mark
9(a)(ii)	<p>An explanation that links the following two points:</p> <ul style="list-style-type: none"> <li>Oxygen (from the air) reacts with ethanol (1)</li> <li>To form ethanoic acid (1)</li> </ul>	accept the ethanol undergoes microbial oxidation to ethanoic acid for 2 marks	2

Question number	Answer	Additional guidance	Mark
9(a)(iii)	<p>An explanation that links the following two points:</p> <ul style="list-style-type: none"> <li>Reaction is too slow at lower temperatures (1)</li> <li>Zymase/the enzyme is denatured at higher temperatures (1)</li> </ul>	accept the yeast is killed ignore yeast is denatured ignore zymase is killed	2

Question number	Answer	Mark
9(b)(i)	$C_2H_4 + H_2O \rightarrow C_2H_5OH$	1

Question number	Answer	Additional guidance	Mark
9(b)(ii)	Addition	accept hydration	1

Question number	Answer	Mark
9(b)(iii)	<p>Any two from the following:</p> <ul style="list-style-type: none"> <li>phosphoric acid catalyst (1)</li> <li>300 °C (1)</li> <li>60–70 atm (1)</li> </ul>	2

Question number	Answer	Additional guidance	Mark
9(c)	(Carboxylic acid) propanoic acid (1) (Alcohol) butanol-1-ol/butanol (1)	accept propionic acid accept ( <i>n</i> -)butyl alcohol	2

**Total for Question 9 = 12 marks**

**TOTAL FOR PAPER = 70 MARKS**