



# The Periodic Table of the Elements

1	2	3	4	5	6	7	0	
7 <b>Li</b> lithium 3	9 <b>Be</b> beryllium 4	11 <b>Na</b> sodium 11	12 <b>C</b> carbon 6	13 <b>Al</b> aluminium 13	14 <b>N</b> nitrogen 7	15 <b>O</b> oxygen 8	16 <b>F</b> fluorine 9	17 <b>Ne</b> neon 10
19 <b>K</b> potassium 19	20 <b>Ca</b> calcium 20	23 <b>Sc</b> scandium 21	24 <b>Ti</b> titanium 22	25 <b>V</b> vanadium 23	26 <b>Cr</b> chromium 24	27 <b>Mn</b> manganese 25	28 <b>Fe</b> iron 26	29 <b>Co</b> cobalt 27
37 <b>Rb</b> rubidium 37	38 <b>Sr</b> strontium 38	39 <b>Y</b> yttrium 39	40 <b>Zr</b> zirconium 40	41 <b>Nb</b> niobium 41	42 <b>Mo</b> molybdenum 42	43 <b>Tc</b> technetium 43	44 <b>Ru</b> ruthenium 44	45 <b>Rh</b> rhodium 45
55 <b>Cs</b> caesium 55	56 <b>Ba</b> barium 56	57 <b>La*</b> lanthanum 57	72 <b>Hf</b> hafnium 72	73 <b>Ta</b> tantalum 73	74 <b>W</b> tungsten 74	75 <b>Re</b> rhenium 75	76 <b>Os</b> osmium 76	77 <b>Ir</b> iridium 77
[223] <b>Fr</b> francium 87	[226] <b>Ra</b> radium 88	[227] <b>Ac*</b> actinium 89	104 <b>Rf</b> rutherfordium 104	105 <b>Db</b> dubnium 105	106 <b>Sg</b> seaborgium 106	107 <b>Bh</b> bohrium 107	108 <b>Hs</b> hassium 108	109 <b>Mt</b> meitnerium 109
85 <b>I</b> iodine 53	86 <b>Xe</b> xenon 54	87 <b>At</b> astatine 85	88 <b>Po</b> polonium 84	89 <b>Bi</b> bismuth 83	90 <b>Pb</b> lead 82	91 <b>Tl</b> thallium 81	92 <b>Pb</b> lead 82	93 <b>Bi</b> bismuth 83
127 <b>I</b> iodine 53	128 <b>Te</b> tellurium 52	129 <b>Sb</b> antimony 51	130 <b>Sn</b> tin 50	131 <b>In</b> indium 49	132 <b>Cd</b> cadmium 48	133 <b>Hg</b> mercury 80	134 <b>Tl</b> thallium 81	135 <b>Pb</b> lead 82
159 <b>Er</b> erbium 68	160 <b>Tm</b> thulium 69	161 <b>Yb</b> ytterbium 70	162 <b>Lu</b> lutetium 71	163 <b>Hf</b> hafnium 72	164 <b>Ta</b> tantalum 73	165 <b>W</b> tungsten 74	166 <b>Re</b> rhenium 75	167 <b>Os</b> osmium 76
187 <b>Os</b> osmium 76	188 <b>Ir</b> iridium 77	189 <b>Pt</b> platinum 78	190 <b>Au</b> gold 79	191 <b>Hg</b> mercury 80	192 <b>Tl</b> thallium 81	193 <b>Pb</b> lead 82	194 <b>Bi</b> bismuth 83	195 <b>Po</b> polonium 84
201 <b>Hg</b> mercury 80	202 <b>Tl</b> thallium 81	203 <b>Pb</b> lead 82	204 <b>Bi</b> bismuth 83	205 <b>Po</b> polonium 84	206 <b>At</b> astatine 85	207 <b>Rn</b> radon 86	208 <b>Fr</b> francium 87	209 <b>Ac</b> actinium 89
288 <b>Cn</b> copernicium 112	289 <b>Mc</b> moscovium 113	290 <b>Lv</b> livermorium 114	291 <b>Ts</b> tennessine 115	292 <b>Og</b> oganesson 116	Elements with atomic numbers 112–116 have been reported but not fully authenticated			
63.5 <b>Cu</b> copper 29	65 <b>Zn</b> zinc 30	69 <b>K</b> potassium 39	70 <b>Ga</b> gallium 31	71 <b>Ge</b> germanium 32	72 <b>As</b> arsenic 33	73 <b>Se</b> selenium 34	74 <b>Br</b> bromine 35	75 <b>Kr</b> krypton 36
108 <b>Ag</b> silver 47	106 <b>Pd</b> palladium 46	103 <b>Rh</b> rhodium 45	101 <b>Ru</b> ruthenium 44	96 <b>Mo</b> molybdenum 42	93 <b>Nb</b> niobium 41	91 <b>Zr</b> zirconium 40	89 <b>Y</b> yttrium 39	84 <b>Kr</b> krypton 36
197 <b>Au</b> gold 79	195 <b>Pt</b> platinum 78	192 <b>Ir</b> iridium 77	190 <b>Os</b> osmium 76	186 <b>Re</b> rhenium 75	184 <b>W</b> tungsten 74	181 <b>Ta</b> tantalum 73	178 <b>Hf</b> hafnium 72	175 <b>Os</b> osmium 76
[272] <b>Rg</b> roentgenium 111	[271] <b>Ds</b> darmstadtium 110	[268] <b>Mt</b> meitnerium 109	[277] <b>Hs</b> hassium 108	[264] <b>Bh</b> bohrium 107	[266] <b>Sg</b> seaborgium 106	[262] <b>Db</b> dubnium 105	[261] <b>Rf</b> rutherfordium 104	[222] <b>Rn</b> radon 86

1	<b>H</b>
hydrogen	1

relative atomic mass
<b>atomic symbol</b>
name
atomic (proton) number

\* The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.  
The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.




DO NOT WRITE IN THIS AREA

**Answer ALL questions.**

**Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.**

**1** The diagram represents an atom of an element.



(a) Label the three subatomic particles on the diagram.

(3)

(b) Use information from the diagram to complete the table for this element.

(4)

<b>mass number</b>	
<b>group number</b>	
<b>period number</b>	
<b>electronic configuration</b>	

(c) Give the name of this element.

(1)

.....

**(Total for Question 1 = 8 marks)**

---



2 A small piece of lithium is added to a trough of water.

(a) State two observations made when lithium reacts with water.

(2)

1 .....

.....

2 .....

.....

(b) What are the products of the reaction?

(1)

- A lithium hydroxide and hydrogen
- B lithium hydroxide and oxygen
- C lithium oxide and hydrogen
- D lithium oxide and oxygen

(c) After the reaction is complete, a few drops of universal indicator are added to the solution in the trough.

(i) Explain the colour and pH of the solution in the trough.

(3)

.....

.....

.....

.....

.....

.....

(ii) Give the formula of the ion responsible for this pH.

(1)

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(d) Lithium ions can be identified using a flame test.

What flame colour indicates the presence of lithium ions?

(1)


- A** lilac
- B** orange
- C** red
- D** yellow

**(Total for Question 2 = 8 marks)**



3 A student uses paper chromatography to investigate the dyes in five different inks, V, W, X, Y and Z.

The chromatogram shows the results of the investigation.



(a) Explain why the start line on the paper is drawn in pencil rather than in ink.

(2)

.....

.....

.....

.....

(b) Explain which two inks contain the dye that is most soluble in the solvent.

(2)

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Explain how the chromatogram shows that

- W contains only one dye
- V may contain more than one dye

(3)

.....

.....

.....

.....

.....

.....

(d) Calculate the  $R_f$  value for the dye in W.

Give your answer to two significant figures.

(4)

$R_f$  value = .....

**(Total for Question 3 = 11 marks)**



4 Calcium phosphate is an ionic compound with the formula  $\text{Ca}_3(\text{PO}_4)_2$

(a) (i) What is the total number of atoms in the formula  $\text{Ca}_3(\text{PO}_4)_2$ ?

(1)

- A 8
- B 11
- C 13
- D 19

(ii) What are the correct charges on the ions in calcium phosphate?

(1)

- A  $\text{Ca}^{2+}$  and  $\text{PO}_4^{2-}$
- B  $\text{Ca}^{2+}$  and  $\text{PO}_4^{3-}$
- C  $\text{Ca}^{3+}$  and  $\text{PO}_4^{2-}$
- D  $\text{Ca}^{3+}$  and  $\text{PO}_4^{3-}$

(b) (i) Calculate the relative formula mass ( $M_r$ ) of  $\text{Ca}_3(\text{PO}_4)_2$

(2)

$M_r$  of  $\text{Ca}_3(\text{PO}_4)_2 = \dots\dots\dots$

(ii) Calculate the percentage by mass of calcium in calcium phosphate.


(2)

percentage =  $\dots\dots\dots$  %

(c) Calcium hydroxide can react with phosphoric acid to form calcium phosphate.

Complete the equation for this reaction.

(1)



(Total for Question 4 = 7 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



5 Butane (C<sub>4</sub>H<sub>10</sub>) is an alkane.

(a) Explain why butane is a saturated hydrocarbon.

(3)

.....

.....

.....

.....

.....

.....

(b) (i) When butane burns completely in oxygen, carbon dioxide and water are produced.

Give a chemical equation for this combustion reaction.

(2)

.....

(ii) Incomplete combustion can occur when the oxygen supply is limited.

One product of the incomplete combustion of butane is carbon monoxide.

Give the name of another product of this incomplete combustion.

(1)

.....

(iii) State why carbon monoxide is poisonous to humans.

(1)

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c)  $C_4H_{10}$  exists as two isomers.

(i) State what is meant by the term **isomers**.

(2)

(ii) Draw the displayed formula of each isomer.

(2)

--	--

(d) Explain why hexane ( $C_6H_{14}$ ) has a higher boiling point than butane ( $C_4H_{10}$ ).

(3)

(Total for Question 5 = 14 marks)



6 (a) When iron rusts, iron(III) oxide forms.

State two conditions needed for iron to rust.

(2)

1 .....

2 .....

(b) What is the name of the process used to coat iron with zinc?

(1)

- A galvanisation
- B oxidation
- C reduction
- D sacrificial protection

(c) What is the correct order of reactivity of these four metals?

(1)

	<b>most reactive</b>	—————→		<b>least reactive</b>
<input type="checkbox"/> A	aluminium		copper      iron	zinc
<input type="checkbox"/> B	aluminium		iron      zinc	copper
<input type="checkbox"/> C	aluminium		zinc      iron	copper
<input type="checkbox"/> D	zinc		aluminium      iron	copper

(d) Describe a test to show that a solution contains Fe<sup>3+</sup> ions.

(2)

test

.....

.....

result

.....

.....

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(e) A sample of iron(III) oxide reacts with excess carbon monoxide.

This is the equation for the reaction.



(i) Explain why this is a redox reaction.

(2)

(ii) Calculate the minimum mass of iron(III) oxide needed to produce a theoretical yield of 28 g of iron.

[for  $\text{Fe}_2\text{O}_3$   $M_r = 160$ ]

(3)

minimum mass of iron(III) oxide = ..... g

(iii) The actual yield of iron from this sample is 21 g.

Calculate the percentage yield of iron.

(2)

percentage yield = ..... %

**(Total for Question 6 = 13 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



7 A student does an experiment to determine the maximum temperature change when sulfuric acid reacts with sodium hydroxide.

(a) Complete the chemical equation for this neutralisation reaction.

Include the state symbols.

(2)



(b) This is the student's method.

- Step 1 add 50 cm<sup>3</sup> of sodium hydroxide solution to a glass beaker
- Step 2 record the initial temperature of the sodium hydroxide solution
- Step 3 add 5 cm<sup>3</sup> of dilute sulfuric acid to the beaker
- Step 4 stir the mixture and record the highest temperature reached

The student repeats steps 3 and 4 until a total of 40 cm<sup>3</sup> of acid has been added.

Explain one way the student could improve the accuracy of the experiment.

(2)

.....

.....

.....

.....



(c) The table shows the student's results.

<b>Total volume of acid in cm<sup>3</sup></b>	0	5	10	15	20	25	30	35	40
<b>Temperature of mixture in °C</b>	21.0	22.3	23.8	24.4	26.5	28.0	28.5	28.2	27.9


(i) Plot the results on the grid. (1)

(ii) Draw a circle around the anomalous result. (1)

(iii) Draw a straight line of best fit through the first six points, ignoring the anomalous result.

Draw another straight line of best fit through the last three points.

Make sure that the two lines cross. (2)






8 Diamond and graphite are two naturally-occurring forms of carbon.

They both have giant covalent structures.



diamond



graphite

(a) Explain, with reference to its bonding, why diamond has a high melting point.

(3)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Explain why graphite is soft and is a conductor of electricity.

Refer to structure and bonding in your answer.

(6)

Area with horizontal dotted lines for writing the answer.


**(Total for Question 8 = 9 marks)**



9 This question is about organic compounds.

- (a) Chloroethene ( $C_2H_3Cl$ ) is a covalent molecule that is used to make poly(chloroethene).

This is the displayed formula of chloroethene.



- (i) Draw a dot-and-cross diagram of chloroethene.

Show only the outer shell electrons.

(2)

- (ii) Describe, in terms of electrostatic attraction, what is meant by a covalent bond.

(2)

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(iii) Chloroethene is a monomer.

Draw the displayed formula of the repeat unit of poly(chloroethene).

(1)

(iv) Poly(chloroethene) is non-biodegradable.

There are two main methods used to dispose of poly(chloroethene).

Describe one problem caused by each method.

(4)

1 .....

.....

.....

.....

2 .....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) An organic compound contains this percentage composition by mass.

$$C = 22.0\% \quad H = 4.6\% \quad Br = 73.4\%$$

Calculate the empirical formula of this compound.

(3)

empirical formula = .....

(c) Ethane and ethene undergo different types of reaction with bromine.

Describe the differences between these two reactions.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 9 = 17 marks)



DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



10 A student uses this apparatus to investigate the energy content of different fuels.



(a) This is the student's method.

- pour some water into the copper can
- record the mass of the spirit burner and fuel
- measure the initial temperature of the water
- place the spirit burner under the copper can and light the burner
- stop heating the water when the temperature reaches 30°C
- record the new mass of the spirit burner and fuel

The student repeats the experiment with different fuels.

Explain two variables the student should control to make this a valid test.

(4)

1 .....

.....

.....

2 .....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) In one of the experiments, the student uses ethanol as the fuel.

These are the student's results for ethanol.

initial mass of spirit burner and ethanol in g	38.52
final mass of spirit burner and ethanol in g	38.29
volume of water in $\text{cm}^3$	100
initial temperature of water in $^{\circ}\text{C}$	18
final temperature of water in $^{\circ}\text{C}$	30

(i) Calculate the value of heat energy change ( $Q$ ) in joules.

[for water,  $c = 4.2 \text{ J/g}^{\circ}\text{C}$  1.0  $\text{cm}^3$  of water has mass = 1.0 g]

(2)

$$Q = \dots\dots\dots \text{ J}$$

(ii) Calculate the enthalpy change ( $\Delta H$ ) in  $\text{kJ/mol}$ .

[for ethanol,  $M_r = 46$ ]

Include a sign in your answer.

(5)

$$\Delta H = \dots\dots\dots \text{ kJ/mol}$$

**(Total for Question 10 = 11 marks)**

**TOTAL FOR PAPER = 110 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

