Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

Pearson Edexcel International GCSE

Tuesday 28 October 2025

Morning (Time: 2 hours)

Paper reference **4PM1/01**

Further Pure Mathematics

PAPER 1

Calculators may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- You must **NOT** write anything on the formulae page.
  Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶

P78964A
©2025 Pearson Education Ltd.
M:1/1/1/1/1/1/

Pearson

International GCSE in Further Pure Mathematics Formulae sheet

Mensuration

Surface area of sphere $= 4\pi r^2$

Curved surface area of cone $= \pi r \times$ slant height

Volume of sphere $= \dfrac{4}{3}\pi r^3$

Series

Arithmetic series

Sum to n terms, $S_n = \dfrac{n}{2}\big[2a + (n-1)d\big]$

Geometric series

Sum to n terms, $S_n = \dfrac{a(1 - r^n)}{(1 - r)}$

Sum to infinity, $S_\infty = \dfrac{a}{1 - r} \quad |r| < 1$

Binomial series

$$(1 + x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \ldots + \frac{n(n-1)\ldots(n-r+1)}{r!}x^r + \ldots \quad \text{for} \quad |x| < 1, n \in \mathbb{Q}$$

Calculus

Quotient rule (differentiation)

$$\frac{\mathrm{d}}{\mathrm{d}x}\left(\frac{\mathrm{f}(x)}{\mathrm{g}(x)}\right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{[\mathrm{g}(x)]^2}$$

Trigonometry

Cosine rule
In triangle ABC: $a^2 = b^2 + c^2 - 2bc\cos A$

$\tan\theta = \dfrac{\sin\theta}{\cos\theta}$

$\sin(A + B) = \sin A \cos B + \cos A \sin B$ $\qquad$ $\sin(A - B) = \sin A \cos B - \cos A \sin B$

$\cos(A + B) = \cos A \cos B - \sin A \sin B$ $\qquad$ $\cos(A - B) = \cos A \cos B + \sin A \sin B$

$\tan(A + B) = \dfrac{\tan A + \tan B}{1 - \tan A \tan B}$ $\qquad$ $\tan(A - B) = \dfrac{\tan A - \tan B}{1 + \tan A \tan B}$

Logarithms

$\log_a x = \dfrac{\log_b x}{\log_b a}$

Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Expand $\left(1-\dfrac{x}{4}\right)^{-2}$ in ascending powers of x up to and including the term in x^3

Where appropriate, express each coefficient as an exact fraction in its lowest terms.

(3)

(Total for Question 1 is 3 marks)

2
$$f(x) = 2x^2 - 10x + 7$$

Given that $f(x)$ can be written in the form $f(x) = a(x+b)^2 + c$
where a, b and c are rational numbers,

(a) find the value of a, the value of b and the value of c

(3)

(b) Hence, or otherwise, write down

(i) the minimum value of $f(x)$

(ii) the value of x at which this minimum value occurs.

(2)

Question 2 continued

(Total for Question 2 is 5 marks)

3

Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows triangle ABC where

$$AB = 12 \text{ cm} \qquad BC = 15 \text{ cm} \qquad AC = x \text{ cm} \qquad \angle BAC = 60°$$

(a) Show that x satisfies the equation

$$x^2 - 12x - 81 = 0$$

(3)

(b) Hence find the exact area, in cm², of triangle ABC

Give your answer in the form $9\left(p\sqrt{q} + \sqrt{r}\right)$ where p, q and r are integers.

(3)

....

....

....

....

....

....

....

....

....

....

....

Question 3 continued

(Total for Question 3 is 6 marks)

4 Given that $\displaystyle\sum_{r=1}^{n}(4r+A) = \frac{n}{2}(4n-6)$ where A is a constant

(a) show that $A = -5$

(3)

Hence, or otherwise,

(b) (i) evaluate $\displaystyle\sum_{21}^{60}(4r-5)$

(2)

(ii) find the greatest value of n such that

$$\sum_{r=1}^{n}(4r-5) < 3418$$

(3)

Question 4 continued

Question 4 continued

Question 4 continued

(Total for Question 4 is 8 marks)

Turn over ▶

5 (a) On the grid opposite, draw the line with equation

(i) $3x - 4y = 12$　　(ii) $y + 6 + 3x = 0$　　(iii) $3y = 18 - x$

(3)

(b) Show, by shading on the grid, the region R defined by the inequalities

$$3x - 4y \leqslant 12 \qquad y + 6 + 3x \geqslant 0 \qquad 3y \leqslant 18 - x$$

(1)

For all points in R, with coordinates (x, y)

$$P = 3x - 2y$$

Using values from your graph,

(c) find the least value of P and the greatest value of P

(4)

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

Question 5 continued

....

....

....

....

....

....

Turn over for a spare grid if you need to redraw your graph.

Question 5 continued

Question 5 continued

Only use this grid if you need to redraw your graph.

....

....

....

....

....

(Total for Question 5 is 8 marks)

6 $$y = e^{4x}\cos 3x$$

Show that

$$\frac{d^2 y}{dx^2} + Ay = B\frac{dy}{dx} \quad \text{where } A \text{ and } B \text{ are integers to be found.}$$

(8)

Question 6 continued

(Total for Question 6 is 8 marks)

7 (a) Show that $(\alpha + \beta)(\alpha^2 - \alpha\beta + \beta^2) = \alpha^3 + \beta^3$

(1)

The equation $2x^2 + 8x - k = 0$ has roots α and β and where k is a constant

Given that $\alpha^3 + \beta^3 = -94$

(b) show that $k = 5$

(4)

Given that $\alpha > \beta$ and without solving the equation $2x^2 + 8x - k = 0$

(c) (i) show that $\alpha - \beta = \sqrt{26}$

(3)

(ii) hence find the exact value of $\alpha^3 - \beta^3$

(2)

Question 7 continued

Question 7 continued

Question 7 continued

(Total for Question 7 is 10 marks)

Turn over ▶

8 (a) Complete the table of values for $y = 3^x - 2$ giving your answers to one decimal place.

x	-1	-0.5	0	0.25	0.5	0.75	1	1.5	2
y	-1.7		-1				1	3.2	7

(2)

(b) On the grid opposite, draw the graph of $y = 3^x - 2$ for $-1 \leqslant x \leqslant 2$

(2)

(c) Use your graph to obtain an estimate, to one decimal place, of the value of $\log_3 4.5$

Show clearly how you have used your graph.

(3)

(d) By drawing a straight line on your grid obtain an estimate, to one decimal place, of the root of the equation $\log_3(8 - 3x) - x = 0$ in the interval $-1 \leqslant x \leqslant 2$

(5)

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

Question 8 continued

....

....

....

....

....

....

....

....

....

....

....

....

Turn over for a spare grid if you need to redraw your graph.

Question 8 continued

Question 8 continued

Only use this grid if you need to redraw your graph.

....

....

....

....

....

....

....

....

....

....

(Total for Question 8 is 12 marks)

Turn over ▶

9

Diagram **NOT**
accurately drawn

Figure 2

Figure 2 shows a hollow right circular cone fixed with its axis of symmetry vertical.

The vertical angle of the cone is 60°
Initially the cone is empty.

At time $t = 0$ liquid starts to fill the cone at a constant rate of $0.2\,\text{cm}^3/\text{s}$
At time t seconds after the liquid starts to fill the cone, the height of the liquid
is h cm above X

(a) Show that $h = \sqrt[3]{\dfrac{9t}{5\pi}}$

(5)

The surface area of the liquid, shown shaded in Figure 2, is increasing at a constant rate
of $p\,\text{cm}^2/\text{s}$ when $t = 6$

(b) Find, to 3 significant figures, the value of p

(8)

....

....

....

....

....

Question 9 continued

Question 9 continued

Question 9 continued

(Total for Question 9 is 13 marks)

10 The equation of the line L_1 is $y - 3x + a = 0$

The point A with coordinates $(a, 10)$ lies on L_1

(a) Show that $a = 5$

(2)

Line L_1 crosses the y-axis at the point B

(b) Write down the coordinates of B

(1)

The point C with coordinates $(50, -5)$ lies on L_2

Given that L_2 passes through A

(c) (i) show that L_1 and L_2 are perpendicular

(3)

(ii) hence find an equation for L_2 giving your answer in the form $y = px + q$

(2)

The point D has coordinates (m, n)

The length of CD is $15\sqrt{10}$ and the gradient of BD is -3

(d) Find the value of m and the value of n

(6)

(e) Find the area of quadrilateral $ABCD$

(3)

Question 10 continued

Question 10 continued

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

Question 10 continued

(Total for Question 10 is 17 marks)

11 (a) Using a formula on page 2, show that

$$\frac{1 - \cos 2A}{1 + \cos 2A} = \tan^2 A$$

(3)

(b) Hence, or otherwise, solve in degrees to one decimal place

$$\frac{3 - 3\cos 4x}{1 + \cos 4x} + \frac{5\sin 2x}{\cos 2x} = 2 \quad \text{for } -90^\circ < x < 90^\circ$$

(7)

Question 11 continued

Question 11 continued

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

....

(Total for Question 11 is 10 marks)

TOTAL FOR PAPER IS 100 MARKS