

Mark Scheme (Results)

Summer 2015

Pearson Edexcel International GCSE  
Mathematics A (4MA0)  
Paper 2F

Pearson Edexcel Level 1/Level 2 Certificate  
Mathematics A (KMA0)  
Paper 2F

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, **the UK's largest awarding body**. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

**Pearson aspires to be the world's leading learning company.** Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are **in the world**. **We've been** involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2015

Publications Code UG042077

All the material in this publication is copyright

© Pearson Education Ltd 2015

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the **candidate's response is** not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark **scheme to a candidate's response, the team leader must be** consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - eeo – each error or omission
  - awrt – answer which rounds to

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

**If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.**

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from question 18c where the mark scheme states otherwise, the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Question	Working	Answer	Mark	Notes
<b>1</b>	(a)(i)	1000	2	B1
	(a)(ii)	100		B1
	(b)	-7	1	B1
	(c)	1,2,4,7,14,28	2	B2 B1 for at least 3 correct factors and none incorrect, may be seen as product pairs; ignore repeats; ignore negatives. Allow 1 mark if all correct and at most 1 incorrect.
(d)		2, 23	2	B2 B1 for 2 or 23; if more than 2 given, -1 for each incorrect value
				<b>Total 7 marks</b>

<b>2</b>	(a)	five thousand, four hundred and sixty seven	1	B1
	(b)	$5467 + 3543 - 6799$ oe	2	M1
		2211		A1
				<b>Total 3 marks</b>

<b>3</b>	(i)	metres	1	B1 accept m
	(ii)	litres	1	B1 accept l
	(iii)	grams	1	B1 accept g, grammes
				<b>Total 3 marks</b>

<b>4</b>	(a)(i)		pyramid	1	B1	accept square-based pyramid or rectangular-based pyramid
	(a)(ii)		cuboid	1	B1	accept square prism or rectangular prism
	(b)		8	1	B1	cao
	(c)		6	1	B1	cao
						<b>Total 4 marks</b>

<b>5</b>	(a)		17, 14	2	B2	B1 for 17 ; B1 for 14
	(b)		subtract 3; -3	1	B1	oe
	(c)		-7	1	B1	cao
						<b>Total 4 marks</b>

<b>6</b>	(a)		Saturday	1	B1	accept Sat
	(b)		40	1	B1	
	(c)		76	1	B1	
	(d)		Monday	1	B1	accept Mon
	(e)	90 : 60 or 9 : 6		2	M1	or any ratio equivalent to 3 : 2 or a final answer of 2 : 3
			3 : 2		A1	Allow 1.5 : 1 or $1 : \frac{2}{3}$
						<b>Total 6 marks</b>

<b>7</b>	(a)		80	1	B1
	(b)		$\frac{23}{1000}$	1	B1
	(c)		5.64	1	B1
	(d)	6.5 + 1.69		2	M1 for 6.5 or 1.69 or $\frac{819}{100}$ or 8.2
			8.19		A1
	(e)	$\frac{3}{8} \times 56.8$ or $56.8 \div 8 \times 3$ oe		2	M1 or $\frac{213}{10}$
			21.3		A1
					<b>Total 7 marks</b>

<b>8</b>		$8.3 \times 2 + 4.5 \times 2$ oe (=25.6) "25.6" – 10.6		3	M1 M1 dep A1
					<b>Total 3 marks</b>

<b>9</b>	(a)		$4e$	1	B1 Allow e4
	(b)		$7cd$	1	B1 $7dc, d7c, dc7$ etc but award no mark if multiplication signs are present
	(c)		$11m + 3k$	2	B2 for $11m + 3k$ B1 for $11m$ ; B1 for $3k$
					<b>Total 4 marks</b>

<b>10</b>	(a)		10	1	B1	Accept $-10$ or $\pm 10$
	(b)	1, 4, 9, 16... 1, 8, 27...	25 and 64 <b>or</b> 64 and 27 <b>or</b> 81 and 1 <b>or</b> 81 and 8	3	M1 M1 A1	or any square number identified or any cube number identified allow $5^2$ , $4^3$ or $8^2$ , $3^3$ or $9^2$ , $1^{(3)}$ or $9^2$ , $2^3$ but not 5,4 etc
					<b>Total 4 marks</b>	

<b>11</b> (a)	$\frac{5}{8} = 0.625$ $\frac{3}{4} = 0.75$ $\frac{7}{16} = 0.4375$ $\frac{2}{3} = 0.666..$	$\frac{7}{16}$ $\frac{5}{8}$ $\frac{2}{3}$ $\frac{3}{4}$	2	<p>B2 for <math>\frac{7}{16}</math> <math>\frac{5}{8}</math> <math>\frac{2}{3}</math> <math>\frac{3}{4}</math> <b>or</b> for correct decimal equivalents in correct order <b>or</b> for correct fraction equivalents in correct order</p> <p>If not B2, then B1 for:</p> <ul style="list-style-type: none"> <li>• 3 fractions in correct order <b>or</b></li> <li>• 2 fractions correctly converted to decimals or percentages (at least 2 sf rounded or truncated) <b>or</b></li> <li>• 2 fractions expressed as equivalent fractions with a denominator of 48 (or a multiple of 48)</li> </ul> <p>SC: B1 for <math>\frac{3}{4}</math> <math>\frac{2}{3}</math> <math>\frac{5}{8}</math> <math>\frac{7}{16}</math> (reverse order)</p>
(b)			2	M1 for $\frac{x}{120}$ with $x < 120$ or B1 for $\frac{113}{y}$ with $y > 113$
		$\frac{113}{120}$		A1
				<b>Total 4 marks</b>

<b>12</b>	$10 - 2.50 - 1.25 - 1.30$ oe (=4.95)  '4.95' $\div$ 3	1.65	3	M1 Subtracting at least 2 of 2.50, 1.25, 1.30 from 10 M1 dep A1
				<b>Total 3 marks</b>

<b>13</b> (a)		4	1	B1 accept $\times 4$
(b)	$y = -x$ drawn	(2,2) (2,5) (4,5) (4,3)	2	M1 $y = -x$ drawn or a congruent shape with the correct orientation in the 1 <sup>st</sup> quadrant or a correct reflection in $y=x$ A1
(c)		Rotation about (0, -1) 90° clockwise	3	B1 Rotation (not turn) B1 (centre) (0, -1) B1 90° clockwise or -90° or 270° anti-clockwise or +270°  <b>NB. If more than one transformation given then no marks should be awarded</b>
				<b>Total 6 marks</b>

<b>14</b>	(a)		0	1	B1 0%
	(b)		0.8 oe	1	B1
	(c)	$1 - \frac{2}{5}$ or $\frac{3}{5}$ oe  $\frac{3}{5} \times 20$ oe	12	3	M1 or for $\frac{2}{5} \times 20$ oe or 8 or $\frac{8}{20}$  M1 (dep) for 20 - '8'  A1 (NB: $\frac{12}{20}$ gains M2, A0)
					<b>Total 5 marks</b>

<b>15</b>	(a)		1	1	B1
	(b)	$6 - 1$	5	2	M1 For 6 and 1 identified A1
	(c)	$(25 + 1) \div 2$ or 13 or 12.5	2	2	M1 or listing scores and clear attempt to find middle value A1
	(d)	$1 \times 9 + 2 \times 6 + 3 \times 3 + 5 \times 1 + 4 \times 6$ oe(=67)  "67" $\div$ 25 or $\frac{9+12+9+8+5+24}{25}$ oe (allow one error in a product)	2.68 or $2\frac{17}{25}$	3	M1 sight of at least 4 products and intention to add (can be their 25 if evidence of adding frequencies)  M1 dep for division of sum of products by 25 (can be their 25 if evidence of adding frequencies)  A1 accept 2.7 or 3 if preceded by $\frac{67}{25}$
	(e)		$\frac{2}{25}$ oe	2	M1 $\frac{x}{25}; x < 25$ or $\frac{2}{y}; y > 2$  A1 accept 0.08, 8%
					<b>Total 10 marks</b>

<b>16</b>	(a)(i)		90	1	B1
	(a)(ii)		25	1	B1
	(b)		line from (13 45, 45) to (15 15, 45) and line from (15 15, 45) to (16 30, 0)	2	B2 B1 for line from ((13 45, 45) to (15 15, 45) <b>or</b> for a line from (x, 45) to (16 30, 0) where x is a time before 1630
					<b>Total 4 marks</b>

17	(a)	angle $MRQ$ (or $RMQ$ ) = $x$ or $\frac{180-y}{2}$		2	M1 could be marked on diagram <b>or</b> for a correct equation in $x$ and $y$
			$180 - 2x$		A1 oe eg $2(90 - x)$ , $2(180 - x) - 180$ etc
	(b)	$(6 - 2) \times 180$ oe (=720)		4	M1 or $(180 - 360 \div 6) \times 6$
		"720" - $(90 + 115 + 144 + 87)$ [720 - 436] <b>or</b> 284			M1 dep
		"284" $\div 2$			M1 dep
			142		A1
		<b>alternative</b> $180 - 90 (=90)$ , $180 - 115 (=65)$ , $180 - 144 (=36)$ , $180 - 87 (=93)$ $360 - ("90" + "65" + "36" + "93") (= 76)$ $180 - ("76" \div 2)$		4	M1 A correct method to find each of the exterior angles at A,C,D & E – angles could be seen on diagram. M1dep A correct method to find the total of the remaining exterior angles M1dep A correct method to find $k$ A1
					<b>Total 6 marks</b>

<b>18</b>	(a)		$24 - 18y$	1	B1
	(b)		$e(e + 4)$	1	B1 Allow $e(4 + e)$ and $(e + 0)(e + 4)$
	(c)	Eg. $7x - 2x = -3 - 8$		3	M1 for correct rearrangement with $x$ terms on one side and numbers on the other <b>or</b> the correct simplification of either $x$ terms or numbers on one side in a correct equation eg. $5x + 8 = -3$ ; $7x = 2x - 11$
		$5x = -11$			M1 Award also for $-5x = 11$
			$-2.2$ oe		A1 $-2.2$ oe dependent on at least M1 awarded; <b>If no correct algebraic working then award no marks</b>
	(d)	$y^2 + 10y - 2y - 20$		2	M1 for 3 correct terms out of 4 or for 4 correct terms ignoring signs or for $y^2 + 8y + c$ for any non-zero value of $c$ or for $\dots + 8y - 20$
			$y^2 + 8y - 20$		A1 cao
					<b>Total 7 marks</b>

19	$15 \div (6 - 4) (=7.5)$ $"7.5" \times 3 (=22.5)$	22.5(0)	3	M1 or use of cancelled ratios (eg 3:6:4 = 0.75:1.5:1, $15 \div 0.5 (=30)$ ) M1 dep ; or cancelled ratios, (eg $30 \times 0.75$ ) or M2 for $15 \div \frac{2}{3}$ oe A1
<b>Alternative</b>				
	$\frac{6n}{13} - \frac{4n}{13} = 15$ or $\frac{2n}{13} = 15$ oe or $15 \times \frac{13}{2}$ oe or $n = 97.5$		3	M1
	$\frac{3}{3+6+4} \times 97.5$ oe			M1 dep
		22.5(0)		A1
<b>Alternative</b>				
	$(3 : 6 : 4) \dots 21 : 42 : 28$ and $24 : 48 : 32$ $22.5 : 45 : 30$	22.5(0)	3	M1 For using ratios and seeing $21 : 42 : 28$ and $24 : 48 : 32$ M1 Correct line or $(21+24) \div 2$ A1
				<b>Total 3 marks</b>

<b>20</b>	(a)	$-5 - 4 < x \leq 3 - 4$		2	M1 subtraction of 4 from either side in an inequality <b>or</b> one side of inequality correct (eg $x \leq -1$ ) or for $-5 - 4 (= -9)$ and $3 - 4 (= -1)$ A1 Accept $x > -9$ (and) $x \leq -1$
	(b)		$-9 < x \leq -1$	2	B2 B1 for one omission or addition
					<b>Total 4 marks</b>

<b>21</b>		$\cos 39 = \frac{11.3}{x}$ oe		3	M1 or $\frac{x}{\sin 90} = \frac{11.3}{\sin(180 - 90 - 39)}$
		$(x =) \frac{11.3}{\cos 39}$			M1 or $x = \frac{11.3}{\sin(180 - 90 - 39)} \times (\sin 90)$
			14.54		A1 awrt 14.54
		<b>Alternative</b>			
		$\tan 39 = \frac{y}{11.3}$ ; $y = 9.15\dots$ “ $9.15$ ” <sup>2</sup> + $11.3^2 = x^2$			M1 Must get to correct Pythagoras statement
		$(x =) \sqrt{9.15^2 + 11.3^2}$ oe			M1
			14.54		A1 awrt 14.54 (NB: 14.5 with no working gains M0A0)
					<b>Total 3 marks</b>

Pearson Education Limited. Registered company number 872828  
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom