

Mark Scheme (Results)

June 2011

International GCSE
Mathematics (4MB0) Paper 02

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:
<http://www.edexcel.com/Aboutus/contact-us/>

June 2011

Publications Code UG028417

All the material in this publication is copyright

© Edexcel Ltd 2011

4MB0 Summer 2011 - Paper 2

Question number	Scheme	Marks		
1.	(a) 2500/625	M1		
	4 hrs	A1	2	
	(b) (2500 + 2500)/("4" + "3.5")	M1		
	667 km/h	A1 ft	2	4
2.	(a) factor of x	M1		
	Attempt to factorise $x^2 - 5x + 6$ or orig. cubic	M1		
	$x(x - 3)(x - 2)$	A1	3	
	(b) attempt to factorise $2x^2 + 2x - 24$ into two linear terms	M1		
	One pair of factors cancelled	M1 dep		
	$\frac{x(x-2)}{2(x+4)}$ OR $\frac{x^2 - 2x}{2x + 8}$	A1	3	6

Question number	Scheme	Marks		
3.	<p>for</p> <p>Note: First three marks for angles, final mark reasoning</p> <p>Method 1: (using angle at centre)</p> <p>$\angle AOC(\text{reflex}) = 236^\circ$ (\angle at a point) or</p> <p>$\angle ADC = 62^\circ$ (\angle at centre)</p> <p>$\angle ABC = 118^\circ$ (\angle at centre/opp angles cyclic quad)</p> <p>$\angle BCO = 62^\circ$ (\angle between // lines)</p> <p>at least two valid reasons consistent with their \angle</p> <p>Method 2: (using isosceles triangles)</p> <p>$\angle CAO$ (or $\angle ACO$ or $\angle BAC$) = 28°</p> <p>$\angle ABO$ (or $\angle BOC$) = 56°</p> <p>$\angle BCO = 62^\circ$</p> <p>at least two valid reasons consistent with their \angle (isosceles triangle, alt angles between // lines.....)</p>	B1 B1ft B1ft B1 B1 B1ft B1ft B1	4	4
4.	<p>height of cone = $\sqrt{(39^2 - 15^2)}$</p> <p>= 36 cm</p> <p>volume = $\frac{1}{3}\pi \cdot 36 \cdot 15^2 + \frac{2}{3}\pi 15^3$</p> <p>either volume correctly stated and with values substituted</p> <p>2nd volume correctly stated with values substituted and added</p> <p>Conclusion</p>	M1 A1 M1 M1 dep A1	5	5

Question number	Scheme	Marks		
5.	(a) $35 - 27, 8$	M1, A1	2	7
	(b) $17 - c's(8), 9$ SC: $27 - (x + y)$ M1	M1, A1 ft	2	
	(c) $3y = 35 - c's(a) - c's(b)$ (o.e.)	M1		
	$y = 6, x = 12$	A1, A1	3	
6.	(a) trapezium <i>B</i>	B2(-1ee)	2	8
	(b) trapezium <i>C</i>	B2(-1ee) ft	2	
	(c) trapezium <i>D</i> A rotation of 90° anticlockwise about any point Correctly placed trapezium (cao)	M1 A1	 2	
	(d) reflection, $y = -x$	M1, A1	2	
7.	(a) (i) $\frac{1}{(x+2)^2 - 9}$	M1		9
	$\frac{1}{x^2 + 4x - 5}$ or $\frac{1}{(x+5)(x-1)}$	A1		
	(ii) $y(x+23)=1$ OR $x+23=1/y$	M1		
	$\frac{1-23x}{x}$ OR $\frac{1}{x} - 23$	A1	4	
	(b) $x + 23 = "x^2 + 4x - 5"$ $x^2 + 3x - 28 (= 0)$ attempt to factorise their trinomial quadratic	M1 A1 M1		
	OR correct substitution into a correctly quoted formula $-7, 4$	A1, A1	5	

Question number	Scheme	Marks		
8.	<p>Accept fractional or percentage equivalents throughout.</p> <p>(a) 0.25 (o.e.)</p> <p>(b) for each correct pair</p> <p>(c) (i) “0.75” x 0.8, 0.6 (3/5)</p> <p>(ii) “0.25” x “0.9”</p> <p>“0.6” + “0.25” x “0.9”</p> <p>0.83 (or better) (33/40)</p> <p>(d) any probability ÷ (“0.825”)</p> <p>“0.6”/”0.825”</p> <p>0.73 (or better) (8/11)</p>	<p>B1</p> <p>B1ft,B1,B1</p> <p>M1, A1 ft</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>M1</p> <p>A1</p>	<p>1</p> <p>3</p> <p>5</p> <p>3</p>	<p>12</p>

Question number	Scheme	Marks		
9.	<p>(a) (i) $\frac{1}{2}\mathbf{a}$ (ii) $\mathbf{b} - \mathbf{a}$</p> <p>(b) $\mathbf{a} + \frac{1}{3}(\mathbf{b} - \mathbf{a}), \frac{1}{3}\mathbf{b} + \frac{2}{3}\mathbf{a}$ (o.e.)</p> <p>(c) $-\frac{1}{2}\mathbf{a} + \mathbf{b} + \frac{1}{3}(\mathbf{a} - \mathbf{b}), \frac{2}{3}\mathbf{b} - \frac{1}{6}\mathbf{a}$ (o.e.)</p> <p>(d) $\lambda(\frac{1}{3}\mathbf{b} + \frac{2}{3}\mathbf{a})$</p> <p>(e) $\frac{1}{2}\mathbf{a} + \mu(\frac{2}{3}\mathbf{b} - \frac{1}{6}\mathbf{a})$</p> <p>Correct expression (unsimplified)</p> <p>(f) Attempt at equating either coefficients of \mathbf{a} or coefficients of \mathbf{b}.</p> <p>One correct equation: $\frac{1}{2} - \frac{1}{6}\mu = \frac{2}{3}\lambda$ or $\frac{1}{3}\lambda = \frac{2}{3}\mu$</p> <p>$\mu = 1/3, \lambda = 2/3$</p>	B1, B1	2	
		M1, A1	2	
		M1, A1	2	
		B1ft	1	
		M1		
		A1	2	
		M1		
		A1		
		A1, A1	4	13

Question number	Scheme	Marks		
10.	(a) $2x^2$ or $4xy$, $(S =) 2x^2 + 4xy$	B1, B1	2	
	(b) $y = \frac{50 - 2x^2}{4x}$ (o.e.)	B1	1	
	(c) $\frac{50 - 2x^2}{4x} \cdot x^2 + \text{conclusion}$	B1	1	
	(d) one term correctly differentiated	M1		
	$\frac{25}{2} - \frac{3x^2}{2}$	A1		
	$c's \left(\frac{25}{2} - \frac{3x^2}{2} \right) = 0$	M1 dep		
	2.89	A1	4	
	(e) 23.4, 24	B1, B1	2	
	(f) graph penalties (-1) straight line segments each point missed ($\pm \frac{1}{2}$ small square) each missed segment each point not plotted each point incorrectly plotted ($\pm \frac{1}{2}$ small square) tramlines very poor curve i.e. line too thick	B3	3	
	(g) line drawn or two points marked on their graph consistent with the line drawn 1.8 or 1.9, 3.8 SC: No indication on the graph of any line or points identified but both points correct then M1, A1, A0	M1 A1ft, A1ft	3	16

Question number	Scheme	Marks		
11.	(a) $(AC^2 =) 54^2 + 35^2 - 2 \times 54 \times 35 \times \cos 100^\circ$	M1		
	2916 + 1225 + 656.4..... (o.e.)	M1 dep		
	69.3 m	A1	3	
	(b) Use of sine rule with correct values substituted	M1		
	$\sin \angle CAB = \frac{35 \times \sin 100}{69.3}$	M1 dep		
	29.8°/29.9°	A1	3	
	(c) $DB/54 = \sin ("29.8")$	M1		
	26.8 m/26.9 m	A1 ft	2	
	(d) $AD/54 = \cos ("29.8")$	M1		
	46.9 m (awrt)	A1		
	"69.3" – "46.9"	B1 ft		
	Seeing "26.8"/2	B1 ft		
	$\sqrt{(("22.4")^2 + ("13.4")^2)}$	M1		
	26.1/26.2 m	A1	6	
	(e) $h/ ("26.1") = \tan 40$	M1		
	21.9 m (Accept 22 or 22.0 m)	A1ft	2	16

Further copies of this publication are available from
International Regional Offices at www.edexcel.com/international

For more information on Edexcel qualifications, please visit
www.edexcel.com

Alternatively, you can contact Customer Services at
www.edexcel.com/ask or on + 44 1204 770 696

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

