GradeMax

Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME	
CENTRE NUMBER	
CANDIDATE NUMBER	

2702778238

MATHEMATICS **9709/22**

Paper 2 Pure Mathematics 2 **February/March 2021**

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2021

[Turn over

GradeMax

BLANK PAGE

© UCLES 2021

GradeMax

1 **(a)** Sketch, on the same diagram, the graphs of $y = |3x - 5|$ and $y = x + 2$. [2]

(b) Solve the equation $|3x - 5| = x + 2$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

[Turn over

2 Solve the equation $\sec^2\theta \cot\theta = 8$ for $0 < \theta < \pi$. [5]

GradeMax


3 The parametric equations of a curve are

$$x = e^{2t} \cos 4t, \qquad y = 3 \sin 2t.$$

Find the gradient of the curve at the point for which $t = 0$. [5]

GradeMax

4



The diagram shows part of the curve with equation $y = \dfrac{5x}{4x^3 + 1}$. The shaded region is bounded by the curve and the lines $x = 1$, $x = 3$ and $y = 0$.

(a) Find $\dfrac{\mathrm{d}y}{\mathrm{d}x}$ and hence find the x-coordinate of the maximum point. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

(b) Use the trapezium rule with two intervals to find an approximation to the area of the shaded region. Give your answer correct to 2 significant figures. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) State, with a reason, whether your answer to part **(b)** is an over-estimate or under-estimate of the exact area of the shaded region. [1]

.....

.....

.....

.....

.....

.....

GradeMax

5 **(a)** Given that $2\ln(x+1) + \ln x = \ln(x+9)$, show that $x = \sqrt{\dfrac{9}{x+2}}$. [3]

© UCLES 2021

GradeMax

(b) It is given that the equation $x = \sqrt{\dfrac{9}{x+2}}$ has a single root.

Show by calculation that this root lies between 1.5 and 2.0. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Use an iterative formula, based on the equation in part **(b)**, to find the root correct to 3 significant figures. Give the result of each iteration to 5 significant figures. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

6 The polynomial $p(x)$ is defined by

$$p(x) = x^3 + ax + b,$$

where a and b are constants. It is given that $(x + 2)$ is a factor of $p(x)$ and that the remainder is 5 when $p(x)$ is divided by $(x - 3)$.

(a) Find the values of a and b. [5]

GradeMax

(b) Hence find the exact root of the equation $p\left(e^{2y}\right) = 0$. [5]

GradeMax

7 **(a)** Express $5\sqrt{3}\cos x + 5\sin x$ in the form $R\cos(x - \alpha)$, where $R > 0$ and $0 < \alpha < \frac{1}{2}\pi$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) As x varies, find the least possible value of

$$4 + 5\sqrt{3}\cos x + 5\sin x,$$

and determine the corresponding value of x where $-\pi < x < \pi$. [3]

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

.....

.....

.....

.....

.....

.....

(c) Find $\int \frac{1}{(5\sqrt{3}\cos 3\theta + 5\sin 3\theta)^2}\,\mathrm{d}\theta$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Additional Page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

GradeMax

BLANK PAGE

© UCLES 2021

GradeMax

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2021