GradeMax

Please check the examination details below before entering your candidate information

Candidate surname	Other names

Pearson Edexcel International GCSE (9–1)

Centre Number | Candidate Number

Thursday 14 May 2020

Morning (Time: 2 hours) | Paper Reference **4CH1/1CR 4SD0/1CR**

Chemistry

Unit: 4CH1

Science (Double Award) 4SD0

Paper: 1CR

You must have:
Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

P62046A

©2020 Pearson Education Ltd.

1/1/1/1/1/

P 6 2 0 4 6 A 0 1 2 8

Pearson

The Periodic Table of the Elements

1	2											3	4	5	6	7	0
							1 H hydrogen 1										4 He helium 2
7 Li lithium 3	9 Be beryllium 4											11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10
23 Na sodium 11	24 Mg magnesium 12											27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112–116 have been reported but not fully authenticated						

Key

relative atomic mass
atomic symbol
name
atomic (proton) number

**** The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.***

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

GradeMax

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Answer ALL questions.

1 (a) The box gives some methods used in the separation of mixtures.

chromatography	crystallisation	evaporation
filtration	fractional distillation	simple distillation

Use words from the box to answer these questions.

(i) Identify the method used to obtain pure water from sea water.

(1)

.....

(ii) Identify the method used to separate the dyes in a food colouring.

(1)

.....

(iii) Identify the method used to obtain ethanol from a mixture of ethanol and water.

(1)

.....

(b) Complete the sentences by writing a suitable word in each blank space.

(3)

When salt is added to water and stirred until no more will ..... , a saturated solution forms.

The salt is the ..... .

The water is the ..... .

(Total for Question 1 = 6 marks)

2 The diagram shows the positions of some elements in the Periodic Table.



(a) Use symbols from this table to answer these questions.

Each symbol may be used once, more than once or not at all.

(i) Give the symbol of a metal.

(1)

.....

(ii) Give the symbol of a noble gas.

(1)

.....

(iii) Give the symbol of a liquid at room temperature.

(1)

.....

(iv) Give the symbols of the two elements in Period 3

(1)

..... and .....

(b) Deduce the electronic configuration of Na

(1)

.....

(Total for Question 2 = 5 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

3 This question is about alkenes and alkanes.

(a) Complete the table by giving the missing information about the alkene with the molecular formula C_3H_6

(4)

Molecular formula	C_3H_6
Name	
Empirical formula	
General formula	
Displayed formula	

(b) Alkenes are unsaturated compounds.

(i) State what is meant by the term **unsaturated**.

(1)

.....

.....

(ii) Describe a test to show that a compound is unsaturated.

(2)

.....

.....

.....

.....

(c) When the alkane methane reacts with chlorine, the products are chloromethane (CH_3Cl) and hydrogen chloride gas.

(i) Give a chemical equation for this reaction.

(1)

.....

(ii) What is the name of this type of reaction?

(1)

☒ **A** addition

☒ **B** decomposition

☒ **C** neutralisation

☒ **D** substitution

(iii) State the condition needed for this reaction to occur.

(1)

.....

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(d) When ethane reacts with chlorine, one of the products of the reaction has the formula $C_2H_4Cl_2$

There are two isomers with this formula.

(i) State what is meant by the term **isomers**.

(2)

.....

.....

.....

.....

(ii) Draw the displayed formulae of the two isomers with the formula $C_2H_4Cl_2$

(2)

isomer 1	isomer 2

(Total for Question 3 = 14 marks)

BLANK PAGE

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

4 A solution of hydrogen peroxide decomposes when a catalyst of manganese(IV) oxide is added.

The products of the reaction are water and oxygen.

(a) Complete the chemical equation for this reaction.

(1)

..... H_2O_2 → ..... H_2O + ... O_2

(b) Give a test for oxygen.

(1)

.....

.....

(c) State the reason for adding a catalyst.

(1)

.....

.....

(d) A student investigates how changing the concentration of the hydrogen peroxide solution affects the rate of this reaction.

She uses this apparatus.



The student records the volume of oxygen that collects every 2 minutes for 16 minutes.

The table shows her results.

Time in minutes	0	2	4	6	8	10	12	14	16
Volume of oxygen in cm³	0	22	38	50	55	69	76	80	80

(i) Plot the student's results on the grid.

(1)

(ii) Draw a circle on the grid around the anomalous result.

(1)

(iii) Draw a curve of best fit through the points, ignoring the anomalous result.

(1)



DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(iv) Suggest a mistake that the student might have made to cause the anomalous result.

(1)

.....

.....

.....

(v) Determine the volume of oxygen collected during the first 3 minutes.

Show on your graph how you obtain your answer.

(2)

volume of oxygen = ... cm^3

(e) The student repeats the experiment using hydrogen peroxide solution of half the concentration of the original solution.

She keeps the volume of the hydrogen peroxide solution and all other conditions the same.

(i) Draw on the grid the curve you would expect the student to obtain.

(2)

(ii) Explain how using hydrogen peroxide solution of half the concentration affects the rate of the reaction.

Refer to particle collision theory in your answer.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 4 = 14 marks)

5 (a) The diagram shows the displayed formula of the organic compound methanol, CH_3OH



(i) Determine the number of atoms in one molecule of methanol.

(1)

(ii) State why methanol is not a hydrocarbon.

(1)

(b) The atoms in methanol are held together by covalent bonds.

(i) State what is meant by the term **covalent bond**.

(2)

(ii) Draw a dot-and-cross diagram to show the bonding in a molecule of methanol.

Show only the outer electrons of each atom.

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) Another organic compound has the percentage composition by mass

C = 38.7% H = 9.7% O = 51.6%

(i) Calculate the empirical formula of this compound.

(3)

empirical formula = ...

(ii) The relative molecular mass (M_r) of the compound is 62

Determine the molecular formula of the compound.

(2)

molecular formula = ...

(Total for Question 5 = 11 marks)

6 This question is about elements in Group 7 of the Periodic Table and their compounds.

(a) (i) Give the name of this group of elements.

(1)

.....

(ii) State the colour of chlorine gas.

(1)

.....

(iii) Give a test for chlorine gas.

(2)

.....

.....

.....

.....

(b) Give a test to show that a solution contains iodide ions.

(3)

test .....

.....

.....

.....

result .....

.....

.....

.....

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) A student compares the reactivity of the elements bromine, chlorine and iodine.

He mixes these pairs of solutions and observes the reactions that occur.

- chlorine solution and potassium bromide solution
- bromine solution and potassium iodide solution

Explain how the reactions can be used to show the order of reactivity of the three elements.

Include the colour change that the student would observe in each reaction.

(6)

(Total for Question 6 = 13 marks)

7 A student uses the reaction between zinc and dilute sulfuric acid to prepare some zinc sulfate crystals.

(a) (i) Complete the equation for this reaction by giving the correct state symbols.

(1)

$$Zn\ (\ldots\ldots) + H_2SO_4\ (\ldots\ldots) \rightarrow ZnSO_4\ (\ldots\ldots) + H_2\ (\ldots\ldots)$$

(ii) State what would be observed during this reaction.

(1)

.....

.....

(b) The student adds excess zinc to a beaker of dilute sulfuric acid.

(i) Explain why it is necessary to add excess zinc.

(2)

.....

.....

.....

.....

(ii) Draw a diagram of the apparatus the student should use to remove the unreacted zinc and collect the zinc sulfate solution.

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) The student obtains a pure, dry sample of zinc sulfate crystals.

The formula of zinc sulfate crystals is $ZnSO_4.7H_2O$

(i) Calculate the relative molecular mass (M_r) of zinc sulfate crystals.

(2)

M_r = ...

(ii) The student uses 0.0200 mol of dilute sulfuric acid in her preparation.

Show that the maximum mass of zinc sulfate crystals that the student could obtain is about 6 g.

(2)

(iii) The student obtains a mass of 4.28 g of zinc sulfate crystals.

Calculate the percentage yield of the zinc sulfate crystals.

Give your answer to three significant figures.

(3)

percentage yield = ...%

(Total for Question 7 = 13 marks)

8 (a) A piece of magnesium ribbon is ignited and placed in a gas jar of oxygen.

The equation for the reaction is

$$2Mg + O_2 \rightarrow 2MgO$$

(i) Give two observations that would be made in this reaction.

(2)

1 .....

.....

2 .....

.....

(ii) State why this is an oxidation reaction.

(1)

.....

.....

(b) A second piece of magnesium ribbon is ignited and placed in a gas jar of carbon dioxide.

A very exothermic reaction occurs, forming magnesium oxide and carbon.

(i) State what is meant by the term **exothermic**.

(1)

.....

.....

(ii) Give the chemical equation for this reaction.

(1)

.....

(iii) A fire starts in a warehouse where magnesium is stored.

Suggest why it would **not** be suitable to use a carbon dioxide fire extinguisher to put out this fire.

(1)

.....

.....

.....

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) A student uses this apparatus to find the mass of magnesium oxide that forms when a known mass of magnesium is heated.



This is his method.

- find the mass of the crucible and lid
- place some magnesium ribbon in the crucible
- find the mass of the crucible, lid and magnesium
- heat the crucible with the lid on for a few minutes
- find the mass of the crucible, lid and magnesium oxide

Using this method, the mass of magnesium oxide formed is less than expected.

Explain two changes that the student should make to his method to obtain a mass of magnesium oxide closer to the expected mass.

(4)

1 .....

.....

.....

.....

2 .....

.....

.....

.....

(Total for Question 8 = 10 marks)

9 This question is about some compounds of the elements in Group 4 of the Periodic Table.

(a) When carbon dioxide dissolves in water, a weak acid forms.

(i) Which of these could be the pH of this weak acid?

(1)

☒ **A** 1

☒ **B** 5

☒ **C** 7

☒ **D** 9

(ii) Which of these is a correct statement about acids?

(1)

☒ **A** acids contain OH^- ions

☒ **B** acids are electron donors

☒ **C** acids are proton acceptors

☒ **D** acids are proton donors

(b) When lead(II) carbonate is heated, lead(II) oxide and carbon dioxide form.

(i) Give the name of this type of reaction.

(1)

.....

(ii) Complete the equation for this reaction.

(1)

$PbCO_3 \rightarrow$ ..... + ...

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(c) Silicon dioxide, SiO_2, and silicon(IV) chloride, $SiCl_4$, are both covalently bonded compounds.

The table shows the melting and boiling points of these two compounds, and the physical state of silicon dioxide at room temperature.

Compound	Melting point in °C	Boiling point in °C	Physical state at room temperature
SiO_2	1710	2230	solid
$SiCl_4$	–69	58	

(i) Complete the table by giving the physical state of silicon(IV) chloride at room temperature.

(1)

(ii) Explain, in terms of structure and bonding, why silicon dioxide has a much higher melting point than silicon(IV) chloride.

(6)

(Total for Question 9 = 11 marks)

BLANK PAGE

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

10 A student uses this apparatus to investigate the reaction between potassium hydroxide solution and dilute hydrochloric acid.



This is her method.

- pour 25 cm^3 of potassium hydroxide solution into a polystyrene cup and record the temperature of the solution
- pour 25 cm^3 of dilute hydrochloric acid into a measuring cylinder and record the temperature of the acid
- add the acid to the polystyrene cup and stir the mixture
- record the highest temperature reached

(a) (i) Give a word equation for the reaction between potassium hydroxide and hydrochloric acid.

(1)

.....

(ii) Explain why the student needs to stir the mixture.

(2)

.....

.....

.....

.....

(b) The table gives the temperatures of the solutions before the student mixes them.

potassium hydroxide solution	17.8 °C
dilute hydrochloric acid	18.4 °C

Calculate the mean (average) temperature of the two solutions.

(2)

mean temperature = ... °C

(c) The student repeats the experiment on a different day, using 25 cm^3 of potassium hydroxide solution and 25 cm^3 of dilute hydrochloric acid.

The thermometer shows the highest temperature reached at the **end** of the experiment.



(i) Complete the table by giving the missing information.

Give both temperatures to the nearest 0.1 °C.

(2)

mean temperature at start in °C	
temperature at end in °C	
temperature rise in °C	5.2

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

(ii) Show that the heat energy change, *Q*, in the student's experiment is about 1100 J.

[for the mixture, c = 4.2 J/g/°C]

[mass of 1.0 cm^3 of mixture = 1.0 g]

(3)

(iii) The student uses 0.020 mol of potassium hydroxide in his experiment.

Calculate the enthalpy change (ΔH) in kJ/mol, for 1.0 mol of potassium hydroxide.

Include a sign in your answer.

(3)

ΔH = ... kJ/mol

(Total for Question 10 = 13 marks)

TOTAL FOR PAPER = 110 MARKS

BLANK PAGE

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

BLANK PAGE

BLANK PAGE

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA