

Please check the examination details below before entering your candidate information

Candidate surname					Other names				
Centre Number					Candidate Number				

Pearson Edexcel International GCSE (9–1)

Thursday 18 May 2023

Afternoon (Time: 1 hour 45 minutes) **Paper reference** **4HB1/01**

Human Biology
UNIT: 4HB1
PAPER: 01

You must have:
 Ruler
 Candidates may use a calculator.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 – *there may be more space than you need.*
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
 – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P72585A

©2023 Pearson Education Ltd.
 N:1/1/1/1




Pearson

Answer ALL questions.

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

- 1** Use information from the box to complete the sentences about the movement of molecules.

(6)

ADP	ATP	against	along	down	fully
		gases	selectively	volume	water

Molecules can move in and out of cells by osmosis, diffusion and active transport.

Osmosis is the movement of across a permeable membrane.

Diffusion allows the passage of molecules a concentration gradient. The speed of movement is affected by the surface area to ratio of the cell.

Active transport requires the use of energy stored in the form of and allows molecules to move a concentration gradient.

(Total for Question 1 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 2 The photograph shows alveoli in the lungs. Alveoli are the site of exchange of gasses between the air and the blood.



(Source: © Ed Reschke/Getty Images)

- (a) (i) State, in the correct order, the structures that air must pass through from the atmosphere to the alveoli.

(2)

- (ii) State two features, shown in the diagram, that allow the efficient exchange of gases.

(2)

1

2



(b) (i) Which is the percentage of carbon dioxide in the atmosphere? (1)

- ☐ A 0.01
- ☐ B 0.04
- ☐ C 0.10
- ☐ D 0.50

(ii) The table shows the results obtained when a person at rest breathes in air that contains different percentages of carbon dioxide.

Percentage (%) carbon dioxide in air	0.02	1.60	3.00	6.00
Tidal volume in cm ³	500	700	1200	2100
Rate of breathing in breaths per minute	14	15	16	28

Calculate the volume of air in dm³ breathed in per minute when the person breathes air containing 3.00% carbon dioxide.

[1 dm³ = 1000 cm³] (2)

volume of air = dm³

(iii) The air a person breathes in contains 20% oxygen. The body uses 20% of this oxygen.

Calculate the volume of oxygen used per minute when the person breathes air containing 1.60% carbon dioxide. (3)

volume of oxygen = cm³



DO NOT WRITE IN THIS AREA

(iv) Explain the effect of increasing the percentage of carbon dioxide in the air a person breathes in on the tidal volume and rate of breathing.


(4)

(Total for Question 2 = 14 marks)



- 3** A student investigates a reaction. The reaction is catalysed by an enzyme and produces a gas. The student collects the gas for 10 minutes and measures the volume of the gas. The student repeats this every 10 minutes for one hour.

The bar chart shows the student's results.



- (a) (i) Add a suitable labelled scale to the x-axis.

(2)

- (ii) Estimate the total volume of gas produced after 30 minutes.

(2)

volume of gas = cm³

- (iii) Describe the trend shown by the results.

(3)

.....

.....

.....

.....

.....

.....



(iv) Explain the student's results obtained in the investigation.

(3)

(b) Explain the effect on the results if the student had added a competitive inhibitor at the start of the investigation.

(2)

(Total for Question 3 = 12 marks)



4 The eye contains receptors that can detect light.

(a) Name two other senses.

(2)

1

2

(b) The table shows how the focal length of the eye lens changes as the thickness of the lens changes.

Thickness of lens in mm	Focal length in mm
10	12.5
9	14.0
8	15.5
7	18.0
6	21.0
5	25.0

(i) Describe the relationship between the thickness of the lens and its focal length.

(2)

.....

.....

.....

.....

(ii) Give the effect on the diameter of the lens as its thickness increases.

(1)

.....

.....



(iii) A person is looking at a distant object and then looks at a near object.

Use the data in the table to explain the changes that occur in the eye so the person is able to form an image of the near object on the retina.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

.....

.....

.....

.....

.....

.....


.....

.....

.....



- (c) Cone cells are found in the retina of the eye. They detect colour. The graph shows the absorption of different wavelengths of light by three types of cone cell.



- (i) Determine the wavelength of light at which a red detecting cone absorbs most light.

(1)

wavelength of light = nm

- (ii) Determine the maximum difference in the wavelengths of the light that can be absorbed by blue detecting cones.

(2)

difference in wavelengths = nm

- (iii) Suggest why it is better to have three types of cone rather than just one type of cone.

(2)

(Total for Question 4 = 14 marks)


DO NOT WRITE IN THIS AREA

BLANK PAGE



- 5 Pit latrines can be used to get rid of urine and faeces. They can be used where the soil is permeable to water and are always placed downhill from wells.

The diagram shows a pit latrine.



- (a) (i) Explain why a pit latrine should be placed downhill from a well.

(2)

- (ii) Give the reason why pit latrines must be placed in soil that is permeable to water.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(iii) Explain why, when a pit latrine is not in use, the latrine should have a cover and why the cover should have a long handle.

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (b) The concrete slab shown in the diagram is washed regularly with an antibacterial solution.

A scientist wants to investigate two antibacterial solutions to see which solution is more effective.


Design an investigation the scientist could use to find out which of the two antibacterial solutions is more effective.

Include experimental details in your answer and write in full sentences.

(7)

(Total for Question 5 = 15 marks)

- 6 The diagram shows a white blood cell engulfing a bacterium and the stages that follow.



- (a) (i) State the name of the process used by white blood cells to engulf bacteria.

(1)

- (ii) Describe what is happening at stages 1, 2 and 3 shown in the diagram.

(3)

stage 1

stage 2

stage 3


- (iii) Suggest the function of the structures labelled X.

(2)



(b) A student observes a prepared slide of blood under a light microscope.

The student draws this diagram of what could be seen.



(i) Describe how the slide of human blood could be prepared.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) Discuss the accuracy of the student's diagram.

(4)

(iii) Explain why the student would be advised to use a prepared slide rather than making one from their own blood.

(2)

(Total for Question 6 = 15 marks)



7 A method that shows whether a person’s kidneys are working correctly is to measure the volume of filtrate produced by the kidneys in one minute. This is known as the glomerular filtration rate (GFR).


A person with healthy kidneys has a GFR of over 100 cm³ per minute.

The GFR of a person whose kidneys were not working correctly was measured once a year for nine years.

The table shows the results.

Year	2011	2012	2013	2014	2015	2016	2017	2018	2019
GFR in cm ³ per minute	80	75	79	79	67	60	50	45	35

(a) (i) Plot a line graph of the data on the grid. (4)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- (ii) Explain why it is not possible to determine from the data when the person's kidneys stopped working correctly.

(2)

- (iii) A person needs dialysis if the GFR falls to 15 cm^3 per minute.

Use the data to estimate when the person will probably need to start dialysis.

(2)

- (iv) Discuss the accuracy of this estimate.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (b) During the early stages when a person's kidneys are not working correctly, they are advised to control the amount of protein in their diet.

Explain why the protein in their diet should be controlled.

(3)

(Total for Question 7 = 14 marks)

TOTAL FOR PAPER = 90 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

